

tec60

Price List

MTK-L-02

Rev. 0 / Aug-2021



Table of contents

Table of contents	1	32" Height	30
Terms and Conditions	4	40" Height	30
Standard Fabrics and Finishes	7		
FRAMES		Perforated Tile.	
		8" Height	31
		16" Height	31
Frames	11	24" Height	31
Stacking Frame	12	32" Height	32
Connectors	13	40" Height	32
Ceiling Connector	15		
End Cover	17	laminated Tile.	
End Cover with Change of Height	17	8" Height	33
Wall Start	18	16" Height	33
		24" Height	33
TILES		32" Height	34
		40" Height	34
Fabric Non-Powered Base line tile	19		
Fabric Power Base line tile	19	Glass Tile	
Fabric Data Base line tile	20	8" Height	35
Fabric Power and Data Base line tile	20	16" Height	35
		24" Height	35
Painted Non-Powered Baseline tile	21		
Painted Power Base line tile	21	Painted Tool Rail Tile	
Painted Data Base line tile	22	8" Height	36
Painted Power and Data Base line tile	22	Fabric Tool Rail Tile	
		8" Height	36
Fabric Non-Powered Flip-Up Belt line tile.	23	Paper Management	
Fabric Power Flip-Up Belt line tile	23	8" Height	37
Fabric Data Flip-Up Belt line tile	24		
Fabric Power and Data Flip-Up Belt line tile	24	FABRIC STARTER TILE	
Painted Non-Powered Flip-Up Belt line tile.	25	Fabric Starter 29"	38
Painted Power Flip-Up Belt line tile	25	Fabric Starter Tile Base Power 29"	38
Painted Data Flip-Up Belt line tile	26	Fabric Starter Tile Base Data 29"	38
Painted Power and Data Flip-Up Belt line tile	26	Fabric Starter Tile Base Power and Data 29"	39
Fabric tile		Fabric Starter 37"	40
8" Height	27	Fabric Starter Tile Base Power 37"	40
16" Height	27	Fabric Starter Tile Base Data 37"	40
24" Height	27	Fabric Starter Tile Base Power and Data 37"	41
32" Height	28	Fabric Starter Tile Belt Power 37"	41
40" Height	28	Fabric Starter Tile Belt Data 37"	41
		Fabric Starter Tile Belt Power and Data 37"	41
Painted tile			
8" Height	29	Fabric Starter 45"	42
16" Height	29	Fabric Starter Tile Base Power 45"	42
24" Height	29	Fabric Starter Tile Base Data 45"	42
		Fabric Starter Tile Base Power and Data 45"	43

Table of contents

Fabric Starter Tile Belt Power 45"	43	Perforated Starter Tile Base Power and Data 45"	55
Fabric Starter Tile Belt Data 45"	43		
Fabric Starter Tile Belt Power and Data 45"	43	Perforated Starter Tile Belt Power 45"	55
		Perforated Starter Tile Belt Data 45"	55
PAINTED STARTER TILE		Perforated Starter Tile Belt Power and Data 45"	55
Painted Starter Tile 29"	44	LAMINATE STARTER TILE	
Painted Starter Tile Base Power 29"	44		
Painted Starter Tile Base Data 29"	44	Laminated Starter Tile 29"	56
Painted Starter Tile Base Power and Data 29"	45	Laminated Starter Tile 37"	56
		Laminated Starter Tile 45	56
Painted Starter Tile 37"	46	E SERIES BASE LINE TILE	
Painted Starter Tile Base Power 37"	46		
Painted Starter Tile Base Power 37"	46	Fabric Power Base line tile	57
Painted Starter Tile Base Power and Data 37"	47	Fabric Data Base line tile	57
		Fabric Power and Data Base line tile	57
Painted Starter Tile Belt Power 37"	47		
Painted Starter Tile Belt Data 37"	47	Painted Power Base line tile	58
Painted Starter Tile Belt Power and Data 37"	47	Painted Data Base line tile	58
		Painted Power and Data Base line tile	58
Painted Starter Tile 45"	48		
Painted Starter Tile Base Power 45"	48	Fabric Power Flip-Up Belt line tile	59
Painted Starter Tile Base Data 45"	48	Fabric Data Flip-Up Belt line tile	59
Painted Starter Tile Base Power and Data 45"	49	Fabric Power and Data Flip-Up Belt line tile	59
Painted Starter Tile Belt Power 45"	49	Painted Power Flip-Up Belt line tile	60
Painted Starter Tile Belt Data 45"	49	Painted Data Flip-Up Belt line tile	60
Painted Starter Tile Belt Power and Data 45"	49	Painted Power and Data Flip-Up Belt line tile	60
PERFORATED STARTER TILE		E SERIES FABRIC STARTER TILE	
Perforated Starter Tile 29"	50		
Perforated Starter Tile Base Power 29"	50	Fabric Starter Tile Base Power 29"	61
Perforated Starter Tile Base Data 29"	50	Fabric Starter Tile Base Data 29"	61
Perforated Starter Tile Base Power and Data 29"	51	Fabric Starter Tile Base Power and Data 29"	61
Perforated Starter Tile 37"	52	Fabric Starter Tile Base Power 37"	62
Perforated Starter Tile Base Power 37"	52	Fabric Starter Tile Base Data 37"	62
Perforated Starter Tile Base Data 37"	52	Fabric Starter Tile Base Power and Data 37"	62
Perforated Starter Tile Base Power and Data 37"	53		
		Fabric Starter Tile Base Power 45"	63
Perforated Starter Tile Belt Power 37"	53	Fabric Starter Tile Base Data 45"	63
Perforated Starter Tile Belt Data 37"	53	Fabric Starter Tile Base Power and Data 45"	63
Perforated Starter Tile Belt Power and Data 37"	53		
Perforated Starter Tile 45"	54		
Perforated Starter Tile Base Power 45"	54		
Perforated Starter Tile Base Data 45"	54		

Table of contents

"E" SERIES FABRIC STARTER TILE BELT

Fabric Starter Tile Belt Power 37"	64
Fabric Starter Tile Belt Data 37"	64
Fabric Starter Tile Belt Power and Data 37"	64
Fabric Starter Tile Belt Power 45"	65
Fabric Starter Tile Belt Data 45"	65
Fabric Starter Tile Belt Power and Data 45"	65

"E" SERIES PAINTED STARTER TILE 29"

Painted Starter Tile Base Power 29"	66
Painted Starter Tile Base Data 29"	66
Painted Starter Tile Base Power and Data 29"	66
Painted Starter Tile Base Power 37"	67
Painted Starter Tile Base Data 37"	67
Painted Starter Tile Base Power and Data 37"	67
Painted Starter Tile Base Power 45"	68
Painted Starter Tile Base Data 45"	68
Painted Starter Tile Base Power and Data 45"	68

"E" SERIES STARTER TILE PAINTED BELT

Painted Starter Tile Belt Power 37"	69
Painted Starter Tile Belt Data 37"	69
Painted Starter Tile Belt Power and Data 37"	69
Painted Starter Tile Belt Power 45"	70
Painted Starter Tile Belt Data 45"	70
Painted Starter Tile Belt Power and Data 45"	70

WORKSURFACE

Rectangular Worksurfaces	71
90° Notched Corner Worksurface	72
90° Curved Corner Worksurface	72
120° Corner Worksurface	73
D-Shaped Worksurface	73
D-Shaped Peninsula Worksurface	74
90° Extended Notched Corner Worksurface	75
90° Extended Curved Corner Worksurface	78
Extended Notched Corner Peninsula Worksurface	81
Extended Curved Corner Peninsula Worksurface	85
Rectangular Asymmetrical Worksurface	89

45° Transition Corner Worksurface	91
Linking Worksurface	91

WORKSURFACE SUPPORT

Cantilever Brackets	92
Corner Cantilever Bracket	92
End Support Bracket	92
Flat Bracket	93
L Support	93
Panel Stabilizer Support	94
Credenza Support	94
Intermediate Support	95
Intermediate Support to worksurface	95
Bracket for Cabinet to Wall	96
End Panel Support	97
End P-Panel Support	97
Half Panel Support	98

Support Leg TEC	99
Support Leg QUO	99
Support Leg TEC for 19"H Credenza	100
Support Leg QUO for 19"H Credenza	101
Support Leg QUO for 24"H Credenza	101
Peninsula Support Leg TEC	102
Support Column Leg.	102

TRANSACTION WORKSURFACES

Transaction Worksurface	103
Rectangular Corner Transaction Worksurface	103
Radial Corner Transaction Worksurface	104
Radial End Transaction Worksurface	104

Table of contents

STORAGE

Overhead Storage With Door	105
Overhead Storage With Fabric Door	105
Overhead Storage With laminated Door	108
Open Overhead Storage	108
Hanging Shelf.	109
 Storage on Structure	 109

PEDESTALS

Pedestals "J" Series	
Painted Front	110
Laminated Front	110
 Pedestals "E" Series	
Painted Front	111
 Pedestal Filler	 111
 Mobile Pedestals "J" Series	
Painted Front	112
Laminated Front	112
 Mobile Pedestals "E" Series	
Painted Front	112

ACCESORIES

Frameless Acrylic Divider.	112
Frameless Glass Divider.	112
 Acrylic Side Divider .	 113
Acrylic Intermediate Divider.	113
 Glass Side Divider .	 114
Glass Intermediate Divider.	114
 Steel Modesty Panel	 115
Laminated Modesty Panel	115
 Accesories for Tool Rail Tiles.	 116
 DATA Port Plate	 116

Terms and Conditions

◦ **Order Information**

METRIKA requires that all orders be submitted in writing. An order is not binding until METRIKA receives a signed purchase order and issues an order acknowledgement that includes price information and anticipated shipping date.

◦ **Prices and Payment**

All prices are list and subject to change without prior notice. Orders are invoiced at time of shipment and payment is due at time of invoice

Changes and Cancellations

Changes and Cancellations All orders are processed immediately and therefore cannot be changed or cancelled.

◦ **Taxes**

All sales, use, excise and other applicable taxes are the purchaser's responsibility and will be invoiced to the purchaser. If the purchaser is tax exempt, it is the purchaser's responsibility to furnish appropriate tax exempt certification.

◦ **Shipping and Delivery**

Freight will be prepaid by METRIKA to destination in the continental United States on all orders of \$25,000 list and greater. Orders under \$25,000 list will be plus freight. METRIKA will select the carrier and method of shipment routing on all prepaid shipments. Any additional charges incurred from purchaser-requested inside delivery, special handling notification or expedited shipment services will be billed to the purchaser

◦ **Damage Claims**

All shipments must be inspected immediately upon delivery for visible or concealed damage. The purchaser is responsible for visible damage and must file a freight claim with the carrier. Any unconcealed damage must be reported to METRIKA Customer Service within 72 hours so that appropriate disposition can be determined.

◦ **Shortage Claims**

Upon delivery, the shipment should be checked for shortages. Note any discrepancies and notify METRIKA Customer Service immediately. Claims against METRIKA for shortages or errors must be made within 72 hours of receipt of the shipment, after which the right to make such claims may be waived

Terms and Conditions

- **Storage**

METRIKA may transfer product to storage at the purchaser's risk and expense if the purchaser is unable to take delivery of product as scheduled.

Upon such transfer to storage, the purchaser assumes risk of loss.

METRIKA will invoice the purchaser on a monthly basis for storage fees, and the purchaser will make payments in accordance with the METRIKA's standard payment terms.

- **Return Merchandise**

No returns are accepted.

For detailed policies and procedures, go to <http://www.metrikastudio.mx>

Warranty

Warranty

METRIKA (hereinafter referred to as the Company) warrants to the original end user that each of its Products is free from defects in material and workmanship for as long as the original end user owns the products unless as otherwise noted below.

Such warranty is limited to repair or replacement, at the Company's option, of any Products which, under normal use in accordance with the Company's published instruction, proves to be defective. Damage arising from misuse, accidents or normal wear and tear is excluded from this warranty.

This warranty does not apply to damage caused by carrier, alterations to product, nor to products considered to be of a consumable nature such as bulbs, light ballasts, and surge suppression products. It also does not apply to Customer's Own Material.

The Company does not warranty the matching of color, grain or texture, except to within commercially acceptable standards.

The Company does not warranty the matching of color, grain or texture, except to within commercially acceptable standards.


Buyer's sole remedy pursuant to the foregoing warranties is limited to repair or replacement, at the option of Seller, FOB its plant, of products or work which prove to be defective within the applicable warranty period, except that labor is not provided without charge by Seller for any warranty claim made after the first year of any warranty period.

The remedy contained in this paragraph is hereby expressly agreed to be exclusive. Buyer may be required to establish that a warranty claim is within the warranty period by producing the invoice for the product or such other evidence as may be reasonably satisfactory to Seller

There are no other warranties except as expressly set forth in this warranty section with respect to products or services provided pursuant to this agreement, either expressed or implied, including any warranty of merchantability or fitness for any particular purpose.

The Company will not be responsible for consequential, economic or incidental damages arising from product defects.

Frames



DESCRIPTION

Each frame holds individual tiles on either side.

SPECIFICATIONS

- o Welded Steel frame.
- o Panel thickness 2" 5/8
- o Frame color Black.
- o Each frame holds individual tiles on either side.
- o Top cap, adjustable glides and connector bolts included.
- o Panel height measured with glides fully retracted.

NOTES

- o No tools required to connect and assemble panels.
- o When connecting 2 frames of different height, order End Cover change height separately.
- o Power and data components order separately.

SPECIFY ON ORDER

1. Quantity.
2. Model Number.
3. Top Cap Finish.

38" Height

Model No.	Height	Width	Depth	Vol- (m³)	WT (lbs)	Price	
MF3824	37 3/4	23 5/8	2 1/4	0.035	6 lbs	\$	449
MF3830	37 3/4	29 1/2	2 1/4	0.043	7 lbs	\$	462
MF3836	37 3/4	35 1/2	2 1/4	0.052	7 lbs	\$	475
MF3842	37 3/4	41 1/4	2 1/4	0.060	8 lbs	\$	494
MF3848	37 3/4	47 1/4	2 1/4	0.069	8 lbs	\$	518


46" Height

Model No.	Height	Width	Depth	Vol- (m³)	WT (lbs)	Price	
MF4624	45 3/4	23 5/8	2 1/4	0.042	7 lbs	\$	449
MF4630	45 3/4	29 1/2	2 1/4	0.052	7 lbs	\$	462
MF4636	45 3/4	35 1/2	2 1/4	0.063	8 lbs	\$	475
MF4642	45 3/4	41 1/4	2 1/4	0.073	9 lbs	\$	494
MF4648	45 3/4	47 1/4	2 1/4	0.084	9 lbs	\$	519

54" Height

Model No.	Height	Width	Depth	Vol- (m³)	WT (lbs)	Price	
MF5424	53 1/2	23 5/8	2 1/4	0.049	7 lbs	\$	475
MF5430	53 1/2	29 1/2	2 1/4	0.061	8 lbs	\$	495
MF5436	53 1/2	35 1/2	2 1/4	0.073	9 lbs	\$	514
MF5442	53 1/2	41 1/4	2 1/4	0.086	9 lbs	\$	536
MF5448	53 1/2	47 1/4	2 1/4	0.098	10 lbs	\$	542

Frames




62" Height

Model No.	Height	Width	Depth	Vol- (m³)	WT (lbs)	Price
MF6224	61 1/2	23 5/8	2 1/4	0.06	8 lbs	\$ 496
MF6230	61 1/2	29 1/2	2 1/4	0.07	9 lbs	\$ 515
MF6236	61 1/2	35 1/2	2 1/4	0.08	9 lbs	\$ 524
MF6242	61 1/2	41 1/4	2 1/4	0.10	10 lbs	\$ 557
MF6248	61 1/2	47 1/4	2 1/4	0.11	10 lbs	\$ 561

70" Height

Model No.	Height	Width	Depth	Vol- (m³)	WT (lbs)	Price
MF7024	69 1/2	23 5/8	2 1/4	0.063	9 lbs	\$ 528
MF7030	69 1/2	29 1/2	2 1/4	0.079	9 lbs	\$ 546
MF7036	69 1/2	35 1/2	2 1/4	0.095	10 lbs	\$ 566
MF7042	69 1/2	41 1/4	2 1/4	0.111	11 lbs	\$ 589
MF7048	69 1/2	47 1/4	2 1/4	0.127	11 lbs	\$ 593

Stacking Frame



DESCRIPTION

Stacking frame attaches to the top of a base frame, and holds individual tiles on both sides of a base frame, and holds individual tiles on both

NOTES

No tools required to connect and assemble panels.

SPECIFICATIONS

- o Welded Steel frame.
- o Panel thickness 2" 5/8
- o Frame color Black
- o Each frame holds individual tiles on either side.
- o Does not include top cover or sides.
- o Hardware kit for installation included.

SPECIFY ON ORDER

1. Quantity.
2. Model Number.

16" Height

Model No.	Height	Width	Depth	Vol- (m³)	WT (lbs)	Price
SF1624	15 3/4	23 5/8	2 1/4	0.014	3 lbs	\$ 356
SF1630	15 3/4	29 1/2	2 1/4	0.018	4 lbs	\$ 365
SF1636	15 3/4	35 1/2	2 1/4	0.022	4 lbs	\$ 372
SF1642	15 3/4	41 1/2	2 1/4	0.025	5 lbs	\$ 381
SF1648	15 3/4	47 1/4	2 1/4	0.029	5 lbs	\$ 386

Connectors

DESCRIPTION

Connects same height frame at two-way, three-way and four-way conditions.

NOTES

- o If frames are not of the same height a the connector, order En cover change of height separately.


SPECIFICATIONS

- o Extruded aluminum connector.
- o Top cap included.
- o Powder coat painted finished.

SPECIFY ON ORDER


1. Quantity.
2. Model Number.
3. Connector Finish.

2-WAY 90° Connector - L




Model No.	Height	Width	Depth	Vol- (m³)	WT (lbs)	Price	
C9L38	37 3/4	2 1/4	2 1/4	0.003	2 lbs	\$	207
C9L46	45 3/4	2 1/4	2 1/4	0.004	3 lbs	\$	257
C9L54	53 1/2	2 1/4	2 1/4	0.005	3 lbs	\$	321
C9L62	61 1/2	2 1/4	2 1/4	0.006	3 lbs	\$	339
C9L70	69 1/4	2 1/4	2 1/4	0.006	4 lbs	\$	467

3-WAY 90° Connector - T




Model No.	Height	Width	Depth	Vol- (m³)	WT (lbs)	Price	
C9T38	37 3/4	2 1/4	2 1/4	0.003	2 lbs	\$	209
C9T46	45 3/4	2 1/4	2 1/4	0.004	3 lbs	\$	260
C9T54	53 1/2	2 1/4	2 1/4	0.005	3 lbs	\$	324
C9T62	61 1/2	2 1/4	2 1/4	0.006	3 lbs	\$	343
C9T70	69 1/4	2 1/4	2 1/4	0.006	4 lbs	\$	471


4-WAY 90° Connector - X



Model No.	Height	Width	Depth	Vol- (m³)	WT (lbs)	Price	
C9X38	37 3/4	2 1/4	2 1/4	0.003	2 lbs	\$	210
C9X46	45 3/4	2 1/4	2 1/4	0.004	3 lbs	\$	262
C9X54	53 1/2	2 1/4	2 1/4	0.005	3 lbs	\$	327
C9X62	61 1/2	2 1/4	2 1/4	0.006	3 lbs	\$	347
C9X70	69 1/4	2 1/4	2 1/4	0.006	4 lbs	\$	474

Connectors**2-WAY 120° Connector**

Model No.	Height	Width	Depth	Vol- (m³)	WT (lbs)	Price	
C12L38	37 3/4	2 1/4	2 1/4	0.003	2 lbs	\$	202
C12L46	45 3/4	2 1/4	2 1/4	0.004	2 lbs	\$	250
C12L54	53 2/4	2 1/4	2 1/4	0.005	2 lbs	\$	312
C12L62	61 2/4	2 1/4	2 1/4	0.006	3 lbs	\$	330
C12L70	69 1/4	2 1/4	2 1/4	0.006	3 lbs	\$	454

3-WAY 120° Connector

Model No.	Height	Width	Depth	Vol- (m³)	WT (lbs)	Price	
C12T38	37 3/4	2 1/4	2 1/4	0.003	2 lbs	\$	204
C12T46	45 3/4	2 1/4	2 1/4	0.004	2 lbs	\$	254
C12T54	53 1/2	2 1/4	2 1/4	0.005	2 lbs	\$	316
C12T62	61 1/2	2 1/4	2 1/4	0.006	3 lbs	\$	334
C12T70	69 1/4	2 1/4	2 1/4	0.006	3 lbs	\$	458

Ceiling Connector

DESCRIPTION

Allows electrify the system from the ceiling

NOTES

- o Does not Include harnesses electrification


SPECIFICATIONS

- o Extruded aluminum finish end cover.
- o Powder coat painted .

SPECIFY ON ORDER


1. Quantity.
2. Model Number
3. Connector Finish.

2-WAY 90° Ceiling Connector




Model No.	Height	Width	Depth	Vol- (m³)	WT (lbs)	Price	
PCL938108	108	2 1/4	2 1/4	0.010	6 lbs	\$	691
PCL946108	108	2 1/4	2 1/4	0.010	6 lbs	\$	700
PCL954108	108	2 1/4	2 1/4	0.010	6 lbs	\$	700
PCL962108	108	2 1/4	2 1/4	0.010	6 lbs	\$	700
PCL970108	108	2 1/4	2 1/4	0.010	6 lbs	\$	700

3-WAY 90° Ceiling Connector



Model No.	Height	Width	Depth	Vol- (m³)	WT (lbs)	Price	
PCT938108	108	2 1/4	2 1/4	0.010	6 lbs	\$	693
PCT946108	108	2 1/4	2 1/4	0.010	6 lbs	\$	704
PCT954108	108	2 1/4	2 1/4	0.010	6 lbs	\$	704
PCT962108	108	2 1/4	2 1/4	0.010	6 lbs	\$	715
PCT970108	108	2 1/4	2 1/4	0.010	6 lbs	\$	715


4-WAY 90° Ceiling Connector



Model No.	Height	Width	Depth	Vol- (m³)	WT (lbs)	Price	
PCX938108	108	2 1/4	2 1/4	0.010	6 lbs	\$	695
PCX946108	108	2 1/4	2 1/4	0.010	6 lbs	\$	707
PCX954108	108	2 1/4	2 1/4	0.010	6 lbs	\$	707
PCX962108	108	2 1/4	2 1/4	0.010	6 lbs	\$	718
PCX970108	108	2 1/4	2 1/4	0.010	6 lbs	\$	718


Ceiling Connector

2-WAY 120° Ceiling Connector




Model No.	Height	Width	Depth	Vol- (m³)	WT (lbs)	Price	
PCL1238108	108	2 1/4	2 1/4	0.010	5 lbs	\$	706
PCL1246108	108	2 1/4	2 1/4	0.010	5 lbs	\$	716
PCL1254108	108	2 1/4	2 1/4	0.010	5 lbs	\$	716
PCL1262108	108	2 1/4	2 1/4	0.010	5 lbs	\$	725
PCL1270108	108	2 1/4	2 1/4	0.010	5 lbs	\$	725

3-WAY 120° Ceiling Connector



Model No.	Height	Width	Depth	Vol- (m³)	WT (lbs)	Price	
PCT1238108	108	2 1/4	2 1/4	0.010	5 lbs	\$	708
PCT1246108	108	2 1/4	2 1/4	0.010	5 lbs	\$	720
PCT1254108	108	2 1/4	2 1/4	0.010	5 lbs	\$	720
PCT1262108	108	2 1/4	2 1/4	0.010	5 lbs	\$	730
PCT1270108	108	2 1/4	2 1/4	0.010	5 lbs	\$	730

End Cover**DESCRIPTION**

End Covers the exposed end of the frame.

NOTES

- Order as same frame height.
height of frame.


SPECIFICATIONS

- Extruded aluminum finish end cover.
- Powder coat painted .

SPECIFY ON ORDER

- Quantity.
- Model Number
- Connector Finish.

Model No.	Height	Width	Depth	Vol- (m³)	WT (lbs)	Price	
FEC37	37 1/2	2 1/4	1/4	0.0005	1 lbs	\$	104
FEC45	45 1/4	2 1/4	1/4	0.0006	1 lbs	\$	114
FEC53	53 1/4	2 1/4	1/4	0.0006	1 lbs	\$	128
FEC61	61	2 1/4	1/4	0.0007	1 lbs	\$	130
FEC69	69	2 1/4	1/4	0.0008	1 lbs	\$	158

End Cover with Change of Height**DESCRIPTION**

end change of height covers
the exposed end of taller frame.

SPECIFY ON ORDER

- Order height of End Cover same
height of frame.


SPECIFICATIONS

- Extruded aluminum finish end cover.
- Powder coat painted .

SPECIFY ON ORDER

- Quantity.
- Model Number
- Connector Finish.

Model No.	Height	Width	Depth	Vol- (m³)	WT (lbs)	Price	
FECCH08	7 7/8	2 1/4	1/4	0.0001	0.2 lbs	\$	75
FECCH16	15 3/4	2 1/4	1/4	0.0002	0.3 lbs	\$	84
FECCH24	23 5/8	2 1/4	1/4	0.0003	0.5 lbs	\$	92
FECCH32	31 1/2	2 1/4	1/4	0.0004	0.6 lbs	\$	99

Wall Start**DESCRIPTION**

Allows you to set the frame to a wall.

NOTES

- Order as same frame height.


SPECIFICATIONS

- Profile Steel.
- Powder coat painted .

SPECIFY ON ORDER

- Quantity.
- Model Number

Model No.	Height	Width	Depth	Vol- (m³)	WT (lbs)	Price	
WS37	37 1/2	2 1/4	1/4	0.0005	9 lbs	\$	49
WS45	45 1/4	2 1/4	1/4	0.0006	11 lbs	\$	54
WS53	53 1/4	2 1/4	1/4	0.0006	13 lbs	\$	60
WS61	61	2 1/4	1/4	0.0007	14 lbs	\$	68
WS69	69	2 1/4	1/4	0.0008	16 lbs	\$	75

Fabric Base line tile**DESCRIPTION**

Fabric base line tile attaches to one side of frame of equal width and paint

SPECIFICATIONS


- o Galvanized steel fabric covered tile includes clip-on hardware
- o Non-progressive removal (no tools require)
- o Allows easy access to wiring
- o 24"W tiles have 1 duplex per side and 30", 36", 42" and 48"W tiles have 2 duplex per side
- Data is on the right side of the tile for 24 and 30W tiles at the center for 36", 42" and 48"W tiles.

NOTES


- o Order one per side
- o 24" tiles have 1 power entry 30", 36" 42" and 48" have 2 power access if requested
- o Tiles have 1 data entry if requested

SPECIFY ON ORDER


1. Quantity.
2. Model Number
3. Fabric

Fabric Non-Powered Base line tile


Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price	
BLF0524	5 3/8	23 5/8	1/2	0.001	2 lbs	\$	54
BLF0530	5 3/8	29 1/2	1/2	0.001	2 lbs	\$	61
BLF0536	5 3/8	35 3/8	1/2	0.001	2 lbs	\$	68
BLF0542	5 3/8	41 3/8	1/2	0.002	3 lbs	\$	80
BLF0548	5 3/8	47 1/4	1/2	0.002	3 lbs	\$	90

Fabric Power Base line tile


Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price	
BLFP0524	5 3/8	23 5/8	1/2	0.001	2 lbs	\$	55
BLFP0530	5 3/8	29 1/2	1/2	0.001	2 lbs	\$	64
BLFP0536	5 3/8	35 3/8	1/2	0.001	2 lbs	\$	69
BLFP0542	5 3/8	41 3/8	1/2	0.002	3 lbs	\$	81
BLFP0548	5 3/8	47 1/4	1/2	0.002	3 lbs	\$	90

Fabric Base line tile**Fabric Data Base line tile**

Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price	
BLFD0524	5 3/8	23 5/8	1/2	0.001	2 lbs	\$	55
BLFD0530	5 3/8	29 1/2	1/2	0.001	2 lbs	\$	64
BLFD0536	5 3/8	35 3/8	1/2	0.001	2 lbs	\$	69
BLFD0542	5 3/8	41 3/8	1/2	0.002	3 lbs	\$	81
BLFD0548	5 3/8	47 1/4	1/2	0.002	3 lbs	\$	90

Fabric Power and Data Base line tile

Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price	
BLFPD0524	5 3/8	23 5/8	1/2	0.001	2 lbs	\$	57
BLFPD0530	5 3/8	29 1/2	1/2	0.001	2 lbs	\$	65
BLFPD0536	5 3/8	35 3/8	1/2	0.001	2 lbs	\$	71
BLFPD0542	5 3/8	41 3/8	1/2	0.002	3 lbs	\$	82
BLFPD0548	5 3/8	47 1/4	1/2	0.002	3 lbs	\$	92

Painted Base Line Tile**DESCRIPTION**

Painted base line tile attaches to one side of frame of equal width and paint

SPECIFICATIONS


- o Powder coat-painted finish
- o Includes clip-on hardware
- o Non-progressive removal (no tools require)
Allows easy access to interior wiring
- o 24"W tiles have 1 duplex per side. 30", 36", 42" and 48"W tiles have 2 duplex per side.
- o Data port is on the right side of the tile for 24"W and 30"W tiles, and at the center for 36", 42" and 48"W tiles.

NOTES


- o Order one per side
- o 24" tiles have 1 power entry, 30", 36", 42" and 48" have 2 power entries, if requested
- o Tiles have 1 data entry, if requested

SPECIFY ON ORDER


1. Quantity.
2. Model Number
3. Fabric

Panted Non-Powered Base Line Tile


Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price
BLP0524	5 3/8	23 5/8	1/2	0.001	1 lbs	\$ 44
BLP0530	5 3/8	29 1/2	1/2	0.001	2 lbs	\$ 50
BLP0536	5 3/8	35 3/8	1/2	0.001	2 lbs	\$ 54
BLP0542	5 3/8	41 3/8	1/2	0.002	2 lbs	\$ 64
BLP0548	5 3/8	47 1/4	1/2	0.002	3 lbs	\$ 71

Painted Base Line Tile with Power outlet

Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price
BLPP0524	5 3/8	23 5/8	1/2	0.001	1 lbs	\$ 46
BLPP0530	5 3/8	29 1/2	1/2	0.001	2 lbs	\$ 52
BLPP0536	5 3/8	35 3/8	1/2	0.001	2 lbs	\$ 55
BLPP0542	5 3/8	41 3/8	1/2	0.002	2 lbs	\$ 65
BLPP0548	5 3/8	47 1/4	1/2	0.002	3 lbs	\$ 72


Painted Base line tile**Painted Data Base line tile**

Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price	
BLPD0524	5 3/7	23 5/8	1/2	0.001	1 lbs	\$	46
BLPD0530	5 3/7	29 1/2	1/2	0.001	2 lbs	\$	52
BLPD0536	5 3/7	35 3/8	1/2	0.001	2 lbs	\$	55
BLPD0542	5 3/7	41 3/8	1/2	0.002	2 lbs	\$	65
BLPD0548	5 3/7	47 1/4	1/2	0.002	3 lbs	\$	72

Painted Power and Data Base line tile

Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price	
BLPPD0524	5 3/8	23 5/8	1/2	0.001	1 lbs	\$	47
BLPPD0530	5 3/8	29 1/2	1/2	0.001	2 lbs	\$	54
BLPPD0536	5 3/8	35 3/8	1/2	0.001	2 lbs	\$	57
BLPPD0542	5 3/8	41 3/8	1/2	0.002	2 lbs	\$	67
BLPPD0548	5 3/8	47 1/4	1/2	0.002	3 lbs	\$	74

Fabric Flip-Up Belt line tile



DESCRIPTION

Fabric Flip-up tile allows easy access to wire management.

SPECIFICATIONS

- o Galvanized steel fabric covered tile.
 - o Includes flip-up hardware.
 - o Allows easy access to interior wiring .
Can be reupholstered in field.
 - o 24"W tiles have 1 duplex per side.
 - o 30", 36", 42" and 48"W power belt line tiles
o have 2 duplex locations per side.
- Data port location is on the right side of the belt line tile for 24" and 30"W belt line tiles, and at the center of the belt line tile on 36", 42" and 48"W frames.


NOTES

- o Order individually one per side.
- o 24" tiles have 1 power entry, 30", 36" 42" and 48" have 2 power entries, if requested. Tiles have 1 data entry, if requested

SPECIFY ON ORDER


1. Quantity.
2. Model Number
3. Fabric.

Fabric Non-Powered Flip-Up Belt line tile.



Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price
BTF0824	7 7/8	23 5/8	1/2	0.001	3 lbs	\$ 118
BTF0830	7 7/8	29 1/2	1/2	0.002	3 lbs	\$ 127
BTF0836	7 7/8	35 3/8	1/2	0.002	4 lbs	\$ 132
BTF0842	7 7/8	41 1/4	1/2	0.003	5 lbs	\$ 144
BTF0848	7 7/8	47 1/4	1/2	0.003	5 lbs	\$ 154


Fabric Power Flip-Up Belt line tile



Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price
BTFP0824	7 7/8	23 5/8	1/2	0.001	3 lbs	\$ 119
BTFP0830	7 7/8	29 1/2	1/2	0.002	3 lbs	\$ 128
BTFP0836	7 7/8	35 3/8	1/2	0.002	4 lbs	\$ 132
BTFP0842	7 7/8	41 1/4	1/2	0.003	5 lbs	\$ 146
BTFP0848	7 7/8	47 1/4	1/2	0.003	5 lbs	\$ 155


Fabric Flip-Up Belt line tile

Fabric Data Flip-Up Belt line tile




Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price	
BTFD0824	7 7/8	23 5/8	1/2	0.001	3 lbs	\$	119
BTFD0830	7 7/8	29 1/2	1/2	0.002	3 lbs	\$	128
BTFD0836	7 7/8	35 3/8	1/2	0.002	4 lbs	\$	132
BTFD0842	7 7/8	41 1/4	1/2	0.003	5 lbs	\$	146
BTFD0848	7 7/8	47 1/4	1/2	0.003	5 lbs	\$	155

Fabric Power and Data Flip-Up Belt line tile



Model No.	Height	Width	Depth	Volume (ft³)	WT(lbs)	Price	
BTFPD0824	7 7/8	23 5/8	1/2	0.001	3 lbs	\$	120
BTFPD0830	7 7/8	29 1/2	1/2	0.002	3 lbs	\$	129
BTFPD0836	7 7/8	35 3/8	1/2	0.002	4 lbs	\$	134
BTFPD0842	7 7/8	41 1/4	1/2	0.003	5 lbs	\$	147
BTFPD0848	7 7/8	47 1/4	1/2	0.003	5 lbs	\$	156

Painted Flip-Up Belt line tile



DESCRIPTION

Fabric Flip-up tile allows easy access to wire management.

SPECIFICATIONS

- o Powder coat-painted finish.
- o Includes clip-on hardware.
- o Non-progressive removal (no tools require).
Allows easy access to interior wiring.
- o 24"W tiles have 1 duplex per side.
- o 30", 36", 42" and 48"W power belt line tiles have 2 duplex locations per side.
- o Data port location is on the right side of the belt line tile for 24" and 30"W belt line tiles, and at the center of the belt line tile on 36", 42" and 48"W frames.


NOTES

- o Order one per side.
- o 24" tiles have 1 power entry, 30", 36" 42" and 48" have 2 power entries, if requested
- o Tiles have 1 data entry, if requested

SPECIFY ON ORDER


1. Quantity.
2. Model Number
3. Fabric.

Painted Non-Powered Flip-Up Belt line tile.



Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price	
BTP0824	7 7/8	23 5/8	1/2	0.001	2 lbs	\$	140
BTP0830	7 7/8	29 1/2	1/2	0.002	3 lbs	\$	152
BTP0836	7 7/8	35 3/8	1/2	0.002	4 lbs	\$	162
BTP0842	7 7/8	41 3/8	1/2	0.003	4 lbs	\$	169
BTP0848	7 7/8	47 1/4	1/2	0.003	5 lbs	\$	184


Painted Power Flip-Up Belt line tile



Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price	
BTPP0824	7 7/8	23 5/8	1/2	0.001	2 lbs	\$	140
BTPP0830	7 7/8	29 1/2	1/2	0.002	3 lbs	\$	152
BTPP0836	7 7/8	35 3/8	1/2	0.002	4 lbs	\$	162
BTPP0842	7 7/8	41 3/8	1/2	0.003	4 lbs	\$	169
BTPP0848	7 7/8	47 1/4	1/2	0.003	5 lbs	\$	184


Painted Flip-Up Belt line tile

Painted Data Flip-Up Belt line tile




Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price	
BTPD0824	7 7/8	23 5/8	1/2	0.001	2 lbs	\$	140
BTPD0830	7 7/8	29 1/2	1/2	0.002	3 lbs	\$	152
BTPD0836	7 7/8	35 3/8	1/2	0.002	4 lbs	\$	162
BTPD0842	7 7/8	41 3/8	1/2	0.003	4 lbs	\$	169
BTPD0848	7 7/8	47 1/4	1/2	0.003	5 lbs	\$	184

Painted Power and Data Flip-Up Belt line tile



Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price	
BTPPD0824	7 7/8	23 5/8	1/2	0.001	2 lbs	\$	140
BTPPD0830	7 7/8	29 1/2	1/2	0.002	3 lbs	\$	152
BTPPD0836	7 7/8	35 3/8	1/2	0.002	4 lbs	\$	162
BTPPD0842	7 7/8	41 3/8	1/2	0.003	4 lbs	\$	169
BTPPD0848	7 7/8	47 1/4	1/2	0.003	5 lbs	\$	184

Fabric tile



DESCRIPTION

Fabric covered tile attaches to one side of the frame.

NOTES

- o Clip-on tile no tools required.
- o Order individually one per side.


SPECIFICATIONS

- o Galvanized steel
- o Clips are included.
- o Can be reupholstered in field.

SPECIFY ON ORDER


1. Quantity.
2. Model Number.
3. Fabric.

8" Height




Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price
TSF0824	7 7/8	23 5/8	1/2	0.001	2 lbs	\$ 68
TSF0830	7 7/8	29 1/2	1/2	0.002	3 lbs	\$ 78
TSF0836	7 7/8	35 3/8	1/2	0.002	4 lbs	\$ 87
TSF0842	7 7/8	41 3/8	1/2	0.003	4 lbs	\$ 97
TSF0848	7 7/8	47 1/4	1/2	0.003	5 lbs	\$ 107

16" Height



Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price
TSF1624	15 3/4	23 5/8	1/2	0.003	4 lbs	\$ 100
TSF1630	15 3/4	29 1/2	1/2	0.004	6 lbs	\$ 116
TSF1636	15 3/4	35 3/8	1/2	0.004	7 lbs	\$ 130
TSF1642	15 3/4	41 3/8	1/2	0.005	8 lbs	\$ 150
TSF1648	15 3/4	47 1/4	1/2	0.006	9 lbs	\$ 171

24" Height



Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price
TSF2424	23 5/8	23 5/8	1/2	0.004	7 lbs	\$ 135
TSF2430	23 5/8	29 1/2	1/2	0.005	8 lbs	\$ 159
TSF2436	23 5/8	35 3/8	1/2	0.006	10 lbs	\$ 186
TSF2442	23 5/8	41 3/8	1/2	0.008	11 lbs	\$ 210
TSF2448	23 5/8	47 1/4	1/2	0.009	13 lbs	\$ 236


Price list tec60

MTK-L-02

Rev. 0 / Aug-2021


Fabric tile

32" Height




Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price	
TSF3224	31 1/2	23 5/8	1/2	0.006	9 lbs	\$	159
TSF3230	31 1/2	29 1/2	1/2	0.007	11 lbs	\$	189
TSF3236	31 1/2	35 3/8	1/2	0.009	13 lbs	\$	222
TSF3242	31 1/2	41 3/8	1/2	0.010	15 lbs	\$	254
TSF3248	31 1/2	47 1/4	1/2	0.012	17 lbs	\$	286

40" Height



Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price	
TSF4024	39 3/8	23 5/8	1/2	0.007	11 lbs	\$	194
TSF4030	39 3/8	29 1/2	1/2	0.009	13 lbs	\$	232
TSF4036	39 3/8	35 3/8	1/2	0.011	16 lbs	\$	273
TSF4042	39 3/8	41 3/8	1/2	0.013	18 lbs	\$	308
TSF4048	39 3/8	47 1/4	1/2	0.014	21 lbs	\$	349

Painted tile



DESCRIPTION

Painted tile attaches to one side of the frame

NOTES

- o Clip-on tile no tools required
- o Order individually one per side


SPECIFICATIONS

- o Powder-coat painted finish
- o Clips are included

SPECIFY ON ORDER


1. Quantity
2. Model Numb
3. Paint Finish

8" Height




Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price
TP0824	7 7/8	23 5/8	1/2	0.001	2 lbs	\$ 102
TP0830	7 7/8	29 1/2	1/2	0.002	3 lbs	\$ 108
TP0836	7 7/8	35 3/8	1/2	0.002	3 lbs	\$ 116
TP0842	7 7/8	41 3/8	1/2	0.003	4 lbs	\$ 122
TP0848	7 7/8	47 1/4	1/2	0.003	4 lbs	\$ 129

16" Height



Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price
TP1624	15 3/4	23 5/8	1/2	0.003	4 lbs	\$ 123
TP1630	15 3/4	29 1/2	1/2	0.004	5 lbs	\$ 135
TP1636	15 3/4	35 3/8	1/2	0.004	6 lbs	\$ 147
TP1642	15 3/4	41 3/8	1/2	0.005	7 lbs	\$ 158
TP1648	15 3/4	47 1/4	1/2	0.006	7 lbs	\$ 170

24" Height



Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price
TP2424	23 5/8	23 5/8	1/2	0.004	6 lbs	\$ 144
TP2430	23 5/8	29 1/2	1/2	0.005	7 lbs	\$ 161
TP2436	23 5/8	35 3/8	1/2	0.006	8 lbs	\$ 179
TP2442	23 5/8	41 3/8	1/2	0.008	10 lbs	\$ 195
TP2448	23 5/8	47 1/4	1/2	0.009	11 lbs	\$ 212


Price list tec60

MTK-L-02

Rev. 0 / Aug-2021


Painted tile

32" Height




Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price	
TP3224	31 1/2	23 5/8	1/2	0.01	7 lbs	\$	173
TP3230	31 1/2	29 1/2	1/2	0.01	9 lbs	\$	194
TP3236	31 1/2	35 3/8	1/2	0.01	11 lbs	\$	215
TP3242	31 1/2	41 3/8	1/2	0.01	13 lbs	\$	236
TP3248	31 1/2	47 1/4	1/2	0.01	14 lbs	\$	258

40" Height



Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price	
TP4024	39 3/8	23 5/8	1/2	0.01	9 lbs	\$	196
TP4030	39 3/8	29 1/2	1/2	0.01	11 lbs	\$	221
TP4036	39 3/8	35 3/8	1/2	0.01	13 lbs	\$	247
TP4042	39 3/8	41 3/8	1/2	0.01	16 lbs	\$	273
TP4048	39 3/8	47 1/4	1/2	0.01	18 lbs	\$	299

Perforated Tile.



DESCRIPTION

Perforated tile attaches to one side of the frame

NOTES

- o Clip-on Tile, no tools required
- o Ordered individually one per side.


SPECIFICATIONS

- o Powder-coat painted finish
- o Clips are included

Powder-coat painted finish


1. Quantity
2. Model Number
3. Paint Finish

8" Height




Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price
TPP0824	7 7/8	23 5/8	1/2	0.001	2 lbs	\$ 109
TPP0830	7 7/8	29 1/2	1/2	0.002	2 lbs	\$ 119
TPP0836	7 7/8	35 3/8	1/2	0.002	2 lbs	\$ 129
TPP0842	7 7/8	41 3/8	1/2	0.003	3 lbs	\$ 140
TPP0848	7 7/8	47 1/4	1/2	0.003	3 lbs	\$ 149

16" Height




Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price
TPP1624	15 3/4	23 5/8	1/2	0.003	3 lbs	\$ 141
TPP1630	15 3/4	29 1/2	1/2	0.004	4 lbs	\$ 159
TPP1636	15 3/4	35 3/8	1/2	0.004	5 lbs	\$ 177
TPP1642	15 3/4	41 3/8	1/2	0.005	5 lbs	\$ 195
TPP1648	15 3/4	47 1/4	1/2	0.006	6 lbs	\$ 207


24" Height



Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price
TPP2424	23 5/8	23 5/8	1/2	0.004	5 lbs	\$ 173
TPP2430	23 5/8	29 1/2	1/2	0.005	6 lbs	\$ 199
TPP2436	23 5/8	35 3/8	1/2	0.006	7 lbs	\$ 225
TPP2442	23 5/8	41 3/8	1/2	0.008	8 lbs	\$ 250
TPP2448	23 5/8	47 1/4	1/2	0.009	9 lbs	\$ 277


Perforated Tile.**32" Height**

Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price	
TPP3224	31 1/2	23 5/8	1/2	0.006	6 lbs	\$	212
TPP3230	31 1/2	29 1/2	1/2	0.007	7 lbs	\$	244
TPP3236	31 1/2	35 3/8	1/2	0.009	9 lbs	\$	277
TPP3242	31 1/2	41 3/8	1/2	0.010	10 lbs	\$	309
TPP3248	31 1/2	47 1/4	1/2	0.012	11 lbs	\$	343

40" Height

Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price	
TPP4024	39 3/8	23 5/8	1/2	0.007	7 lbs	\$	244
TPP4030	39 3/8	29 1/2	1/2	0.009	9 lbs	\$	284
TPP4036	39 3/8	35 3/8	1/2	0.011	11 lbs	\$	323
TPP4042	39 3/8	41 3/8	1/2	0.013	12 lbs	\$	362
TPP4048	39 3/8	47 1/4	1/2	0.014	14 lbs	\$	402

Laminated Tile.



DESCRIPTION

laminated tile attaches to one side
of the frame

NOTES

- o Clip-on tile no tools required
- o Can be ordered to match worksurface
- o Order individually one per side


SPECIFICATIONS

- o 12mm thick laminated surface finish
- o All edge finishes in .45mm PVC edge
- o Clip-on inserts and bolts are included

SPECIFY ON ORDER


1. Quantity
2. Model Number
- 3.laminated

8" Height




Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	"M" TLP	"L" HPL
TL0824/___	7 7/8	23 5/8	1/2	0.001	2 lbs	\$ 120	\$ 148
TL0830/___	7 7/8	29 1/2	1/2	0.002	2 lbs	\$ 133	\$ 178
TL0836/___	7 7/8	35 3/8	1/2	0.002	3 lbs	\$ 143	\$ 199
TL0842/___	7 7/8	41 3/8	1/2	0.003	3 lbs	\$ 147	\$ 203
TL0848/___	7 7/8	47 1/4	1/2	0.003	4 lbs	\$ 150	\$ 206

16" Height




Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	"M" TLP	"L" HPL
TL1624/___	15 3/4	23 5/8	1/2	0.003	4 lbs	\$ 142	\$ 197
TL1630/___	15 3/4	29 1/2	1/2	0.004	5 lbs	\$ 156	\$ 230
TL1636/___	15 3/4	35 3/8	1/2	0.004	6 lbs	\$ 180	\$ 292
TL1642/___	15 3/4	41 3/8	1/2	0.005	7 lbs	\$ 184	\$ 295
TL1648/___	15 3/4	47 1/4	1/2	0.006	8 lbs	\$ 189	\$ 299


24" Height



Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	"M" TLP	"L" HPL
TL2424/___	23 5/8	23 5/8	1/2	0.00	6 lbs	\$ 162	\$ 246
TL2430/___	23 5/8	29 1/2	1/2	0.01	7 lbs	\$ 183	\$ 293
TL2436/___	23 5/8	35 3/8	1/2	0.01	9 lbs	\$ 218	\$ 384
TL2442/___	23 5/8	41 3/8	1/2	0.01	10 lbs	\$ 222	\$ 389
TL2448/___	23 5/8	47 1/4	1/2	0.01	12 lbs	\$ 227	\$ 393


laminated Tile.**32" Height**

Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	"M" TLP	"L" HPL
TL3224/ __	31 1/2	23 5/8	1/2	0.006	8 lbs	\$ 197	\$ 308
TL3230/ __	31 1/2	29 1/2	1/2	0.007	10 lbs	\$ 264	\$ 485
TL3236/ __	31 1/2	35 3/8	1/2	0.009	12 lbs	\$ 268	\$ 490
TL3242/ __	31 1/2	41 3/8	1/2	0.010	14 lbs	\$ 273	\$ 495
TL3248/ __	31 1/2	47 1/4	1/2	0.012	16 lbs	\$ 278	\$ 499

40" Height

Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	"M" TLP	"L" HPL
TL4024/ __	39 3/8	23 5/8	1/2	0.007	10 lbs	\$ 233	\$ 400
TL4030/ __	39 3/8	29 1/2	1/2	0.009	12 lbs	\$ 269	\$ 492
TL4036/ __	39 3/8	35 3/8	1/2	0.011	15 lbs	\$ 336	\$ 669
TL4042/ __	39 3/8	41 3/8	1/2	0.013	17 lbs	\$ 341	\$ 674
TL4048/ __	39 3/8	47 1/4	1/2	0.014	19 lbs	\$ 346	\$ 680

Glass Tile



DESCRIPTION

Glass tile attaches to one side of the frame.

NOTES

- o Clip-on tile no tools required


SPECIFICATIONS

- o Thickness of glass 3 mm.
- o Aluminum frame tile.
- o Clips are included.

SPECIFY ON ORDER


1. Quantity.
2. Model Number.
3. Paint Finish.

8" Height




Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price	
TG0824	7 7/8	23 5/8	2 1/3	0.007	8 lbs	\$	380
TG0830	7 7/8	29 1/2	2 1/3	0.009	10 lbs	\$	414
TG0836	7 7/8	35 3/8	2 1/3	0.011	12 lbs	\$	447
TG0842	7 7/8	41 3/8	2 1/3	0.013	14 lbs	\$	481
TG0848	7 7/8	47 1/4	2 1/3	0.014	15 lbs	\$	515

16" Height




Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price	
TG1624	15 3/4	23 5/8	2 1/3	0.014	15 lbs	\$	453
TG1630	15 3/4	29 1/2	2 1/3	0.018	19 lbs	\$	492
TG1636	15 3/4	35 3/8	2 1/3	0.022	23 lbs	\$	531
TG1642	15 3/4	41 3/8	2 1/3	0.025	27 lbs	\$	570
TG1648	15 3/4	47 1/4	2 1/3	0.029	31 lbs	\$	608

24" Height




Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price	
TG2424	23 5/8	23 5/8	2 1/3	0.022	23 lbs	\$	505
TG2430	23 5/8	29 1/2	2 1/3	0.027	29 lbs	\$	544
TG2436	23 5/8	35 3/8	2 1/3	0.032	35 lbs	\$	583
TG2442	23 5/8	41 3/8	2 1/3	0.038	41 lbs	\$	622
TG2448	23 5/8	47 1/4	2 1/3	0.043	47 lbs	\$	660

Painted Tool Rail Tile



8" Height



DESCRIPTION

Painted tool rail tile allow hanging of paper management and accessories on tile

NOTES

- o Order accessories separately

SPECIFICATIONS


- o Powder coat painted
- o Includes 1" tool rail on top end of the tile

SPECIFY ON ORDER


1. Quantity
2. Model Number
- 3.Tool Rail Painted Finish
- 4.Tile Painted Finish

Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
TTRP0824	7 7/8	23 5/8	1/2	0.001	2 lbs	\$ 124
TTRP0830	7 7/8	29 1/2	1/2	0.002	3 lbs	\$ 132
TTRP0836	7 7/8	35 3/8	1/2	0.002	3 lbs	\$ 141
TTRP0842	7 7/8	41 3/8	1/2	0.003	4 lbs	\$ 150
TTRP0848	7 7/8	47 1/4	1/2	0.003	4 lbs	\$ 159

Fabric Tool Rail Tile



8" Height



DESCRIPTION

Fabric tool rail tile allow hanging of paper management and accessories on tile

NOTES

- o Order accessories separately

SPECIFICATIONS


- o Fabric covered tile
- o Galvanized steel fabric covered tile
- o Includes 1" tool rail on top end of the tile

SPECIFY ON ORDER

1. Quantity
2. Model Number
- 3.Tool Rail Painted Finish
- 4.Tile Fabric

Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
TTRF0824	7 7/8	23 5/8	1/2	0.001	3 lbs	\$ 97
TTRF0830	7 7/8	29 1/2	1/2	0.002	3 lbs	\$ 111
TTRF0836	7 7/8	35 3/8	1/2	0.002	4 lbs	\$ 127
TTRF0842	7 7/8	41 3/8	1/2	0.003	4 lbs	\$ 143
TTRF0848	7 7/8	47 1/4	1/2	0.003	5 lbs	\$ 158

Paper Management



DESCRIPTION

Paper management tile allow hanging of paper management and accessories on tile

NOTES

- o Order accessories separately


SPECIFICATIONS

- o Extruded aluminum tile.
- o Powder coat painted .

SPECIFY ON ORDER


1. Quantity
2. Model Number
- 3.Tile Fabric

8" Height-H-H



Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
TPM0824	7 7/8	23 5/8	1/2	0.001	2 lbs	\$ 289
TPM0830	7 7/8	29 1/2	1/2	0.002	2 lbs	\$ 325
TPM0836	7 7/8	35 3/8	1/2	0.002	2 lbs	\$ 375
TPM0842	7 7/8	41 3/8	1/2	0.003	2 lbs	\$ 407
TPM0848	7 7/8	47 1/4	1/2	0.003	3 lbs	\$ 447

Fabric Starter Tile 29"



DESCRIPTION

Fabric covered tile attaches to one side of the frame.

NOTES

- o Clip-on tile no tools required
- o Order individually one per side.


SPECIFICATIONS

- o Galvanized steel fabric covered tile.
- o Clips are included.

SPECIFY ON ORDER


1. Quantity.
2. Model Number.
3. Fabric.

Fabric Starter 29"




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTSF2924	29	23 5/8	1/2	0.005	8 lbs	\$ 155
WTSF2930	29	29 1/2	1/2	0.007	10 lbs	\$ 185
WTSF2936	29	35 3/8	1/2	0.008	12 lbs	\$ 216
WTSF2942	29	41 3/8	1/2	0.009	14 lbs	\$ 247
WTSF2948	29	47 1/4	1/2	0.011	15 lbs	\$ 279

Fabric Starter Tile Base Power 29"



Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTSFPB2924	29	23 5/8	1/2	0.005	8 lbs	\$ 157
WTSFPB2930	29	29 1/2	1/2	0.007	10 lbs	\$ 186
WTSFPB2936	29	35 3/8	1/2	0.008	12 lbs	\$ 217
WTSFPB2942	29	41 3/8	1/2	0.009	14 lbs	\$ 248
WTSFPB2948	29	47 1/4	1/2	0.011	15 lbs	\$ 280


Fabric Starter Tile Base Data 29"



Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTSFDB2924	29	23 5/8	1/2	0.01	8 lbs	\$ 157
WTSFDB2930	29	29 1/2	1/2	0.01	10 lbs	\$ 186
WTSFDB2936	29	35 3/8	1/2	0.01	12 lbs	\$ 217
WTSFDB2942	29	41 3/8	1/2	0.01	14 lbs	\$ 248
WTSFDB2948	29	47 1/4	1/2	0.01	15 lbs	\$ 280


Fabric Starter Tile 29"

Fabric Starter Tile Base Power and Data 29"



Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price	
WTSFPDB2924	29	23 5/8	1/2	0.005	8 lbs	\$	157
WTSFPDB2930	29	29 1/2	1/2	0.007	10 lbs	\$	186
WTSFPDB2936	29	35 3/8	1/2	0.008	12 lbs	\$	217
WTSFPDB2942	29	41 3/8	1/2	0.009	14 lbs	\$	248
WTSFPDB2948	29	47 1/4	1/2	0.011	15 lbs	\$	280

Fabric Starter Tile 37"



DESCRIPTION

Fabric covered tile attaches to one side of the frame.

NOTES

- o Clip-on tile no tools required.
- o Order individually one per side.


SPECIFICATIONS

- o Galvanized steel fabric covered tile.
- o Clips are included.

SPECIFY ON ORDER


1. Quantity.
2. Model Number.
3. Fabric.

Fabric Starter 37"




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price	
WTSF3724	37	23 5/8	1/2	0.007	10 lbs	\$	191
WTSF3730	37	29 1/2	1/2	0.008	12 lbs	\$	229
WTSF3736	37	35 3/8	1/2	0.010	15 lbs	\$	268
WTSF3742	37	41 3/8	1/2	0.012	17 lbs	\$	304
WTSF3748	37	47 1/4	1/2	0.014	19 lbs	\$	343

Fabric Starter Tile Base Power 37"




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price	
WTSFPB3724	37	23 5/8	1/2	0.007	10 lbs	\$	192
WTSFPB3730	37	29 1/2	1/2	0.008	12 lbs	\$	230
WTSFPB3736	37	35 3/8	1/2	0.010	15 lbs	\$	269
WTSFPB3742	37	41 3/8	1/2	0.012	17 lbs	\$	305
WTSFPB3748	37	47 1/4	1/2	0.014	19 lbs	\$	344


Fabric Starter Tile Base Data 37"




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price	
WTSFDB3724	37	23 5/8	1/2	0.007	10 lbs	\$	192
WTSFDB3730	37	29 1/2	1/2	0.008	12 lbs	\$	230
WTSFDB3736	37	35 3/8	1/2	0.010	15 lbs	\$	269
WTSFDB3742	37	41 3/8	1/2	0.012	17 lbs	\$	305
WTSFDB3748	37	47 1/4	1/2	0.014	19 lbs	\$	344

Fabric Starter Tile 37"**Fabric Starter Tile Base Power and Data 37"**


Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTSFPDB3724	37	23 5/8	1/2	0.01	10 lbs	\$ 192
WTSFPDB3730	37	29 1/2	1/2	0.01	12 lbs	\$ 230
WTSFPDB3736	37	35 3/8	1/2	0.01	15 lbs	\$ 269
WTSFPDB3742	37	41 3/8	1/2	0.01	17 lbs	\$ 305
WTSFPDB3748	37	47 1/4	1/2	0.01	19 lbs	\$ 344

Electrification to Deck 37 "

Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTSFPBL3724	37	23 5/8	1/2	0.007	10 lbs	\$ 192
WTSFPBL3730	37	29 1/2	1/2	0.008	12 lbs	\$ 230
WTSFPBL3736	37	35 3/8	1/2	0.010	15 lbs	\$ 269
WTSFPBL3742	37	41 3/8	1/2	0.012	17 lbs	\$ 305
WTSFPBL3748	37	47 1/4	1/2	0.014	19 lbs	\$ 344


Fabric Starter Tile Belt Data 37"

Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTSFDBL3724	37	23 5/8	1/2	0.007	10 lbs	\$ 192
WTSFDBL3730	37	29 1/2	1/2	0.008	12 lbs	\$ 230
WTSFDBL3736	37	35 3/8	1/2	0.010	15 lbs	\$ 269
WTSFDBL3742	37	41 3/8	1/2	0.012	17 lbs	\$ 305
WTSFDBL3748	37	47 1/4	1/2	0.014	19 lbs	\$ 344

Fabric Starter Tile Belt Power and Data 37"

Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTSFPDBL3724	37	23 5/8	1/2	0.007	10 lbs	\$ 192
WTSFPDBL3730	37	29 1/2	1/2	0.008	12 lbs	\$ 230
WTSFPDBL3736	37	35 3/8	1/2	0.010	15 lbs	\$ 269
WTSFPDBL3742	37	41 3/8	1/2	0.012	17 lbs	\$ 305
WTSFPDBL3748	37	47 1/4	1/2	0.014	19 lbs	\$ 344

Fabric Starter Tile 45"



DESCRIPTION

Fabric covered tile attaches to one side of the frame

NOTES

- o Clip-on tile no tools required.
- o Order individually one per side.


SPECIFICATIONS

- o Galvanized steel fabric covered tile.
- o Clips are included.

SPECIFY ON ORDER


1. Quantity.
2. Model Number.
3. Fabric.

Fabric Starter 45"




Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTSF4524	44 3/4	23 5/8	1/2	0.008	12 lbs	\$ 209
WTSF4530	44 3/4	29 1/2	1/2	0.010	15 lbs	\$ 260
WTSF4536	44 3/4	35 3/8	1/2	0.012	18 lbs	\$ 306
WTSF4542	44 3/4	41 3/8	1/2	0.014	21 lbs	\$ 345
WTSF4548	44 3/4	47 1/4	1/2	0.016	23 lbs	\$ 391

Fabric Starter Tile Base Power 45"




Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTSFPB4524	44 3/4	23 5/8	1/2	0.008	12 lbs	\$ 209
WTSFPB4530	44 3/4	29 1/2	1/2	0.010	15 lbs	\$ 261
WTSFPB4536	44 3/4	35 3/8	1/2	0.012	18 lbs	\$ 307
WTSFPB4542	44 3/4	41 3/8	1/2	0.014	21 lbs	\$ 346
WTSFPB4548	44 3/4	47 1/4	1/2	0.016	23 lbs	\$ 391


Fabric Starter Tile Base Data 45"




Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTSFDB4524	44 3/4	23 5/8	1/2	0.008	12 lbs	\$ 209
WTSFDB4530	44 3/4	29 1/2	1/2	0.010	15 lbs	\$ 261
WTSFDB4536	44 3/4	35 3/8	1/2	0.012	18 lbs	\$ 307
WTSFDB4542	44 3/4	41 3/8	1/2	0.014	21 lbs	\$ 346
WTSFDB4548	44 3/4	47 1/4	1/2	0.016	23 lbs	\$ 391

Fabric Starter Tile 45"**Fabric Starter Tile Base Power and Data 45"**


Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTSFPDB4524	44 3/4	23 5/8	1/2	0.01	12 lbs	\$ 209
WTSFPDB4530	44 3/4	29 1/2	1/2	0.01	15 lbs	\$ 261
WTSFPDB4536	44 3/4	35 3/8	1/2	0.01	18 lbs	\$ 307
WTSFPDB4542	44 3/4	41 3/8	1/2	0.01	21 lbs	\$ 346
WTSFPDB4548	44 3/4	47 1/4	1/2	0.02	23 lbs	\$ 391

Height, Electrification to Deck (45 ")

Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTSFPBL4524	44 3/4	23 5/8	1/2	0.008	12 lbs	\$ 209
WTSFPBL4530	44 3/4	29 1/2	1/2	0.010	15 lbs	\$ 261
WTSFPBL4536	44 3/4	35 3/8	1/2	0.012	18 lbs	\$ 307
WTSFPBL4542	44 3/4	41 3/8	1/2	0.014	21 lbs	\$ 346
WTSFPBL4548	44 3/4	47 1/4	1/2	0.016	23 lbs	\$ 391


Height, Data to Deck (45 ")

Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTSFDBL4524	44 3/4	23 5/8	1/2	0.008	12 lbs	\$ 209
WTSFDBL4530	44 3/4	29 1/2	1/2	0.010	15 lbs	\$ 261
WTSFDBL4536	44 3/4	35 3/8	1/2	0.012	18 lbs	\$ 307
WTSFDBL4542	44 3/4	41 3/8	1/2	0.014	21 lbs	\$ 346
WTSFDBL4548	44 3/4	47 1/4	1/2	0.016	23 lbs	\$ 391

Height, Electrification and Data to Deck (45 ")

Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTSFPDBL4524	44 3/4	23 5/8	1/2	0.008	12 lbs	\$ 209
WTSFPDBL4530	44 3/4	29 1/2	1/2	0.010	15 lbs	\$ 261
WTSFPDBL4536	44 3/4	35 3/8	1/2	0.012	18 lbs	\$ 307
WTSFPDBL4542	44 3/4	41 3/8	1/2	0.014	21 lbs	\$ 346
WTSFPDBL4548	44 3/4	47 1/4	1/2	0.016	23 lbs	\$ 391

Painted Starter Tile 29"



DESCRIPTION

Painted tile attaches to one side of the frame

NOTES

- o Clip-on tile no tools required
- o Order individually one per side


SPECIFICATIONS

- o Powder-coat painted finish
- o Clips are included

SPECIFY ON ORDER


1. Quantity
2. Model Number
3. Paint Finish

Painted Starter Tile 29"




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price	
WTP2924	29	23 5/8	1/2	0.005	7 lbs	\$	158
WTP2930	29	29 1/2	1/2	0.007	8 lbs	\$	178
WTP2936	29	35 3/8	1/2	0.008	10 lbs	\$	197
WTP2942	29	41 3/8	1/2	0.009	12 lbs	\$	218
WTP2948	29	47 1/4	1/2	0.011	13 lbs	\$	239

Painted Starter Tile Base Power 29"




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price	
WTPPB2924	29	23 5/8	1/2	0.005	7 lbs	\$	159
WTPPB2930	29	29 1/2	1/2	0.007	8 lbs	\$	179
WTPPB2936	29	35 3/8	1/2	0.008	10 lbs	\$	199
WTPPB2942	29	41 3/8	1/2	0.009	12 lbs	\$	219
WTPPB2948	29	47 1/4	1/2	0.011	13 lbs	\$	240

Painted Starter Tile Base Data 29"




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price	
WTPDB2924	29	23 5/8	1/2	0.005	7 lbs	\$	159
WTPDB2930	29	29 1/2	1/2	0.007	8 lbs	\$	178
WTPDB2936	29	35 3/8	1/2	0.008	10 lbs	\$	198
WTPDB2942	29	41 3/8	1/2	0.009	12 lbs	\$	219
WTPDB2948	29	47 1/4	1/2	0.011	13 lbs	\$	239

Painted Starter Tile 29"**Painted Starter Tile Base Power and Data 29"**

Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price	
WTPPDB2924	29	23 5/8	1/2	0.005	7 lbs	\$	160
WTPPDB2930	29	29 1/2	1/2	0.007	8 lbs	\$	180
WTPPDB2936	29	35 3/8	1/2	0.008	10 lbs	\$	199
WTPPDB2942	29	41 3/8	1/2	0.009	12 lbs	\$	220
WTPPDB2948	29	47 1/4	1/2	0.011	13 lbs	\$	241

Painted Starter Tile 37"



DESCRIPTION

Painted tile attaches to one side of the frame

NOTES

- o Clip-on tile no tools required
- o Order individually one per side


SPECIFICATIONS

- o Powder-coat painted finish
- o Clips are included

SPECIFY ON ORDER


1. Quantity
2. Model Number
3. Paint Finish

Painted Starter Tile 37"




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTP3724	37	23 5/8	1/2	0.007	9 lbs	\$ 179
WTP3730	37	29 1/2	1/2	0.008	11 lbs	\$ 204
WTP3736	37	35 3/8	1/2	0.010	13 lbs	\$ 228
WTP3742	37	41 3/8	1/2	0.012	15 lbs	\$ 252
WTP3748	37	47 1/4	1/2	0.014	17 lbs	\$ 278

Painted Starter Tile Base Power 37"




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPPB3724	37	23 5/8	1/2	0.007	9 lbs	\$ 180
WTPPB3730	37	29 1/2	1/2	0.008	11 lbs	\$ 205
WTPPB3736	37	35 3/8	1/2	0.010	13 lbs	\$ 229
WTPPB3742	37	41 3/8	1/2	0.012	15 lbs	\$ 254
WTPPB3748	37	47 1/4	1/2	0.014	17 lbs	\$ 279


Painted Starter Tile Base Power 37"




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPDB3724	37	23 5/8	1/2	0.007	9 lbs	\$ 180
WTPDB3730	37	29 1/2	1/2	0.008	11 lbs	\$ 204
WTPDB3736	37	35 3/8	1/2	0.010	13 lbs	\$ 229
WTPDB3742	37	41 3/8	1/2	0.012	15 lbs	\$ 253
WTPDB3748	37	47 1/4	1/2	0.014	17 lbs	\$ 279

Painted Starter Tile 37"**Painted Starter Tile Base Power and Data 37"**


Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPPDB3724	36 7/8	23 5/8	1/2	0.007	9 lbs	\$ 181
WTPPDB3730	36 7/8	29 1/2	1/2	0.008	11 lbs	\$ 205
WTPPDB3736	36 7/8	35 3/8	1/2	0.010	13 lbs	\$ 230
WTPPDB3742	36 7/8	41 3/8	1/2	0.012	15 lbs	\$ 255
WTPPDB3748	36 7/8	47 1/4	1/2	0.014	17 lbs	\$ 280

Painted Starter Tile Belt Power 37"

Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPPBL3724	36 7/8	23 5/8	1/2	0.007	9 lbs	\$ 180
WTPPBL3730	36 7/8	29 1/2	1/2	0.008	11 lbs	\$ 205
WTPPBL3736	36 7/8	35 3/8	1/2	0.010	13 lbs	\$ 229
WTPPBL3742	36 7/8	41 3/8	1/2	0.012	15 lbs	\$ 254
WTPPBL3748	36 7/8	47 1/4	1/2	0.014	17 lbs	\$ 279


Painted Starter Tile Belt Data 37"

Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPPBL3724	36 7/8	23 5/8	1/2	0.007	9 lbs	\$ 180
WTPPBL3730	36 7/8	29 1/2	1/2	0.008	11 lbs	\$ 204
WTPPBL3736	36 7/8	35 3/8	1/2	0.010	13 lbs	\$ 229
WTPPBL3742	36 7/8	41 3/8	1/2	0.012	15 lbs	\$ 253
WTPPBL3748	36 7/8	47 1/4	1/2	0.014	17 lbs	\$ 279

Painted Starter Tile Belt Power and Data 37"

Model No.	Height	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPPDBL3724	36 7/8	23 5/8	1/2	0.007	9 lbs	\$ 181
WTPPDBL3730	36 7/8	29 1/2	1/2	0.008	11 lbs	\$ 205
WTPPDBL3736	36 7/8	35 3/7	1/2	0.010	13 lbs	\$ 230
WTPPDBL3742	36 7/8	41 1/3	1/2	0.012	15 lbs	\$ 255
WTPPDBL3748	36 7/8	47 1/4	1/2	0.014	17 lbs	\$ 280

Painted Starter Tile 45"



DESCRIPTION

Painted tile attaches to one side of the frame

NOTES

- o Clip-on tile no tools required
- o Order individually one per side


SPECIFICATIONS

- o Powder-coat painted finish
- o Clips are included

SPECIFY ON ORDER


1. Quantity
2. Model Number
3. Paint Finish

Painted Starter Tile 45"




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTP4524	44 3/4	23 5/8	1/2	0.008	10 lbs	\$ 199
WTP4530	44 3/4	29 1/2	1/2	0.010	13 lbs	\$ 229
WTP4536	44 3/4	35 3/8	1/2	0.012	15 lbs	\$ 258
WTP4542	44 3/4	41 3/8	1/2	0.014	18 lbs	\$ 287
WTP4548	44 3/4	47 1/4	1/2	0.016	20 lbs	\$ 317

Painted Starter Tile Base Power 45"




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPPB4524	44 3/4	23 5/8	1/2	0.008	10 lbs	\$ 200
WTPPB4530	44 3/4	29 1/2	1/2	0.010	13 lbs	\$ 230
WTPPB4536	44 3/4	35 3/8	1/2	0.012	15 lbs	\$ 259
WTPPB4542	44 3/4	41 3/8	1/2	0.014	18 lbs	\$ 289
WTPPB4548	44 3/4	47 1/4	1/2	0.016	20 lbs	\$ 318


Painted Starter Tile Base Data 45"




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPDB4524	44 3/4	23 5/8	1/2	0.008	10 lbs	\$ 200
WTPDB4530	44 3/4	29 1/2	1/2	0.010	13 lbs	\$ 230
WTPDB4536	44 3/4	35 3/8	1/2	0.012	15 lbs	\$ 259
WTPDB4542	44 3/4	41 3/8	1/2	0.014	18 lbs	\$ 287
WTPDB4548	44 3/4	47 1/4	1/2	0.016	20 lbs	\$ 317

Painted Starter Tile 45"**Painted Starter Tile Base Power and Data 45"**


Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPPDB4524	44 3/4	23 5/8	1/2	0.008	10 lbs	\$ 202
WTPPDB4530	44 3/4	29 1/2	1/2	0.010	13 lbs	\$ 231
WTPPDB4536	44 3/4	35 3/8	1/2	0.012	15 lbs	\$ 260
WTPPDB4542	44 3/4	41 3/8	1/2	0.014	18 lbs	\$ 290
WTPPDB4548	44 3/4	47 1/4	1/2	0.016	20 lbs	\$ 319

Painted Starter Tile Belt Power 45"

Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPPBL4524	44 3/4	23 5/8	1/2	0.008	10 lbs	\$ 200
WTPPBL4530	44 3/4	29 1/2	1/2	0.010	13 lbs	\$ 230
WTPPBL4536	44 3/4	35 3/8	1/2	0.012	15 lbs	\$ 259
WTPPBL4542	44 3/4	41 3/8	1/2	0.014	18 lbs	\$ 289
WTPPBL4548	44 3/4	47 1/4	1/2	0.016	20 lbs	\$ 318


Painted Starter Tile Belt Data 45"

Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPDBL4524	44 3/4	23 5/8	1/2	0.008	10 lbs	\$ 200
WTPDBL4530	44 3/4	29 1/2	1/2	0.010	13 lbs	\$ 230
WTPDBL4536	44 3/4	35 3/8	1/2	0.012	15 lbs	\$ 259
WTPDBL4542	44 3/4	41 3/8	1/2	0.014	18 lbs	\$ 287
WTPDBL4548	44 3/4	47 1/4	1/2	0.016	20 lbs	\$ 317

Painted Starter Tile Belt Power and Data 45"

Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPPDBL4524	44 3/4	23 5/8	1/2	0.008	10 lbs	\$ 202
WTPPDBL4530	44 3/4	29 1/2	1/2	0.010	13 lbs	\$ 231
WTPPDBL4536	44 3/4	35 3/8	1/2	0.012	15 lbs	\$ 260
WTPPDBL4542	44 3/4	41 3/8	1/2	0.014	18 lbs	\$ 290
WTPPDBL4548	44 3/4	47 1/4	1/2	0.016	20 lbs	\$ 319

Perforated Starter Tile 29"



DESCRIPTION

Perforated Starter tile attaches to one side of the frame

NOTES

- o Clip-on tile no tools required
- o Order individually one per side


SPECIFICATIONS

- o Powder-coat painted finish
- o Clips are included

SPECIFY ON ORDER


1. Quantity
2. Model Number
3. Paint Finish

Perforated Starter Tile 29 "




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPE2924	29	23 5/8	1/2	0.005	6 lbs	\$ 187
WTPE2930	29	29 1/2	1/2	0.007	7 lbs	\$ 216
WTPE2936	29	35 3/8	1/2	0.008	8 lbs	\$ 244
WTPE2942	29	41 3/8	1/2	0.009	9 lbs	\$ 275
WTPE2948	29	47 1/4	1/2	0.011	6 lbs	\$ 305

Perforated Starter Tile Base Power 29 "




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPEPB2924	29	23 5/8	1/2	0.005	7 lbs	\$ 189
WTPEPB2930	29	29 1/2	1/2	0.007	8 lbs	\$ 217
WTPEPB2936	29	35 3/8	1/2	0.008	9 lbs	\$ 246
WTPEPB2942	29	41 3/8	1/2	0.009	6 lbs	\$ 277
WTPEPB2948	29	47 1/4	1/2	0.011	7 lbs	\$ 306

Perforated Starter Tile Base Data 29 "




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPEDB2924	29	23 5/8	1/2	0.005	8 lbs	\$ 189
WTPEDB2930	29	29 1/2	1/2	0.007	9 lbs	\$ 217
WTPEDB2936	29	35 3/8	1/2	0.008	6 lbs	\$ 245
WTPEDB2942	29	41 3/8	1/2	0.009	7 lbs	\$ 275
WTPEDB2948	29	47 1/4	1/2	0.011	8 lbs	\$ 306

Perforated Starter Tile 29"**Perforated Starter Tile Base Power and Data 29"**

Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price	
WTPEPDB2924	29	23 5/8	1/2	0.005	9 lbs	\$	192
WTPEPDB2930	29	29 1/2	1/2	0.007	6 lbs	\$	218
WTPEPDB2936	29	35 3/8	1/2	0.008	7 lbs	\$	246
WTPEPDB2942	29	41 3/8	1/2	0.009	8 lbs	\$	277
WTPEPDB2948	29	47 1/4	1/2	0.011	9 lbs	\$	306

Perforated Starter Tile 37"



DESCRIPTION

Perforated tile attaches to one side of the frame

NOTES

- o Clip-on tile no tools required
- o Order individually one per side


SPECIFICATIONS

- o Powder-coat painted finish
- o Clips are included

SPECIFY ON ORDER


1. Quantity
2. Model Number
3. Paint Finish

Perforated Starter Tile 37"




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPE3724	36 7/8	23 5/8	1/2	0.007	9 lbs	\$ 218
WTPE3730	36 7/8	29 1/2	1/2	0.008	11 lbs	\$ 254
WTPE3736	36 7/8	35 3/8	1/2	0.010	13 lbs	\$ 289
WTPE3742	36 7/8	41 3/8	1/2	0.012	15 lbs	\$ 324
WTPE3748	36 7/8	47 1/4	1/2	0.014	17 lbs	\$ 361

Perforated Starter Tile Base Power 37"



Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPEPB3724	36 7/8	23 5/8	1/2	0.007	9 lbs	\$ 219
WTPEPB3730	36 7/8	29 1/2	1/2	0.008	11 lbs	\$ 255
WTPEPB3736	36 7/8	35 3/8	1/2	0.010	13 lbs	\$ 291
WTPEPB3742	36 7/8	41 3/8	1/2	0.012	15 lbs	\$ 327
WTPEPB3748	36 7/8	47 1/4	1/2	0.014	17 lbs	\$ 362


Perforated Starter Tile Base Data 37"



Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPEDB3724	37	23 5/8	1/2	0.007	9 lbs	\$ 219
WTPEDB3730	37	29 1/2	1/2	0.008	11 lbs	\$ 254
WTPEDB3736	37	35 3/8	1/2	0.010	13 lbs	\$ 290
WTPEDB3742	37	41 3/8	1/2	0.012	15 lbs	\$ 325
WTPEDB3748	37	47 1/4	1/2	0.014	17 lbs	\$ 362


Perforated Starter Tile 37"

Perforated Starter Tile Base Power and Data 37"




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPEPDB3724	36 7/8	23 5/8	8/16	0.007	9 lbs	\$ 220
WTPEPDB3730	36 7/8	29 1/2	8/16	0.008	11 lbs	\$ 255
WTPEPDB3736	36 7/8	35 3/8	8/16	0.010	13 lbs	\$ 291
WTPEPDB3742	36 7/8	41 3/8	8/16	0.012	15 lbs	\$ 327
WTPEPDB3748	36 7/8	47 1/4	8/16	0.014	17 lbs	\$ 364

Perforated Starter Tile Belt Power 37"




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPEPBL3724	36 7/8	23 5/8	1/2	0.007	9 lbs	\$ 219
WTPEPBL3730	36 7/8	29 1/2	1/2	0.008	11 lbs	\$ 255
WTPEPBL3736	36 7/8	35 3/8	1/2	0.010	13 lbs	\$ 291
WTPEPBL3742	36 7/8	41 3/8	1/2	0.012	15 lbs	\$ 327
WTPEPBL3748	36 7/8	47 1/4	1/2	0.014	17 lbs	\$ 362

Perforated Starter Tile Belt Data 37"




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPEDBL3724	36 7/8	23 5/8	1/2	0.007	9 lbs	\$ 219
WTPEDBL3730	36 7/8	29 1/2	1/2	0.008	11 lbs	\$ 254
WTPEDBL3736	36 7/8	35 3/8	1/2	0.010	13 lbs	\$ 290
WTPEDBL3742	36 7/8	41 3/8	1/2	0.012	15 lbs	\$ 325
WTPEDBL3748	36 7/8	47 1/4	1/2	0.014	17 lbs	\$ 362

Perforated Starter Tile Belt Power and Data 37"



Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPEPDBL3724	36 7/8	23 5/8	1/2	0.007	9 lbs	\$ 220
WTPEPDBL3730	36 7/8	29 1/2	1/2	0.008	11 lbs	\$ 255
WTPEPDBL3736	36 7/8	35 3/8	1/2	0.010	13 lbs	\$ 291
WTPEPDBL3742	36 7/8	41 3/8	1/2	0.012	15 lbs	\$ 327
WTPEPDBL3748	36 7/8	47 1/4	1/2	0.014	17 lbs	\$ 364

Perforated Starter Tile 45"



DESCRIPTION

Perforated tile attaches to one side.
of the frame

NOTES

- o Clip-on tile no tools required
- o Order individually one per side


SPECIFICATIONS

- o Powder-coat painted finish
- o Clips are included

SPECIFY ON ORDER


1. Quantity
2. Model Number
3. Paint Finish

Perforated Starter Tile 45"




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price	
WTPE4524	44 3/4	23 5/8	1/2	0.008	10 lbs	\$	248
WTPE4530	44 3/4	29 1/2	1/2	0.010	13 lbs	\$	291
WTPE4536	44 3/4	35 3/8	1/2	0.012	15 lbs	\$	334
WTPE4542	44 3/4	41 3/8	1/2	0.014	18 lbs	\$	377
WTPE4548	44 3/4	47 1/4	1/2	0.016	20 lbs	\$	419

Perforated Starter Tile Base Power 45"




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price	
WTPEPB4524	44 3/4	23 5/8	1/2	0.008	10 lbs	\$	249
WTPEPB4530	44 3/4	29 1/2	1/2	0.010	13 lbs	\$	293
WTPEPB4536	44 3/4	35 3/8	1/2	0.012	15 lbs	\$	335
WTPEPB4542	44 3/4	41 3/8	1/2	0.014	18 lbs	\$	379
WTPEPB4548	44 3/4	47 1/4	1/2	0.016	20 lbs	\$	420


Perforated Starter Tile Base Data 45"




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price	
WTPEDB4524	44 3/4	23 5/8	1/2	0.008	10 lbs	\$	249
WTPEDB4530	44 3/4	29 1/2	1/2	0.010	13 lbs	\$	292
WTPEDB4536	44 3/4	35 3/8	1/2	0.012	15 lbs	\$	335
WTPEDB4542	44 3/4	41 3/8	1/2	0.014	18 lbs	\$	378
WTPEDB4548	44 3/4	47 1/4	1/2	0.016	20 lbs	\$	419

Perforated Starter Tile 45"**Perforated Starter Tile Base Power and Data 45"**


Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPEPDB4524	44 3/4	23 5/8	1/2	0.008	10 lbs	\$ 250
WTPEPDB4530	44 3/4	29 1/2	1/2	0.010	13 lbs	\$ 293
WTPEPDB4536	44 3/4	35 3/8	1/2	0.012	15 lbs	\$ 336
WTPEPDB4542	44 3/4	41 3/8	1/2	0.014	18 lbs	\$ 379
WTPEPDB4548	44 3/4	47 1/4	1/2	0.016	20 lbs	\$ 420

Perforated Starter Tile Belt Power 45"

Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPEPBL4524	44 3/4	23 5/8	1/2	0.008	10 lbs	\$ 249
WTPEPBL4530	44 3/4	29 1/2	1/2	0.010	13 lbs	\$ 293
WTPEPBL4536	44 3/4	35 3/8	1/2	0.012	15 lbs	\$ 335
WTPEPBL4542	44 3/4	41 3/8	1/2	0.014	18 lbs	\$ 379
WTPEPBL4548	44 3/4	47 1/4	1/2	0.016	20 lbs	\$ 420


Perforated Starter Tile Belt Data 45"

Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPEDBL4524	44 3/4	23 5/8	1/2	0.008	10 lbs	\$ 249
WTPEDBL4530	44 3/4	29 1/2	1/2	0.010	13 lbs	\$ 292
WTPEDBL4536	44 3/4	35 3/8	1/2	0.012	15 lbs	\$ 335
WTPEDBL4542	44 3/4	41 3/8	1/2	0.014	18 lbs	\$ 378
WTPEDBL4548	44 3/4	47 1/4	1/2	0.016	20 lbs	\$ 419

Perforated Starter Tile Belt Power and Data 45"

Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	Price
WTPEPDBL4524	44 3/4	23 5/8	1/2	0.008	10 lbs	\$ 250
WTPEPDBL4530	44 3/4	29 1/2	1/2	0.010	13 lbs	\$ 293
WTPEPDBL4536	44 3/4	35 3/8	1/2	0.012	15 lbs	\$ 336
WTPEPDBL4542	44 3/4	41 3/8	1/2	0.014	18 lbs	\$ 379
WTPEPDBL4548	44 3/4	47 1/4	1/2	0.016	20 lbs	\$ 420

Laminated Starter Tile



DESCRIPTION

laminated tile attaches to one side of the frame

NOTES

- o Clip-on tile no tools required
- o Can be ordered to match worksurface
- o Order individually one per side


SPECIFICATIONS

- o 12mm thick Laminate surface finish
- o All edge finishes in .45mm PVC edge
- o Clip-on inserts and bolts are included

SPECIFY ON ORDER


1. Quantity
2. Model Number
3. laminated

Laminated Starter Tile 29"




Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	"M" TLP	"L" HPL
WTL2924/___	29	23 5/8	1/2	0.005	7 lbs	\$ 195	\$ 306
WTL2930/___	29	29 1/2	1/2	0.007	9 lbs	\$ 261	\$ 483
WTL2936/___	29	35 3/8	1/2	0.008	11 lbs	\$ 266	\$ 487
WTL2942/___	29	41 3/8	1/2	0.009	13 lbs	\$ 271	\$ 493
WTL2948/___	29	47 1/4	1/2	0.011	14 lbs	\$ 275	\$ 497

Laminated Starter Tile 37"



Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	"M" TLP	"L" HPL
WTL2924/___	29	23 5/8	1/2	0.005	7 lbs	\$ 398	\$ 195
WTL2930/___	29	29 1/2	1/2	0.007	9 lbs	\$ 490	\$ 261
WTL2936/___	29	35 3/8	1/2	0.008	11 lbs	\$ 667	\$ 266
WTL2942/___	29	41 3/8	1/2	0.009	13 lbs	\$ 672	\$ 271
WTL2948/___	29	47 1/4	1/2	0.011	14 lbs	\$ 678	\$ 275


Laminated Starter Tile 45"



Model No.	Height -H	Width	Depth	Vol. (m³)	WT(lbs)	"M" TLP	"L" HPL
WTL3724/___	36 7/8	23 5/8	1/2	0.007	9 lbs	\$ 232	\$ 398
WTL3730/___	36 7/8	29 1/2	1/2	0.008	11 lbs	\$ 268	\$ 490
WTL3736/___	36 7/8	35 3/8	1/2	0.010	14 lbs	\$ 334	\$ 667
WTL3742/___	36 7/8	41 3/8	1/2	0.012	16 lbs	\$ 340	\$ 672
WTL3748/___	36 7/8	47 1/4	1/2	0.014	18 lbs	\$ 344	\$ 678

E Series Fabric Base line tile**DESCRIPTION**

Fabric base line tile attaches to one side of frame

**SPECIFICATIONS**


- o Galvanized steel fabric covered tile o includes clip-on hardware
- o Non-progressive removal (no tools require)
- o Allows easy access to interior cabling
- o 24"W power base line tiles have 1 duplex location per side. o
- o 30", 36", 42" and 48"W power base line tiles have 2 duplex locations per side.
- o Data port location is on the right side of the base line tile for 24" and 30"W base line tiles and at the center of the base line tile on 36", 42" and 48"W frames.

NOTES


- o Order one per side
- o When power ordered for 24" tiles have 1 power access and for 30", 36" 42" and 48" with tiles have 2 power access
- o When data ordered tiles have 1 data access

SPECIFY ON ORDER


1. Quantity
2. Model Number
- 3.Fabric

Fabric Power Base line tile


Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price
BLFP0524-E	5 3/8	23 5/8	1/2	0.001	2 lbs	\$ 70
BLFP0530-E	5 3/8	29 1/2	1/2	0.001	2 lbs	\$ 79
BLFP0536-E	5 3/8	35 3/8	1/2	0.001	2 lbs	\$ 85
BLFP0542-E	5 3/8	41 3/8	1/2	0.002	3 lbs	\$ 97
BLFP0548-E	5 3/8	47 1/4	1/2	0.002	3 lbs	\$ 107

Fabric Data Base line tile

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price
BLFD0524-E	5 3/8	23 5/8	1/2	0.001	2 lbs	\$ 70
BLFD0530-E	5 3/8	29 1/2	1/2	0.001	2 lbs	\$ 79
BLFD0536-E	5 3/8	35 3/8	1/2	0.001	2 lbs	\$ 85
BLFD0542-E	5 3/8	41 3/8	1/2	0.002	3 lbs	\$ 97
BLFD0548-E	5 3/8	47 1/4	1/2	0.002	3 lbs	\$ 107

Fabric Power and Data Base line tile

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price
BLFPD0524-E	5 3/8	23 5/8	1/2	0.001	2 lbs	\$ 72
BLFPD0530-E	5 3/8	29 1/2	1/2	0.001	2 lbs	\$ 81
BLFPD0536-E	5 3/8	35 3/8	1/2	0.001	2 lbs	\$ 87
BLFPD0542-E	5 3/8	41 3/8	1/2	0.002	3 lbs	\$ 99
BLFPD0548-E	5 3/8	47 1/4	1/2	0.002	3 lbs	\$ 109

E Series Painted Base line tile**DESCRIPTION**

Painted base line tile attaches to one side of frame

SPECIFICATIONS


- o Galvanized steel fabric covered tile o includes clip-on hardware
- o Non-progressive removal (no tools require)
- o Allows easy access to interior cabling
- o 24"W power base line tiles have 1 duplex location per side. o
- o 30", 36", 42" and 48"W power base line tiles have 2 duplex locations per side.
- o Data port location is on the right side of the base line tile for 24" and 30"W base line tiles and at the center of the base line tile on 36", 42" and 48"W frames.

NOTES


- o Order one per side
- o When power ordered for 24" tiles have 1 power access and for 30", 36" 42" and 48" with tiles have 2 power access
- o When data ordered tiles have 1 data access

SPECIFY ON ORDER


1. Quantity.
2. Model Number.
- 3.Fabric.

Painted Power Base line tile


Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price
BLPP0524-E	5 3/8	23 5/8	1/2	0.001	1 lbs	\$ 60
BLPP0530-E	5 3/8	29 1/2	1/2	0.001	2 lbs	\$ 66
BLPP0536-E	5 3/8	35 3/8	1/2	0.001	2 lbs	\$ 69
BLPP0542-E	5 3/8	41 3/8	1/2	0.002	2 lbs	\$ 80
BLPP0548-E	5 3/8	47 1/4	1/2	0.002	3 lbs	\$ 87

Painted Data Base line tile

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price
BLPD0524-E	5 3/8	23 5/8	1/2	0.001	1 lbs	\$ 60
BLPD0530-E	5 3/8	29 1/2	1/2	0.001	2 lbs	\$ 66
BLPD0536-E	5 3/8	35 3/8	1/2	0.001	2 lbs	\$ 69
BLPD0542-E	5 3/8	41 3/8	1/2	0.002	2 lbs	\$ 80
BLPD0548-E	5 3/8	47 1/4	1/2	0.002	3 lbs	\$ 87

Painted Power and Data Base line tile

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price
BLPPD0524-E	5 3/8	23 5/8	1/2	0.001	1 lbs	\$ 62
BLPPD0530-E	5 3/8	29 1/2	1/2	0.001	2 lbs	\$ 68
BLPPD0536-E	5 3/8	35 3/8	1/2	0.001	2 lbs	\$ 71
BLPPD0542-E	5 3/8	41 3/8	1/2	0.002	2 lbs	\$ 82
BLPPD0548-E	5 3/8	47 1/4	1/2	0.002	3 lbs	\$ 90

E Series Fabric Flip-Up Belt line tile**DESCRIPTION**

Fabric Flip-up tile allows easy access to wire management.

SPECIFICATIONS


- o Galvanized steel fabric covered tile.
- o Includes flip-up hardware.
- o Allows easy access to interior wiring .
- o 24"W power base line tiles have 1 duplex per side, 30", 36", 42" and 48"W have 2 duplex per side.
- o 24"W and 30"W have data port on the right side of the tile and 42" and 48"W at the center.

NOTES


- o Order individually one per side.
- o 24" tiles have one power entry and 30", 36" 42" and 48" tiles have 2 power entries, if required
- o Tiles have 1 data entry

SPECIFY ON ORDER


1. Quantity.
2. Model Number.
- 3.Fabric.

Fabric Power Flip-Up Belt line tile


Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price
BTFP0824-E	7 7/8	23 5/8	1/2	0.00	3 lbs	\$ 135
BTFP0830-E	7 7/8	29 1/2	1/2	0.00	3 lbs	\$ 144
BTFP0836-E	7 7/8	35 3/8	1/2	0.00	4 lbs	\$ 148
BTFP0842-E	7 7/8	41 3/8	1/2	0.00	5 lbs	\$ 162
BTFP0848-E	7 7/8	47 1/4	1/2	0.00	5 lbs	\$ 171

Fabric Data Flip-Up Belt line tile

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price
BTFD0824-E	7 7/8	23 5/8	1/2	0.00	3 lbs	\$ 135
BTFD0830-E	7 7/8	29 1/2	1/2	0.00	3 lbs	\$ 144
BTFD0836-E	7 7/8	35 3/8	1/2	0.00	4 lbs	\$ 148
BTFD0842-E	7 7/8	41 3/8	1/2	0.00	5 lbs	\$ 162
BTFD0848-E	7 7/8	47 1/4	1/2	0.00	5 lbs	\$ 171

Fabric Power and Data Flip-Up Belt line tile

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price
BTFPD0824-E	7 7/8	23 5/8	1/2	0.00	3 lbs	\$ 135
BTFPD0830-E	7 7/8	29 1/2	1/2	0.00	3 lbs	\$ 144
BTFPD0836-E	7 7/8	35 3/8	1/2	0.00	4 lbs	\$ 150
BTFPD0842-E	7 7/8	41 3/8	1/2	0.00	5 lbs	\$ 164
BTFPD0848-E	7 7/8	47 1/4	1/2	0.00	5 lbs	\$ 172

E Series Painted Flip-Up Belt line tile**DESCRIPTION**

Painted Flip-up tile allows easy access to wire management.

SPECIFICATIONS


- o Powder coat-painted finish. Includes clip-on hardware.
- o Non-progressive removal (no tools require) Allows easy access to interior cabling.
- o 24"W power belt line tiles have 1 duplex location per side. 30", 36", 42" and 48"W power belt line tiles have 2 duplex locations per side.
- o Data port location is on the right side of the belt line tile for 24" and 30"W belt line tiles, and at the center of the belt line tile on 36", 42" and 48"W frames.

NOTES


- o Order one per side.
- o When power ordered for 24" tiles have 1 power access and for 30", 36" 42" and 48" with tiles have 2 power access.
- o When data ordered tiles have 1 data access.

SPECIFY ON ORDER


1. Quantity.
2. Model Number.
3. Paint Finish.

Painted Power Flip-Up Belt line tile


Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price
BTPP0824-E	7 7/8	23 5/8	1/2	0.001	2 lbs	\$ 140
BTPP0830-E	7 7/8	29 1/2	1/2	0.002	3 lbs	\$ 152
BTPP0836-E	7 7/8	35 3/8	1/2	0.002	4 lbs	\$ 162
BTPP0842-E	7 7/8	41 3/8	1/2	0.003	4 lbs	\$ 169
BTPP0848-E	7 7/8	47 1/4	1/2	0.003	5 lbs	\$ 184

Painted Data Flip-Up Belt line tile

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price
BTPD0824-E	7 7/8	23 5/8	1/2	0.001	2 lbs	\$ 140
BTPD0830-E	7 7/8	29 1/2	1/2	0.002	3 lbs	\$ 152
BTPD0836-E	7 7/8	35 3/8	1/2	0.002	4 lbs	\$ 162
BTPD0842-E	7 7/8	41 3/8	1/2	0.003	4 lbs	\$ 169
BTPD0848-E	7 7/8	47 1/4	1/2	0.003	5 lbs	\$ 184

Painted Power and Data Flip-Up Belt line tile

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price
BTPPD0824-E	7 7/8	23 5/8	1/2	0.001	2 lbs	\$ 140
BTPPD0830-E	7 7/8	29 1/2	1/2	0.002	3 lbs	\$ 152
BTPPD0836-E	7 7/8	35 3/8	1/2	0.002	4 lbs	\$ 162
BTPPD0842-E	7 7/8	41 3/8	1/2	0.003	4 lbs	\$ 169
BTPPD0848-E	7 7/8	47 1/4	1/2	0.003	5 lbs	\$ 184

E Series Fabric Starter Tile 29"**DESCRIPTION**

Fabric covered tile attaches to one side of the frame.

NOTES


- o Clip-on tile no tools required.
- o Order individually one per side.

SPECIFICATIONS


- o Galvanized steel fabric covered tile.
- o Clips are included.

SPECIFY ON ORDER


1. Quantity.
2. Model Number.
3. Fabric

Fabric Starter Tile Base Power 29"


Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTSFPB2924-E	29	23 5/8	1/2	0.005	8 lbs	\$	179
WTSFPB2930-E	29	29 1/2	1/2	0.007	10 lbs	\$	212
WTSFPB2936-E	29	35 3/8	1/2	0.008	12 lbs	\$	247
WTSFPB2942-E	29	41 3/8	1/2	0.009	14 lbs	\$	283
WTSFPB2948-E	29	47 1/4	1/2	0.011	15 lbs	\$	319

Fabric Starter Tile Base Data 29"

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTSFDB2924-E	29	23 5/8	1/2	0.005	8 lbs	\$	179
WTSFDB2930-E	29	29 1/2	1/2	0.007	10 lbs	\$	212
WTSFDB2936-E	29	35 3/8	1/2	0.008	12 lbs	\$	247
WTSFDB2942-E	29	41 3/8	1/2	0.009	14 lbs	\$	283
WTSFDB2948-E	29	47 1/4	1/2	0.011	15 lbs	\$	319

Fabric Starter Tile Base Power and Data 29"

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTSFPDB2924-E	29	23 5/8	1/2	0.005	8 lbs	\$	179
WTSFPDB2930-E	29	29 1/2	1/2	0.007	10 lbs	\$	212
WTSFPDB2936-E	29	35 3/8	1/2	0.008	12 lbs	\$	247
WTSFPDB2942-E	29	41 3/8	1/2	0.009	14 lbs	\$	283
WTSFPDB2948-E	29	47 1/4	1/2	0.011	15 lbs	\$	319

E Series Fabric Starter Tile 37"**DESCRIPTION**

Fabric covered tile attaches to one side of the frame.

NOTES


- o Clip-on tile no tools required.
- o Order individually one per side.

SPECIFICATIONS


- o Galvanized steel fabric covered tile.
- o Clips are included.

SPECIFY ON ORDER


1. Quantity.
2. Model Number.
3. Fabric.

Fabric Starter Tile Base Power 37"


Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTSFPB3724-E	36 7/8	23 5/8	1/2	0.007	10 lbs	\$	219
WTSFPB3730-E	36 7/8	29 1/2	1/2	0.008	12 lbs	\$	261
WTSFPB3736-E	36 7/8	35 3/8	1/2	0.010	15 lbs	\$	306
WTSFPB3742-E	36 7/8	41 3/8	1/2	0.012	17 lbs	\$	346
WTSFPB3748-E	36 7/8	47 1/4	1/2	0.014	19 lbs	\$	393

Fabric Starter Tile Base Data 37"

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTSFDB3724-E	36 7/8	23 5/8	1/2	0.007	10 lbs	\$	219
WTSFDB3730-E	36 7/8	29 1/2	1/2	0.008	12 lbs	\$	261
WTSFDB3736-E	36 7/8	35 3/8	1/2	0.010	15 lbs	\$	306
WTSFDB3742-E	36 7/8	41 3/8	1/2	0.012	17 lbs	\$	346
WTSFDB3748-E	36 7/8	47 1/4	1/2	0.014	19 lbs	\$	393

Fabric Starter Tile Base Power and Data 37"

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTSFPDB3724-E	36 7/8	23 5/8	1/2	0.007	10 lbs	\$	219
WTSFPDB3730-E	36 7/8	29 1/2	1/2	0.008	12 lbs	\$	261
WTSFPDB3736-E	36 7/8	35 3/8	1/2	0.010	15 lbs	\$	306
WTSFPDB3742-E	36 7/8	41 3/8	1/2	0.012	17 lbs	\$	346
WTSFPDB3748-E	36 7/8	47 1/4	1/2	0.014	19 lbs	\$	393

E Series Fabric Starter Tile 45"**DESCRIPTION**

Fabric covered tile attaches to one side of the frame.

NOTES


- o Clip-on tile no tools required.
- o Order individually one per side.

SPECIFICATIONS


- o Galvanized steel fabric covered tile.
- o Clips are included.

SPECIFY ON ORDER


1. Quantity.
2. Model Number.
3. Fabric.

Fabric Starter Tile Base Power 45"


Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTSFPB4524-E	44 3/4	23 5/8	1/2	0.008	12 lbs	\$	240
WTSFPB4530-E	44 3/4	29 1/2	1/2	0.010	15 lbs	\$	298
WTSFPB4536-E	44 3/4	35 3/8	1/2	0.012	18 lbs	\$	350
WTSFPB4542-E	44 3/4	41 3/8	1/2	0.014	21 lbs	\$	395
WTSFPB4548-E	44 3/4	47 1/4	1/2	0.016	23 lbs	\$	446

Fabric Starter Tile Base Data 45"

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTSFDB4524-E	44 3/4	23 5/8	1/2	0.008	12 lbs	\$	240
WTSFDB4530-E	44 3/4	29 1/2	1/2	0.010	15 lbs	\$	298
WTSFDB4536-E	44 3/4	35 3/8	1/2	0.012	18 lbs	\$	350
WTSFDB4542-E	44 3/4	41 3/8	1/2	0.014	21 lbs	\$	395
WTSFDB4548-E	44 3/4	47 1/4	1/2	0.016	23 lbs	\$	446

Fabric Starter Tile Base Power and Data 45"

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTSFPDB4524-E	44 3/4	23 5/8	1/2	0.008	12 lbs	\$	240
WTSFPDB4530-E	44 3/4	29 1/2	1/2	0.010	15 lbs	\$	298
WTSFPDB4536-E	44 3/4	35 3/8	1/2	0.012	18 lbs	\$	350
WTSFPDB4542-E	44 3/4	41 3/8	1/2	0.014	21 lbs	\$	395
WTSFPDB4548-E	44 3/4	47 1/4	1/2	0.016	23 lbs	\$	446

E Series Fabric Starter Tile 37"**DESCRIPTION**

Fabric covered tile attaches to one side of the frame.

NOTES


- o Clip-on tile no tools required.
- o Order individually one per side.

SPECIFICATIONS


- o Galvanized steel fabric covered tile.
- o Clips are included.

SPECIFY ON ORDER


1. Quantity.
2. Model Number.
3. Fabric.

Fabric Starter Tile Belt Power 37"


Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price
WTSFPBL3724-E	36 7/8	23 5/8	1/2	0.007	10 lbs	\$ 219
WTSFPBL3730-E	36 7/8	29 1/2	1/2	0.008	12 lbs	\$ 261
WTSFPBL3736-E	36 7/8	35 3/8	1/2	0.010	15 lbs	\$ 306
WTSFPBL3742-E	36 7/8	41 3/8	1/2	0.012	17 lbs	\$ 346
WTSFPBL3748-E	36 7/8	47 1/4	1/2	0.014	19 lbs	\$ 393

Fabric Starter Tile Belt Data 37"

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price
WTSFDBL3724-E	36 7/8	23 5/8	1/2	0.007	10 lbs	\$ 219
WTSFDBL3730-E	36 7/8	29 1/2	1/2	0.008	12 lbs	\$ 261
WTSFDBL3736-E	36 7/8	35 3/8	1/2	0.010	15 lbs	\$ 306
WTSFDBL3742-E	36 7/8	41 3/8	1/2	0.012	17 lbs	\$ 346
WTSFDBL3748-E	36 7/8	47 1/4	1/2	0.014	19 lbs	\$ 393

Fabric Starter Tile Belt Power and Data 37"

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price
WTSFPDBL3724-E	36 7/8	23 5/8	1/2	0.007	10 lbs	\$ 219
WTSFPDBL3730-E	36 7/8	29 1/2	1/2	0.008	12 lbs	\$ 261
WTSFPDBL3736-E	36 7/8	35 3/8	1/2	0.010	15 lbs	\$ 306
WTSFPDBL3742-E	36 7/8	41 3/8	1/2	0.012	17 lbs	\$ 346
WTSFPDBL3748-E	36 7/8	47 1/4	1/2	0.014	19 lbs	\$ 393

E Series Fabric Starter Tile 45"**DESCRIPTION**

Fabric covered tile attaches to one side of the frame.

NOTES


- o Clip-on tile no tools required.
- o Order individually one per side.

SPECIFICATIONS


- o Galvanized steel fabric covered tile.
- o Clips are included.

SPECIFY ON ORDER


1. Quantity.
2. Model Number.
3. Fabric.

Fabric Starter Tile Belt Power 45"


Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price
WTSFPBL4524-E	44 3/4	23 5/8	1/2	0.008	12 lbs	\$ 240
WTSFPBL4530-E	44 3/4	29 1/2	1/2	0.010	15 lbs	\$ 298
WTSFPBL4536-E	44 3/4	35 3/8	1/2	0.012	18 lbs	\$ 350
WTSFPBL4542-E	44 3/4	41 3/8	1/2	0.014	21 lbs	\$ 395
WTSFPBL4548-E	44 3/4	47 1/4	1/2	0.016	23 lbs	\$ 446

Fabric Starter Tile Belt Data 45"

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price
WTSFDBL4524-E	44 3/4	23 5/8	1/2	0.008	12 lbs	\$ 240
WTSFDBL4530-E	44 3/4	29 1/2	1/2	0.010	15 lbs	\$ 298
WTSFDBL4536-E	44 3/4	35 3/8	1/2	0.012	18 lbs	\$ 350
WTSFDBL4542-E	44 3/4	41 3/8	1/2	0.014	21 lbs	\$ 395
WTSFDBL4548-E	44 3/4	47 1/4	1/2	0.016	23 lbs	\$ 446

Fabric Starter Tile Belt Power and Data 45"

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price
WTSFPDBL4524-E	44 3/4	23 5/8	1/2	0.008	12 lbs	\$ 240
WTSFPDBL4530-E	44 3/4	29 1/2	1/2	0.010	15 lbs	\$ 298
WTSFPDBL4536-E	44 3/4	35 3/8	1/2	0.012	18 lbs	\$ 350
WTSFPDBL4542-E	44 3/4	41 3/8	1/2	0.014	21 lbs	\$ 395
WTSFPDBL4548-E	44 3/4	47 1/4	1/2	0.016	23 lbs	\$ 446

E Series Painted Starter Tile 29"**DESCRIPTION**

Painted tile attaches to one side of the frame

NOTES


- o Clip-on tile no tools required.
- o Order individually one per side.

SPECIFICATIONS


- o Powder-coat painted finish
- o Clips are included

SPECIFY ON ORDER


1. Quantity.
2. Model Number.
3. Fabric.

Painted Starter Tile Base Power 29"


Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTPPB2924-E	29	23 5/8	1/2	0.01	7 lbs	\$	159
WTPPB2930-E	29	29 1/2	1/2	0.01	8 lbs	\$	179
WTPPB2936-E	29	35 3/8	1/2	0.01	10 lbs	\$	199
WTPPB2942-E	29	41 3/8	1/2	0.01	12 lbs	\$	219
WTPPB2948-E	29	47 1/4	1/2	0.01	13 lbs	\$	240

Painted Starter Tile Base Data 29"

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTPDB2924-E	29	23 5/8	1/2	0.01	7 lbs	\$	159
WTPDB2930-E	29	29 1/2	1/2	0.01	8 lbs	\$	178
WTPDB2936-E	29	35 3/8	1/2	0.01	10 lbs	\$	198
WTPDB2942-E	29	41 3/8	1/2	0.01	12 lbs	\$	219
WTPDB2948-E	29	47 1/4	1/2	0.01	13 lbs	\$	239

Painted Starter Tile Base Power and Data 29"

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTPPDB2924-E	29	23 5/8	1/2	0.01	7 lbs	\$	160
WTPPDB2930-E	29	29 1/2	1/2	0.01	8 lbs	\$	180
WTPPDB2936-E	29	35 3/8	1/2	0.01	10 lbs	\$	199
WTPPDB2942-E	29	41 3/8	1/2	0.01	12 lbs	\$	220
WTPPDB2948-E	29	47 1/4	1/2	0.01	13 lbs	\$	241

E Series Painted Starter Tile 37"**DESCRIPTION**

Painted tile attaches to one side of the frame

NOTES


- o Clip-on tile no tools required.
- o Order individually one per side.

SPECIFICATIONS


- o Powder-coat painted finish
- o Clips are included

SPECIFY ON ORDER


1. Quantity.
2. Model Number.
3. Fabric.

Painted Starter Tile Base Power 37"


Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTPPB3724-E	36 7/8	23 5/8	1/2	0.01	9 lbs	\$	180
WTPPB3730-E	36 7/8	29 1/2	1/2	0.01	11 lbs	\$	205
WTPPB3736-E	36 7/8	35 3/8	1/2	0.01	13 lbs	\$	229
WTPPB3742-E	36 7/8	41 3/8	1/2	0.01	15 lbs	\$	254
WTPPB3748-E	36 7/8	47 1/4	1/2	0.01	17 lbs	\$	279

Painted Starter Tile Base Data 37"

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTPDB3724-E	36 7/8	23 5/8	1/2	0.01	9 lbs	\$	180
WTPDB3730-E	36 7/8	29 1/2	1/2	0.01	11 lbs	\$	204
WTPDB3736-E	36 7/8	35 3/8	1/2	0.01	13 lbs	\$	229
WTPDB3742-E	36 7/8	41 3/8	1/2	0.01	15 lbs	\$	253
WTPDB3748-E	36 7/8	47 1/4	1/2	0.01	17 lbs	\$	279

Painted Starter Tile Base Power and Data 37"

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTPPDB3724-E	36 7/8	23 5/8	1/2	0.01	9 lbs	\$	181
WTPPDB3730-E	36 7/8	29 1/2	1/2	0.01	11 lbs	\$	205
WTPPDB3736-E	36 7/8	35 3/8	1/2	0.01	13 lbs	\$	230
WTPPDB3742-E	36 7/8	41 3/8	1/2	0.01	15 lbs	\$	255
WTPPDB3748-E	36 7/8	47 1/4	1/2	0.01	17 lbs	\$	280

E Series Painted Starter Tile 45"**DESCRIPTION**

Painted tile attaches to one side of the frame

NOTES


- o Clip-on tile no tools required.
- o Order individually one per side.

SPECIFICATIONS


- o Powder-coat painted finish
- o Clips are included

SPECIFY ON ORDER


1. Quantity.
2. Model Number.
3. Fabric.

Painted Starter Tile Base Power 45"


Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTPPB4524-E	44 3/4	23 5/8	1/2	0.01	10 lbs	\$	200
WTPPB4530-E	44 3/4	29 1/2	1/2	0.01	13 lbs	\$	230
WTPPB4536-E	44 3/4	35 3/8	1/2	0.01	15 lbs	\$	259
WTPPB4542-E	44 3/4	41 3/8	1/2	0.01	18 lbs	\$	289
WTPPB4548-E	44 3/4	47 1/4	1/2	0.02	20 lbs	\$	318

Painted Starter Tile Base Data 45"

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTPDB4524-E	44 3/4	23 5/8	1/2	0.01	10 lbs	\$	200
WTPDB4530-E	44 3/4	29 1/2	1/2	0.01	13 lbs	\$	230
WTPDB4536-E	44 3/4	35 3/8	1/2	0.01	15 lbs	\$	259
WTPDB4542-E	44 3/4	41 3/8	1/2	0.01	18 lbs	\$	287
WTPDB4548-E	44 3/4	47 1/4	1/2	0.02	20 lbs	\$	318

Painted Starter Tile Base Power and Data 45"

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTPPDB4524-E	44 3/4	23 5/8	1/2	0.01	10 lbs	\$	202
WTPPDB4530-E	44 3/4	29 1/2	1/2	0.01	13 lbs	\$	231
WTPPDB4536-E	44 3/4	35 3/8	1/2	0.01	15 lbs	\$	260
WTPPDB4542-E	44 3/4	41 3/8	1/2	0.01	18 lbs	\$	290
WTPPDB4548-E	44 3/4	47 1/4	1/2	0.02	20 lbs	\$	320

E Series Painted Starter Tile 37"**DESCRIPTION**

Painted tile attaches to one side of the frame

NOTES


- o Clip-on tile no tools required.
- o Order individually one per side.

SPECIFICATIONS


- o Powder-coat painted finish
- o Clips are included

SPECIFY ON ORDER


1. Quantity.
2. Model Number.
3. Fabric.

Painted Starter Tile Belt Power 37"


Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTPPBL3724-E	36 7/8	23 5/8	1/2	0.01	9 lbs	\$	180
WTPPBL3730-E	36 7/8	29 1/2	1/2	0.01	11 lbs	\$	205
WTPPBL3736-E	36 7/8	35 3/8	1/2	0.01	13 lbs	\$	229
WTPPBL3742-E	36 7/8	41 3/8	1/2	0.01	15 lbs	\$	254
WTPPBL3748-E	36 7/8	47 1/4	1/2	0.01	17 lbs	\$	279

Painted Starter Tile Belt Data 37"

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTPDBL3724-E	36 7/8	23 5/8	1/2	0.01	9 lbs	\$	180
WTPDBL3730-E	36 7/8	29 1/2	1/2	0.01	11 lbs	\$	204
WTPDBL3736-E	36 7/8	35 3/8	1/2	0.01	13 lbs	\$	229
WTPDBL3742-E	36 7/8	41 3/8	1/2	0.01	15 lbs	\$	253
WTPDBL3748-E	36 7/8	47 1/4	1/2	0.01	17 lbs	\$	279

Painted Starter Tile Belt Power and Data 37"

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTPPDBL3724-E	36 7/8	23 5/8	1/2	0.01	9 lbs	\$	181
WTPPDBL3730-E	36 7/8	29 1/2	1/2	0.01	11 lbs	\$	205
WTPPDBL3736-E	36 7/8	35 3/8	1/2	0.01	13 lbs	\$	230
WTPPDBL3742-E	36 7/8	41 3/8	1/2	0.01	15 lbs	\$	255
WTPPDBL3748-E	36 7/8	47 1/4	1/2	0.01	17 lbs	\$	280

Painted Starter Tile Belt Power 45"**DESCRIPTION**

Painted tile attaches to one side of the frame

NOTES


- o Clip-on tile no tools required.
- o Order individually one per side.

SPECIFICATIONS


- o Powder-coat painted finish
- o Clips are included

SPECIFY ON ORDER


1. Quantity.
2. Model Number.
3. Fabric.

Painted Starter Tile Belt Power 45"

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTPPBL4524-E	44 3/4	23 5/8	1/2	0.01	10 lbs	\$	200
WTPPBL4530-E	44 3/4	29 1/2	1/2	0.01	13 lbs	\$	230
WTPPBL4536-E	44 3/4	35 3/8	1/2	0.01	15 lbs	\$	259
WTPPBL4542-E	44 3/4	41 3/8	1/2	0.01	18 lbs	\$	289
WTPPBL4548-E	44 3/4	47 1/4	1/2	0.02	20 lbs	\$	318


Painted Starter Tile Belt Data 45"

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTPDBL4524-E	44 3/4	23 5/8	1/2	0.01	10 lbs	\$	200
WTPDBL4530-E	44 3/4	29 1/2	1/2	0.01	13 lbs	\$	230
WTPDBL4536-E	44 3/4	35 3/8	1/2	0.01	15 lbs	\$	259
WTPDBL4542-E	44 3/4	41 3/8	1/2	0.01	18 lbs	\$	287
WTPDBL4548-E	44 3/4	47 1/4	1/2	0.02	20 lbs	\$	318

Painted Starter Tile Belt Power and Data 45"

Model No.	Height	Width	Depth	Vol. (m³)	WT.(lbs)	Price	
WTPPDBL4524-E	44 3/4	23 5/8	1/2	0.01	10 lbs	\$	202
WTPPDBL4530-E	44 3/4	29 1/2	1/2	0.01	13 lbs	\$	231
WTPPDBL4536-E	44 3/4	35 3/8	1/2	0.01	15 lbs	\$	260
WTPPDBL4542-E	44 3/4	41 3/8	1/2	0.01	18 lbs	\$	290
WTPPDBL4548-E	44 3/4	47 1/4	1/2	0.02	20 lbs	\$	320

Rectangular Worksurfaces



DESCRIPTION

Worksurface hangs from frame or wall strip.

SPECIFICATIONS


- o Surface Thickness 1"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Cantilever brackets not include.
- o Reinforcement included in 60 "decks.
72 ", 78" and 86 ".
- o Wood grain direction as shown.

NOTES

- o Order cantilever brackets, end panel or Leg separately.
- o Ordered Separately

SPECIFY ON ORDER

1. Model number.
2. Worksurface finish option
3. Worksurface Color
4. Grommet option



Wood Grain

Model No.	Height -D	Width-W	Depth	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WR2424/___	23 5/8	23 5/8	1 1/4	0.011	14 lbs	\$ 165	\$ 215
WR2430/___	23 5/8	29 1/2	1 1/4	0.013	17 lbs	\$ 199	\$ 265
WR2436/___	23 5/8	35 3/8	1 1/4	0.016	21 lbs	\$ 265	\$ 357
WR2442/___	23 5/8	41 3/8	1 1/4	0.019	24 lbs	\$ 271	\$ 364
WR2448/___	23 5/8	47 1/4	1 1/4	0.021	27 lbs	\$ 453	\$ 625
WR2460/___	23 5/8	59	1 1/4	0.027	34 lbs	\$ 466	\$ 647
WR2472/___	23 5/8	70 7/8	1 1/4	0.032	41 lbs	\$ 479	\$ 662
WR2478/___	23 5/8	78 3/4	1 1/4	0.035	46 lbs	\$ 486	\$ 672
WR2486/___	23 5/8	86 5/8	1 1/4	0.039	50 lbs	\$ 496	\$ 682

Model No.	Height -D	Width-W	Depth	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WR3024/___	29 1/2	23 5/8	1 1/4	0.013	17 lbs	\$ 258	\$ 349
WR3030/___	29 1/2	29 1/2	1 1/4	0.017	21 lbs	\$ 323	\$ 441
WR3036/___	29 1/2	35 3/8	1 1/4	0.020	26 lbs	\$ 446	\$ 618
WR3042/___	29 1/2	41 3/8	1 1/4	0.023	30 lbs	\$ 453	\$ 625
WR3048/___	29 1/2	47 1/4	1 1/4	0.027	34 lbs	\$ 809	\$ 1,141
WR3060/___	29 1/2	59	1 1/4	0.033	43 lbs	\$ 821	\$ 1,162
WR3072/___	29 1/2	70 7/8	1 1/4	0.040	51 lbs	\$ 968	\$ 1,178
WR3078/___	29 1/2	78 3/4	1 1/4	0.044	57 lbs	\$ 1,007	\$ 1,337
WR3086/___	29 1/2	86 5/8	1 1/4	0.049	63 lbs	\$ 1,004	\$ 1,377

Power Supply Cut Options

NG

No Grommet

LG

Left Grommet

\$ 5

RG


Right Grommet

\$ 5

DG

Double Grommet

\$ 11

90° Notched Corner Worksurface**DESCRIPTION**

Worksurface hangs from frame or wall strip.

SPECIFICATIONS


- o Surface Thickness 1"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Cantilever brackets not include.
- o Reinforcement included in 60 "decks, 72 ", 78" and 86 ".
- o Wood grain direction as shown.

NOTES

- o Order cantilever brackets, end panel or Leg separately.
- o Ordered Separately

SPECIFY ON ORDER


1. Model number.
2. Worksurface finish option
3. Worksurface Color
4. Grommet option



Wood Grain

Model No.	Height -D	Width	Depth	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
W9CN2436/ __	23 5/8	35 3/8	1 1/4	0.024	28 lbs	\$ 285	\$ 377
W9CN2442/ __	23 5/8	41 3/8	1 1/4	0.033	37 lbs	\$ 294	\$ 387
W9CN2448/ __	23 5/8	47 1/4	1 1/4	0.042	46 lbs	\$ 480	\$ 653

Model No.	Height -D	Width	Depth	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
W9CN3036/ __	29 4/8	35 3/8	1 1/4	0.024	30 lbs	\$ 466	\$ 637
W9CN3042/ __	29 4/8	41 3/8	1 1/4	0.033	39 lbs	\$ 475	\$ 648
W9CN3048/ __	29 1/2	47 1/4	1 1/4	0.042	50 lbs	\$ 835	\$ 1,167

90° Curved Corner Worksurface**DESCRIPTION**

Worksurface hangs from a 90° corner frames or wall strips.

SPECIFICATIONS


- o Surface Thickness 1"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Cantilever brackets not include.
- o Reinforcement included in 60 "decks, 72 ", 78" and 86 ".
- o Wood grain direction as shown.

NOTES

- o Order cantilever brackets, end panel or Leg separately.
- o Ordered Separately

SPECIFY ON ORDER

1. Model number.
2. Worksurface finish option
3. Worksurface Color
4. Grommet option




Wood Grain

Model No.	Height -D	Width	Depth	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
W9CC2436/ __	23 5/8	35 3/8	1 1/4	0.024	28 lbs	\$ 296	\$ 373
W9CC2442/ __	23 5/8	40 1/8	1 1/4	0.031	35 lbs	\$ 306	\$ 383
W9CC2448/ __	23 5/8	47 1/4	1 1/4	0.042	41 lbs	\$ 316	\$ 646

Model No.	Height -D	Width	Depth	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
W9CC3036/ __	29 4/8	35 3/8	1 1/4	0.024	30 lbs	\$ 466	\$ 632
W9CC3042/ __	29 4/8	41 3/8	1 1/4	0.033	39 lbs	\$ 475	\$ 643
W9CC3048/ __	29 1/2	47 1/4	1 1/4	0.042	47 lbs	\$ 835	\$ 1,156

120° Corner Worksurface



DESCRIPTION

Worksurface hangs from a 120° corner frames or wall strips.

SPECIFICATIONS


- o Surface Thickness 1"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Cantilever brackets not include.
- o Reinforcement included in 60 "decks, 72 ", 78" and 86 ".
- o Wood grain direction as shown.

NOTES

- o Order cantilever brackets, end panel or Leg separately.
- o Ordered Separately

SPECIFY ON ORDER


1. Model number.
2. Worksurface finish option
3. Worksurface Color
4. Grommet option



Wood Grain

Model No.	Height -D	Width-W	Depth	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
W12C242424/___	23 5/8	23 5/8	1 1/4	0.025	20 lbs	\$ 675	\$ 777
W12C303024/___	23 5/8	29 4/8	1 1/4	0.034	26 lbs	\$ 679	\$ 781
W12C363624/___	23 5/8	35 3/7	1 1/4	0.044	33 lbs	\$ 904	\$ 1,243
W12C424224/___	23 5/8	41 1/3	1 1/4	0.056	40 lbs	\$ 698	\$ 917
W12C484824/___	23 5/8	47 1/4	1 1/4	0.069	47 lbs	\$ 830	\$ 1,120

D-Shaped Worksurface



DESCRIPTION

Worksurface has a notch, and attaches to the end of two back-to-back worksurfaces.

SPECIFICATIONS


- o Surface Thickness 1"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Cantilever brackets not include.
- o Reinforcement included in 60 "decks, 72 ", 78" and 86 ".
- o Wood grain direction as shown.

NOTES

- o Order cantilever brackets, end panel or Leg separately.
- o Ordered Separately


SPECIFY ON ORDER

1. Model number.
2. Worksurface finish option
3. Worksurface color
4. Support paint finish.
5. Grommet option



Wood Grain

Model No.	Height -D	Width-W	Depth	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WHC5024/___	23 5/8	49 5/8	1 1/4	0.022	22 lbs	\$ 484	\$ 655
WHC6230/___	29 1/2	61 3/8	1 1/4	0.035	35 lbs	\$ 859	\$ 1,198

D-Shaped Peninsula Worksurface**DESCRIPTION**

Worksurface hangs from a 24" or 30" frames or wall strips.

SPECIFICATIONS


- o Surface Thickness 1"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Cantilever brackets not include.
- o Reinforcement included in 60 "decks, 72 ", 78" and 86 ".
- o Wood grain direction as shown.

NOTES

- o Order cantilever brackets, end panel or Leg separately.
- o Ordered Separately

SPECIFY ON ORDER

1. Model number.
2. Worksurface finish option
3. Worksurface color
4. Support paint finish.
5. Grommet option



Wood Grain

Model No.	Height -D	Width-W	Depth	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WRP2448/___	23 5/8	47 1/4	1 1/4	0.021	26 lbs	\$ 306	\$ 404
WRP2460/___	23 5/8	59	1 1/4	0.027	33 lbs	\$ 604	\$ 712
WRP2472/___	23 5/8	70 7/8	1 1/4	0.032	40 lbs	\$ 640	\$ 818
WRP2478/___	23 5/8	78 3/4	1 1/4	0.035	44 lbs	\$ 672	\$ 855
WRP2486/___	23 5/8	86 1/2	1 1/4	0.039	49 lbs	\$ 700	\$ 884

Model No.	Height -D	Width-W	Depth	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WRP3048/___	29 1/2	47 1/4	1 1/4	0.027	32 lbs	\$ 487	\$ 666
WRP3060/___	29 1/2	59	1 1/4	0.033	41 lbs	\$ 959	\$ 1,297
WRP3072/___	29 1/2	70 7/8	1 1/4	0.040	49 lbs	\$ 1,002	\$ 1,342
WRP3078/___	29 1/2	78 3/4	1 1/4	0.044	55 lbs	\$ 1,030	\$ 1,372
WRP3086/___	29 1/2	86 1/2	1 1/4	0.049	61 lbs	\$ 1,057	\$ 1,402

Power Supply Cut Options**LG**

Left Grommet




\$ 5

RG

Rigth Grommet



\$ 5

90° Extended Notched Corner Worksurface

left shown

DESCRIPTION

Worksurface hangs from a 90° corner frames or wall strips.

SPECIFICATIONS


- o Surface Thickness 1"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Cantilever brackets not include.
- o Reinforcement included in 60 "decks, 72 ", 78" and 86 "
- o Wood grain direction as shown.

NOTES

- o Order cantilever brackets, end panel or Leg separately.
- o Order L for Left extended and R for Right extended.
- o Ordered Separately

SPECIFY ON ORDER

1. Model number.
2. Worksurface finish option
3. Worksurface Color
4. Grommet option



Wood Grain

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENC24366024L/___	23 5/8	35 3/8	59	23 5/8	0.040	42 lbs	\$ 968	\$ 1,309
WENC24367224L/___	23 5/8	35 3/8	70 7/8	23 5/8	0.048	49 lbs	\$ 1,010	\$ 1,354
WENC24367824L/___	23 5/8	35 3/8	78 3/4	23 5/8	0.053	54 lbs	\$ 1,034	\$ 1,381
WENC24368624L/___	23 5/8	35 3/8	86 1/2	23 5/8	0.058	58 lbs	\$ 1,150	\$ 1,498

Right


Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENC24366024R/___	23 5/8	35 3/8	59	23 5/8	0.040	42 lbs	\$ 968	\$ 1,309
WENC24367224R/___	23 5/8	35 3/8	70 7/8	23 5/8	0.048	49 lbs	\$ 1,010	\$ 1,354
WENC24367824R/___	23 5/8	35 3/8	78 3/4	23 5/8	0.053	54 lbs	\$ 1,034	\$ 1,381
WENC24368624R/___	23 5/8	35 3/8	86 1/2	23 5/8	0.058	58 lbs	\$ 1,150	\$ 1,498

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENC30366030L/___	3	35 3/8	59	29 1/2	0.040	48 lbs	\$ 968	\$ 1,309
WENC30367230L/___	3	35 3/8	70 7/8	29 1/2	0.048	56 lbs	\$ 1,010	\$ 1,354
WENC30367830L/___	3	35 3/8	78 3/4	29 1/2	0.053	62 lbs	\$ 1,034	\$ 1,381
WENC30368630L/___	3	35 3/8	86 1/2	29 1/2	0.058	68 lbs	\$ 1,066	\$ 1,415

Right

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENC30366030R/___	3	35 3/8	59	29 1/2	0.040	48 lbs	\$ 968	\$ 1,309
WENC30367230R/___	3	35 3/8	70 7/8	29 1/2	0.048	56 lbs	\$ 1,010	\$ 1,354
WENC30367830R/___	3	35 3/8	78 3/4	29 1/2	0.053	62 lbs	\$ 1,034	\$ 1,381
WENC30368630R/___	3	35 3/8	86 1/2	29 1/2	0.058	68 lbs	\$ 1,066	\$ 1,415



Wood Grain

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENC24426024L/___	23 5/8	41 3/8	59	23 5/8	0.05	48 lbs	\$ 974	\$ 1,318
WENC24427224L/___	23 5/8	41 3/8	70 7/8	23 5/8	0.06	54 lbs	\$ 1,016	\$ 1,364
WENC24427824L/___	23 5/8	41 3/8	78 3/4	23 5/8	0.06	59 lbs	\$ 1,034	\$ 1,381
WENC24428624L/___	23 5/8	41 3/8	78 3/4	23 5/8	0.07	64 lbs	\$ 1,072	\$ 1,425

Right

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENC24426024R/___	23 5/8	41 3/8	59	23 5/8	0.046	48 lbs	\$ 974	\$ 1,318
WENC24427224R/___	23 5/8	41 3/8	70 7/8	23 5/8	0.056	54 lbs	\$ 1,016	\$ 1,364
WENC24427824R/___	23 5/8	41 3/8	78 3/4	23 5/8	0.062	59 lbs	\$ 1,034	\$ 1,381
WENC24428624R/___	23 5/8	41 3/8	78 3/4	23 5/8	0.068	64 lbs	\$ 1,072	\$ 1,425

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENC30426030L/___	29 1/2	41 3/8	59	29 1/2	0.046	53 lbs	\$ 974	\$ 1,318
WENC30427230L/___	29 1/2	41 3/8	70 7/8	29 1/2	0.056	61 lbs	\$ 1,016	\$ 1,364
WENC30427830L/___	29 1/2	41 3/8	78 3/4	29 1/2	0.062	67 lbs	\$ 1,034	\$ 1,381
WENC30428630L/___	29 1/2	41 3/8	78 3/4	29 1/2	0.068	73 lbs	\$ 1,072	\$ 1,425

Right


Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENC30426030R/___	29 1/2	41 3/8	59	29 1/2	0.046	53 lbs	\$ 974	\$ 1,318
WENC30427230R/___	29 1/2	41 3/8	70 7/8	29 1/2	0.056	61 lbs	\$ 1,016	\$ 1,364
WENC30427830R/___	29 1/2	41 3/8	78 3/4	29 1/2	0.062	67 lbs	\$ 1,034	\$ 1,381
WENC30428630R/___	29 1/2	41 3/8	78 3/4	29 1/2	0.068	73 lbs	\$ 1,072	\$ 1,425

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENC24486024L/___	23 5/8	47 1/4	59	23 5/8	0.053	63 lbs	\$ 980	\$ 1,327
WENC24487224L/___	23 5/8	47 1/4	70 7/8	23 5/8	0.064	59 lbs	\$ 1,023	\$ 1,374
WENC24487824L/___	23 5/8	47 1/4	78 3/4	23 5/8	0.071	63 lbs	\$ 1,047	\$ 1,400
WENC24488624L/___	23 5/8	47 1/4	78 3/4	23 5/8	0.078	68 lbs	\$ 1,079	\$ 1,436

Right

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENC24486024R/___	23 5/8	47 1/4	59	23 5/8	0.053	63 lbs	\$ 980	\$ 1,327
WENC24487224R/___	23 5/8	47 1/4	70 7/8	23 5/8	0.064	59 lbs	\$ 1,023	\$ 1,374
WENC24487824R/___	23 5/8	47 1/4	78 3/4	23 5/8	0.071	63 lbs	\$ 1,047	\$ 1,400
WENC24488624R/___	23 5/8	47 1/4	78 3/4	23 5/8	0.078	68 lbs	\$ 1,079	\$ 1,436




Wood Grain

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENC30486030L/___	29 1/2	47 1/4	59	29 1/2	0.053	58 lbs	\$ 981	\$ 1,328
WENC30487230L/___	29 1/2	47 1/4	70 7/8	29 1/2	0.064	66 lbs	\$ 1,023	\$ 1,374
WENC30487830L/___	29 1/2	47 1/4	78 3/4	29 1/2	0.071	72 lbs	\$ 1,047	\$ 1,400
WENC30488630L/___	29 1/2	47 1/4	78 3/4	29 1/2	0.078	78 lbs	\$ 1,079	\$ 1,436

Right

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENC30486030R/___	29 1/2	47 1/4	59	29 1/2	0.053	58 lbs	\$ 981	\$ 1,328
WENC30487230R/___	29 1/2	47 1/4	70 7/8	29 1/2	0.064	66 lbs	\$ 1,023	\$ 1,374
WENC30487830R/___	29 1/2	47 1/4	78 3/4	29 1/2	0.071	72 lbs	\$ 1,047	\$ 1,400
WENC30488630R/___	29 1/2	47 1/4	78 3/4	29 1/2	0.078	78 lbs	\$ 1,079	\$ 1,436

90° Extended Curved Corner Worksurface

left shown

DESCRIPTION

Worksurface hangs from a 90° corner frames or wall strips

SPECIFICATIONS


- o Surface Thickness 1"
- o High resistant surface finish
- o All edges have 2mm PVC
- o Cantilever brackets not include
- o Reinforcement included in 60 "decks, 72 ", 78" and 86 ".
- o Wood grain direction as shown.

NOTES

- o Order cantilever brackets, end panel or Leg separately.
- o Order L for Left extended and R for Right extended.
- o Ordered Separately

SPECIFY ON ORDER

1. Model number.
2. Worksurface finish option
3. Worksurface Color
4. Grommet option



Wood Grain

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECC24366024L/___	23 5/8	35 3/8	59	23 5/8	0.040	42 lbs	\$ 968	\$ 1,309
WECC24367224L/___	23 5/8	35 3/8	70 7/8	23 5/8	0.048	49 lbs	\$ 1,010	\$ 1,354
WECC24367824L/___	23 5/8	35 3/8	78 3/4	23 5/8	0.053	54 lbs	\$ 1,034	\$ 1,381
WECC24368624L/___	23 5/8	35 3/8	86 1/2	23 5/8	0.058	58 lbs	\$ 1,150	\$ 1,498

Right


Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECC24366024R/___	23 5/8	35 3/8	59	23 5/8	0.040	42 lbs	\$ 968	\$ 1,309
WECC24367224R/___	23 5/8	35 3/8	70 7/8	23 5/8	0.048	49 lbs	\$ 1,010	\$ 1,354
WECC24367824R/___	23 5/8	35 3/8	78 3/4	23 5/8	0.053	54 lbs	\$ 1,034	\$ 1,381
WECC24368624R/___	23 5/8	35 3/8	86 1/2	23 5/8	0.058	58 lbs	\$ 1,150	\$ 1,498

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECC30366030L/___	29 1/2	35 3/8	59	29 1/2	0.046	48 lbs	\$ 968	\$ 1,309
WECC30367230L/___	29 1/2	35 3/8	70 7/8	29 1/2	0.056	56 lbs	\$ 1,010	\$ 1,354
WECC30367830L/___	29 1/2	35 3/8	78 3/4	29 1/2	0.062	62 lbs	\$ 1,034	\$ 1,381
WECC30368630L/___	29 1/2	35 3/8	86 1/2	29 1/2	0.068	68 lbs	\$ 1,066	\$ 1,415

Right

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECC30366030R/___	29 1/2	35 3/8	59	29 1/2	0.046	48 lbs	\$ 968	\$ 1,309
WECC30367230R/___	29 1/2	35 3/8	70 7/8	29 1/2	0.056	56 lbs	\$ 1,010	\$ 1,354
WECC30367830R/___	29 1/2	35 3/8	78 3/4	29 1/2	0.062	62 lbs	\$ 1,034	\$ 1,381
WECC30368630R/___	29 1/2	35 3/8	86 1/2	29 1/2	0.068	68 lbs	\$ 1,066	\$ 1,415



Wood Grain

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECC24426024L/___	23 5/8	41 3/8	59	23 5/8	0.046	48 lbs	\$ 974	\$ 1,318
WECC24427224L/___	23 5/8	41 3/8	70 7/8	23 5/8	0.056	54 lbs	\$ 1,016	\$ 1,364
WECC24427824L/___	23 5/8	41 3/8	78 3/4	23 5/8	0.062	59 lbs	\$ 1,034	\$ 1,381
WECC24428624L/___	23 5/8	41 3/8	86 1/2	23 5/8	0.068	64 lbs	\$ 1,072	\$ 1,425

Right

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECC24426024R/___	23 5/8	41 3/8	59	23 5/8	0.046	48 lbs	\$ 974	\$ 1,318
WECC24427224R/___	23 5/8	41 3/8	70 7/8	23 5/8	0.056	54 lbs	\$ 1,016	\$ 1,364
WECC24427824R/___	23 5/8	41 3/8	78 3/4	23 5/8	0.062	59 lbs	\$ 1,034	\$ 1,381
WECC24428624R/___	23 5/8	41 3/8	86 1/2	23 5/8	0.068	64 lbs	\$ 1,072	\$ 1,425

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECC30426030L/___	29 1/2	41 3/8	59	29 1/2	0.053	53 lbs	\$ 974	\$ 1,318
WECC30427230L/___	29 1/2	41 3/8	70 7/8	29 1/2	0.064	61 lbs	\$ 1,016	\$ 1,364
WECC30427830L/___	29 1/2	41 3/8	78 3/4	29 1/2	0.071	67 lbs	\$ 1,034	\$ 1,381
WECC30428630L/___	29 1/2	41 3/8	86 1/2	29 1/2	0.078	73 lbs	\$ 1,072	\$ 1,425

Right


Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECC30426030R/___	29 1/2	41 3/8	59	29 1/2	0.053	53 lbs	\$ 974	\$ 1,318
WECC30427230R/___	29 1/2	41 3/8	70 7/8	29 1/2	0.064	61 lbs	\$ 1,016	\$ 1,364
WECC30427830R/___	29 1/2	41 3/8	78 3/4	29 1/2	0.071	67 lbs	\$ 1,034	\$ 1,381
WECC30428630R/___	29 1/2	41 3/8	86 1/2	29 1/2	0.078	73 lbs	\$ 1,072	\$ 1,425

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECC24486024L/___	23 5/8	47 1/4	59	23 5/8	0.053	63 lbs	\$ 980	\$ 1,327
WECC24487224L/___	23 5/8	47 1/4	70 7/8	23 5/8	0.064	59 lbs	\$ 1,023	\$ 1,374
WECC24487824L/___	23 5/8	47 1/4	78 3/4	23 5/8	0.071	63 lbs	\$ 1,047	\$ 1,400
WECC24488624L/___	23 5/8	47 1/4	86 1/2	23 5/8	0.078	68 lbs	\$ 1,079	\$ 1,436

Right

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECC24486024R/___	23 5/8	47 1/4	59	23 5/8	0.053	63 lbs	\$ 980	\$ 1,327
WECC24487224R/___	23 5/8	47 1/4	70 7/8	23 5/8	0.064	59 lbs	\$ 1,023	\$ 1,374
WECC24487824R/___	23 5/8	47 1/4	78 3/4	23 5/8	0.071	63 lbs	\$ 1,047	\$ 1,400
WECC24488624R/___	23 5/8	47 1/4	86 1/2	23 5/8	0.078	68 lbs	\$ 1,079	\$ 1,436




Wood Grain

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECC30486030L/___	29 1/2	47 1/4	59	29 1/2	0.053	58 lbs	\$ 981	\$ 1,328
WECC30487230L/___	29 1/2	47 1/4	70 7/8	29 1/2	0.064	66 lbs	\$ 1,023	\$ 1,374
WECC30487830L/___	29 1/2	47 1/4	78 3/4	29 1/2	0.071	72 lbs	\$ 1,047	\$ 1,400
WECC30488630L/___	29 1/2	47 1/4	86 1/2	29 1/2	0.078	78 lbs	\$ 1,079	\$ 1,436

Right

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECC30486030R/___	29 1/2	47 1/4	59	29 1/2	0.053	58 lbs	\$ 981	\$ 1,328
WECC30487230R/___	29 1/2	47 1/4	70 7/8	29 1/2	0.064	66 lbs	\$ 1,023	\$ 1,374
WECC30487830R/___	29 1/2	47 1/4	78 3/4	29 1/2	0.071	72 lbs	\$ 1,047	\$ 1,400
WECC30488630R/___	29 1/2	47 1/4	86 1/2	29 1/2	0.078	78 lbs	\$ 1,079	\$ 1,436

Extended Notched Corner Peninsula Worksurface

left shown

DESCRIPTION

Corner worksurface with peninsula.

SPECIFICATIONS


- o Surface Thickness 1"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Cantilever brackets not include.
- o Support column leg is included and has a leveling glide .
- o Reinforcement included in 60 "decks, 72 ", 78" and 86 ".
- o Wood grain direction as shown.

NOTES

- o Order cantilever brackets, end panel or Leg separately.
- o Order L for Left extended and R for Right extended.
- o Ordered Separately

SPECIFY ON ORDER

1. Model number.
2. Worksurface finish option
3. Worksurface color
4. Support paint finish.
5. Grommet option



Wood Grain

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENCP24366024L/___	23 5/8	35 3/8	59	23 5/8	0.040	41 lbs	\$ 968	\$ 1,309
WENCP24367224L/___	23 5/8	35 3/8	70 7/8	23 5/8	0.048	48 lbs	\$ 1,010	\$ 1,354
WENCP24367824L/___	23 5/8	35 3/8	78 3/4	23 5/8	0.053	52 lbs	\$ 1,034	\$ 1,381
WENCP24368624L/___	23 5/8	35 3/8	86 1/2	23 5/8	0.058	57 lbs	\$ 1,066	\$ 1,415

Right


Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENCP24366024R/___	23 5/8	35 3/8	59	23 5/8	0.040	41 lbs	\$ 968	\$ 1,309
WENCP24367224R/___	23 5/8	35 3/8	70 7/8	23 5/8	0.048	48 lbs	\$ 1,010	\$ 1,354
WENCP24367824R/___	23 5/8	35 3/8	78 3/4	23 5/8	0.053	52 lbs	\$ 1,034	\$ 1,381
WENCP24368624R/___	23 5/8	35 3/8	86 1/2	23 5/8	0.058	57 lbs	\$ 1,066	\$ 1,415

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENCP24426024L/___	23 5/8	41 3/8	59	23 5/8	0.046	46 lbs	\$ 974	\$ 1,318
WENCP24427224L/___	23 5/8	41 3/8	70 7/8	23 5/8	0.056	53 lbs	\$ 1,017	\$ 1,364
WENCP24427824L/___	23 5/8	41 3/8	78 3/4	23 5/8	0.062	57 lbs	\$ 1,041	\$ 1,391
WENCP24428624L/___	23 5/8	41 3/8	86 1/2	23 5/8	0.068	62 lbs	\$ 1,072	\$ 1,425

Right

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENCP24426024R/___	23 5/8	41 3/8	59	23 5/8	0.046	46 lbs	\$ 974	\$ 1,318
WENCP24427224R/___	23 5/8	41 3/8	70 7/8	23 5/8	0.056	53 lbs	\$ 1,017	\$ 1,364
WENCP24427824R/___	23 5/8	41 3/8	78 3/4	23 5/8	0.062	57 lbs	\$ 1,041	\$ 1,391
WENCP24428624R/___	23 5/8	41 3/8	86 1/2	23 5/8	0.068	62 lbs	\$ 1,072	\$ 1,425



Wood Grain

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENCP24486024L/___	23 5/8	47 1/4	59	23 5/8	0.046	52 lbs	\$ 766	\$ 992
WENCP24487224L/___	23 5/8	47 1/4	70 7/8	23 5/8	0.056	59 lbs	\$ 1,034	\$ 1,385
WENCP24487824L/___	23 5/8	47 1/4	78 3/4	23 5/8	0.062	63 lbs	\$ 1,047	\$ 1,400
WENCP24488624L/___	23 5/8	47 1/4	86 1/2	23 5/8	0.068	68 lbs	\$ 1,079	\$ 1,436

Right

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENCP24486024R/___	23 5/8	47 1/4	59	23 5/8	0.046	52 lbs	\$ 766	\$ 992
WENCP24487224R/___	23 5/8	47 1/4	70 7/8	23 5/8	0.056	59 lbs	\$ 1,034	\$ 1,385
WENCP24487824R/___	23 5/8	47 1/4	78 3/4	23 5/8	0.062	63 lbs	\$ 1,047	\$ 1,400
WENCP24488624R/___	23 5/8	47 1/4	86 1/2	23 5/8	0.068	68 lbs	\$ 1,079	\$ 1,436

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENCP24366030L/___	23 5/8	35 3/8	59	29 1/2	0.040	44 lbs	\$ 968	\$ 1,309
WENCP24367230L/___	23 5/8	35 3/8	70 7/8	29 1/2	0.048	53 lbs	\$ 1,010	\$ 1,354
WENCP24367830L/___	23 5/8	35 3/8	78 3/4	29 1/2	0.053	58 lbs	\$ 1,034	\$ 1,381
WENCP24368630L/___	23 5/8	35 3/8	86 1/2	29 1/2	0.058	64 lbs	\$ 1,066	\$ 1,415

Right


Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENCP24366030R/___	23 5/8	35 3/8	59	29 1/2	0.040	44 lbs	\$ 968	\$ 1,309
WENCP24367230R/___	23 5/8	35 3/8	70 7/8	29 1/2	0.048	53 lbs	\$ 1,010	\$ 1,354
WENCP24367830R/___	23 5/8	35 3/8	78 3/4	29 1/2	0.053	58 lbs	\$ 1,034	\$ 1,381
WENCP24368630R/___	23 5/8	35 3/8	86 1/2	29 1/2	0.058	64 lbs	\$ 1,066	\$ 1,415

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENCP24426030L/___	23 5/8	41 3/8	59	29 1/2	0.046	48 lbs	\$ 974	\$ 1,318
WENCP24427230L/___	23 5/8	41 3/8	70 7/8	29 1/2	0.056	57 lbs	\$ 1,017	\$ 1,364
WENCP24427830L/___	23 5/8	41 3/8	78 3/4	29 1/2	0.062	63 lbs	\$ 1,041	\$ 1,391
WENCP24428630L/___	23 5/8	41 3/8	86 1/2	29 1/2	0.068	68 lbs	\$ 1,072	\$ 1,425

Right

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENCP24426030R/___	23 5/8	41 3/8	59	29 1/2	0.046	48 lbs	\$ 974	\$ 1,318
WENCP24427230R/___	23 5/8	41 3/8	70 7/8	29 1/2	0.056	57 lbs	\$ 1,017	\$ 1,364
WENCP24427830R/___	23 5/8	41 3/8	78 3/4	29 1/2	0.062	63 lbs	\$ 1,041	\$ 1,391
WENCP24428630R/___	23 5/8	41 3/8	86 1/2	29 1/2	0.068	68 lbs	\$ 1,072	\$ 1,425



Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENCP24486030L/___	23 5/8	47 1/4	59	29 1/2	0.053	54 lbs	\$ 766	\$ 992
WENCP24487230L/___	23 5/8	47 1/4	70 7/8	29 1/2	0.064	62 lbs	\$ 1,034	\$ 1,385
WENCP24487830L/___	23 5/8	47 1/4	78 3/4	29 1/2	0.071	68 lbs	\$ 1,047	\$ 1,400
WENCP24488630L/___	23 5/8	47 1/4	86 1/2	29 1/2	0.078	74 lbs	\$ 1,079	\$ 1,436

Wood Grain

Right

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENCP24486030R/___	23 5/8	47 1/4	59	29 1/2	0.053	54 lbs	\$ 766	\$ 992
WENCP24487230R/___	23 5/8	47 1/4	70 7/8	29 1/2	0.064	62 lbs	\$ 1,034	\$ 1,385
WENCP24487830R/___	23 5/8	47 1/4	78 3/4	29 1/2	0.071	68 lbs	\$ 1,047	\$ 1,400
WENCP24488630R/___	23 5/8	47 1/4	86 1/2	29 1/2	0.078	74 lbs	\$ 1,079	\$ 1,436

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENCP30366030L/___	29 1/2	35 3/8	59	29 1/2	0.040	45 lbs	\$ 968	\$ 1,309
WENCP30367230L/___	29 1/2	35 3/8	70 7/8	29 1/2	0.048	54 lbs	\$ 1,010	\$ 1,357
WENCP30367830L/___	29 1/2	35 3/8	78 3/4	29 1/2	0.053	59 lbs	\$ 1,034	\$ 1,381
WENCP30368630L/___	29 1/2	35 3/8	86 1/2	29 1/2	0.058	65 lbs	\$ 1,066	\$ 1,415

Right


Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENCP30366030R/___	29 1/2	35 3/8	59	29 1/2	0.040	45 lbs	\$ 968	\$ 1,309
WENCP30367230R/___	29 1/2	35 3/8	70 7/8	29 1/2	0.048	54 lbs	\$ 1,010	\$ 1,357
WENCP30367830R/___	29 1/2	35 3/8	78 3/4	29 1/2	0.053	59 lbs	\$ 1,034	\$ 1,381
WENCP30368630R/___	29 1/2	35 3/8	86 1/2	29 1/2	0.058	65 lbs	\$ 1,066	\$ 1,415

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENCP30426030L/___	29 1/2	41 3/8	59	29 1/2	0.046	50 lbs	\$ 974	\$ 1,318
WENCP30427230L/___	29 1/2	41 3/8	70 7/8	29 1/2	0.056	59 lbs	\$ 1,017	\$ 1,364
WENCP30427830L/___	29 1/2	41 3/8	78 3/4	29 1/2	0.062	64 lbs	\$ 1,041	\$ 1,391
WENCP30428630L/___	29 1/2	41 3/8	86 1/2	29 1/2	0.068	70 lbs	\$ 1,072	\$ 1,425

Right

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENCP30426030R/___	29 1/2	41 3/8	59	29 1/2	0.046	50 lbs	\$ 974	\$ 1,318
WENCP30427230R/___	29 1/2	41 3/8	70 7/8	29 1/2	0.056	59 lbs	\$ 1,017	\$ 1,364
WENCP30427830R/___	29 1/2	41 3/8	78 3/4	29 1/2	0.062	64 lbs	\$ 1,041	\$ 1,391
WENCP30428630R/___	29 1/2	41 3/8	86 1/2	29 1/2	0.068	70 lbs	\$ 1,072	\$ 1,425




Wood Grain

Left


Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENCP30486030L/___	29 1/2	47 1/4	59	29 1/2	0.053	56 lbs	\$ 766	\$ 1,425
WENCP30487230L/___	29 1/2	47 1/4	70 7/8	29 1/2	0.064	65 lbs	\$ 1,034	\$ 1,389
WENCP30487830L/___	29 1/2	47 1/4	78 3/4	29 1/2	0.071	70 lbs	\$ 1,047	\$ 1,400
WENCP30488630L/___	29 1/2	47 1/4	86 2/4	29 1/2	0.078	76 lbs	\$ 1,079	\$ 1,436

Right

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WENCP30486030R/___	29 1/2	47 1/4	59	29 1/2	0.053	56 lbs	\$ 766	\$ 1,425
WENCP30487230R/___	29 1/2	47 1/4	70 7/8	29 1/2	0.064	65 lbs	\$ 1,034	\$ 1,389
WENCP30487830R/___	29 1/2	47 1/4	78 3/4	29 1/2	0.071	70 lbs	\$ 1,047	\$ 1,400
WENCP30488630R/___	29 1/2	47 1/4	86 1/2	29 1/2	0.078	76 lbs	\$ 1,079	\$ 1,436

Extended Curved Corner Peninsula Worksurface

left shown



Wood Grain

DESCRIPTION

Curved worksurface with peninsula.

SPECIFICATIONS

- o Surface Thickness 1"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Cantilever brackets not include.
- o Support column leg is included and has a leveling glideIncludes one grommet.
- o Reinforcement included in 60 "decks,
- o 72 ", 78" and 86 ".
- o Wood grain direction as shown.

NOTES

- o Order cantilever brackets, end panel or Leg separately
- o Order L for Left extended and R for Right extend
- o Ordered Separately

SPECIFY ON ORDER

1. Model number.
2. Worksurface finish option
3. Worksurface color
4. Support paint finish.
5. Grommet option

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECCP24366024L/___	23 5/8	35 3/8	59	23 5/8	0.040	41 lbs	\$ 968	\$ 1,309
WECCP24367224L/___	23 5/8	35 3/8	70 7/8	23 5/8	0.048	48 lbs	\$ 1,010	\$ 1,354
WECCP24367824L/___	23 5/8	35 3/8	78 3/4	23 5/8	0.053	52 lbs	\$ 1,034	\$ 1,381
WECCP24368624L/___	23 5/8	35 3/8	86 1/2	23 5/8	0.058	57 lbs	\$ 1,066	\$ 1,415

Right


Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECCP24366024R/___	23 5/8	35 3/8	59	23 5/8	0.040	41 lbs	\$ 968	\$ 1,309
WECCP24367224R/___	23 5/8	35 3/8	70 7/8	23 5/8	0.048	48 lbs	\$ 1,010	\$ 1,354
WECCP24367824R/___	23 5/8	35 3/8	78 3/4	23 5/8	0.053	52 lbs	\$ 1,034	\$ 1,381
WECCP24368624R/___	23 5/8	35 3/8	86 1/2	23 5/8	0.058	57 lbs	\$ 1,066	\$ 1,415

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECCP24426024L/___	23 5/8	41 3/8	59	23 5/8	0.046	46 lbs	\$ 974	\$ 1,318
WECCP24427224L/___	23 5/8	41 3/8	70 7/8	23 5/8	0.056	53 lbs	\$ 1,017	\$ 1,364
WECCP24427824L/___	23 5/8	41 3/8	78 3/4	23 5/8	0.062	57 lbs	\$ 1,041	\$ 1,391
WECCP24428624L/___	23 5/8	41 3/8	86 1/2	23 5/8	0.068	62 lbs	\$ 1,072	\$ 1,425

Right

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECCP24426024R/___	23 5/8	41 3/8	59	23 5/8	0.046	46 lbs	\$ 974	\$ 1,318
WECCP24427224R/___	23 5/8	41 3/8	70 7/8	23 5/8	0.056	53 lbs	\$ 1,017	\$ 1,364
WECCP24427824R/___	23 5/8	41 3/8	78 3/4	23 5/8	0.062	57 lbs	\$ 1,041	\$ 1,391
WECCP24428624R/___	23 5/8	41 3/8	86 1/2	23 5/8	0.068	62 lbs	\$ 1,072	\$ 1,425



Wood Grain

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECCP24486024L/___	23 5/8	47 1/4	59	23 5/8	0.053	52 lbs	\$ 766	\$ 992
WECCP24487224L/___	23 5/8	47 1/4	70 7/8	23 5/8	0.064	59 lbs	\$ 1,034	\$ 1,385
WECCP24487824L/___	23 5/8	47 1/4	78 3/4	23 5/8	0.071	63 lbs	\$ 1,047	\$ 1,400
WECCP24488624L/___	23 5/8	47 1/4	86 1/2	23 5/8	0.078	68 lbs	\$ 1,079	\$ 1,436

Right

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECCP24486024R/___	23 5/8	47 1/4	59	23 5/8	0.053	52 lbs	\$ 766	\$ 992
WECCP24487224R/___	23 5/8	47 1/4	70 7/8	23 5/8	0.064	59 lbs	\$ 1,034	\$ 1,385
WECCP24487824R/___	23 5/8	47 1/4	78 3/4	23 5/8	0.071	63 lbs	\$ 1,047	\$ 1,400
WECCP24488624R/___	23 5/8	47 1/4	86 1/2	23 5/8	0.078	68 lbs	\$ 1,079	\$ 1,436

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECCP24366030L/___	23 5/8	35 3/8	59	29 1/2	0.040	44 lbs	\$ 968	\$ 1,309
WECCP24367230L/___	23 5/8	35 3/8	70 7/8	29 1/2	0.048	53 lbs	\$ 1,010	\$ 1,354
WECCP24367830L/___	23 5/8	35 3/8	78 3/4	29 1/2	0.053	58 lbs	\$ 1,034	\$ 1,381
WECCP24368630L/___	23 5/8	35 3/8	86 1/2	29 1/2	0.058	64 lbs	\$ 1,066	\$ 1,415

Right


Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECCP24366030R/___	23 5/8	35 3/8	59	29 1/2	0.040	44 lbs	\$ 968	\$ 1,309
WECCP24367230R/___	23 5/8	35 3/8	70 7/8	29 1/2	0.048	53 lbs	\$ 1,010	\$ 1,354
WECCP24367830R/___	23 5/8	35 3/8	78 3/4	29 1/2	0.053	58 lbs	\$ 1,034	\$ 1,381
WECCP24368630R/___	23 5/8	35 3/8	86 1/2	29 1/2	0.058	64 lbs	\$ 1,066	\$ 1,415

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECCP24426030L/___	23 5/8	41 3/8	59	29 1/2	0.046	48 lbs	\$ 974	\$ 1,318
WECCP24427230L/___	23 5/8	41 3/8	70 7/8	29 1/2	0.056	57 lbs	\$ 1,017	\$ 1,364
WECCP24427830L/___	23 5/8	41 3/8	78 3/4	29 1/2	0.062	63 lbs	\$ 1,041	\$ 1,391
WECCP24428630L/___	23 5/8	41 3/8	86 1/2	29 1/2	0.068	68 lbs	\$ 1,072	\$ 1,425

Right

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECCP24426030R/___	23 5/8	41 3/8	59	29 1/2	0.046	48 lbs	\$ 974	\$ 1,318
WECCP24427230R/___	23 5/8	41 3/8	70 7/8	29 1/2	0.056	57 lbs	\$ 1,017	\$ 1,364
WECCP24427830R/___	23 5/8	41 3/8	78 3/4	29 1/2	0.062	63 lbs	\$ 1,041	\$ 1,391
WECCP24428630R/___	23 5/8	41 3/8	86 1/2	29 1/2	0.068	68 lbs	\$ 1,072	\$ 1,425



Wood Grain

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECCP24486030L/___	23 5/8	47 1/4	59	29 1/2	0.053	54 lbs	\$ 766	\$ 992
WECCP24487230L/___	23 5/8	47 1/4	70 7/8	29 1/2	0.064	62 lbs	\$ 1,034	\$ 1,385
WECCP24487830L/___	23 5/8	47 1/4	78 3/4	29 1/2	0.071	68 lbs	\$ 1,047	\$ 1,400
WECCP24488630L/___	23 5/8	47 1/4	86 1/2	29 1/2	0.078	74 lbs	\$ 1,079	\$ 1,436

Right

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECCP24486030R/___	23 5/8	47 1/4	59	29 1/2	0.053	54 lbs	\$ 766	\$ 992
WECCP24487230R/___	23 5/8	47 1/4	70 7/8	29 1/2	0.064	62 lbs	\$ 1,034	\$ 1,385
WECCP24487830R/___	23 5/8	47 1/4	78 3/4	29 1/2	0.071	68 lbs	\$ 1,047	\$ 1,400
WECCP24488630R/___	23 5/8	47 1/4	86 1/2	29 1/2	0.078	74 lbs	\$ 1,079	\$ 1,436

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECCP30366030L/___	29 1/2	35 3/8	59	29 1/2	0.040	45 lbs	\$ 968	\$ 1,309
WECCP30367230L/___	29 1/2	35 3/8	70 7/8	29 1/2	0.048	54 lbs	\$ 1,010	\$ 1,354
WECCP30367830L/___	29 1/2	35 3/8	78 3/4	29 1/2	0.053	59 lbs	\$ 1,034	\$ 1,381
WECCP30368630L/___	29 1/2	35 3/8	86 1/2	29 1/2	0.058	65 lbs	\$ 1,066	\$ 1,415

Right


Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECCP30366030R/___	29 1/2	35 3/8	59	29 1/2	0.040	45 lbs	\$ 968	\$ 1,309
WECCP30367230R/___	29 1/2	35 3/8	70 7/8	29 1/2	0.048	54 lbs	\$ 1,010	\$ 1,354
WECCP30367830R/___	29 1/2	35 3/8	78 3/4	29 1/2	0.053	59 lbs	\$ 1,034	\$ 1,381
WECCP30368630R/___	29 1/2	35 3/8	86 1/2	29 1/2	0.058	65 lbs	\$ 1,066	\$ 1,415

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECCP30426030L/___	29 1/2	41 3/8	59	29 1/2	0.046	50 lbs	\$ 974	\$ 1,318
WECCP30427230L/___	29 1/2	41 3/8	70 7/8	29 1/2	0.056	59 lbs	\$ 1,017	\$ 1,364
WECCP30427830L/___	29 1/2	41 3/8	78 3/4	29 1/2	0.062	64 lbs	\$ 1,041	\$ 1,391
WECCP30428630L/___	29 1/2	41 3/8	86 1/2	29 1/2	0.068	70 lbs	\$ 1,072	\$ 1,425

Right

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECCP30426030R/___	29 1/2	41 3/8	59	29 1/2	0.046	50 lbs	\$ 974	\$ 1,318
WECCP30427230R/___	29 1/2	41 3/8	70 7/8	29 1/2	0.056	59 lbs	\$ 1,017	\$ 1,364
WECCP30427830R/___	29 1/2	41 3/8	78 3/4	29 1/2	0.062	64 lbs	\$ 1,041	\$ 1,391
WECCP30428630R/___	29 1/2	41 3/8	86 1/2	29 1/2	0.068	70 lbs	\$ 1,072	\$ 1,425




Wood Grain

Left

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECCP30486030L/___	29 1/2	47 1/4	59	29 1/2	0.053	56 lbs	\$ 766	\$ 1,425
WECCP30487230L/___	29 1/2	47 1/4	70 7/8	29 1/2	0.064	65 lbs	\$ 1,034	\$ 1,389
WECCP30487830L/___	29 1/2	47 1/4	78 3/4	29 1/2	0.071	70 lbs	\$ 1,047	\$ 1,400
WECCP30488630L/___	29 1/2	47 1/4	86 1/2	29 1/2	0.078	76 lbs	\$ 1,079	\$ 1,436

Right

Model No.	A	B	C	D	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WECCP30486030R/___	29 1/2	47 1/4	59	29 1/2	0.053	56 lbs	\$ 766	\$ 1,425
WECCP30487230R/___	29 1/2	47 1/4	70 7/8	29 1/2	0.064	65 lbs	\$ 1,034	\$ 1,389
WECCP30487830R/___	29 1/2	47 1/4	78 3/4	29 1/2	0.071	70 lbs	\$ 1,047	\$ 1,400
WECCP30488630R/___	29 1/2	47 1/4	86 1/2	29 1/2	0.078	76 lbs	\$ 1,079	\$ 1,436

Rectangular Asymmetrical Worksurface

left shown

DESCRIPTION

Worksurface hangs from a frame or wall strip

SPECIFICATIONS


- o Surface Thickness 1"
- o High resistant surface finish
- o All edges have 2mm PVC
- o Cantilever brackets not include
- o Wood grain direction as shown
- o Reinforcement included in 60 "decks, 72 ", 78" and 86 ".

NOTES

- o Order cantilever brackets, end panel or Leg separately
- o Ordered Separately
- o Ordered Separately

SPECIFY ON ORDER

1. Model number.
2. Worksurface finish option
3. Worksurface color
4. Support paint finish.
5. Grommet option



Wood Grain

Left

Model No.	A	B	C	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WRA243030/___	23 5/8	29 1/2	29 1/2	0.017	19 lbs	\$ 344	\$ 466
WRA243630/___	23 5/8	35 3/8	29 1/2	0.020	23 lbs	\$ 470	\$ 645
WRA244230/___	23 5/8	41 3/8	29 1/2	0.023	27 lbs	\$ 479	\$ 656
WRA244830/___	23 5/8	47 1/4	29 1/2	0.027	31 lbs	\$ 489	\$ 667
WRA246030/___	23 5/8	59	29 1/2	0.033	39 lbs	\$ 961	\$ 1,299
WRA247230/___	23 5/8	70 7/8	29 1/2	0.040	46 lbs	\$ 999	\$ 1,343
WRA247830/___	23 5/8	78 3/4	29 1/2	0.044	51 lbs	\$ 1,028	\$ 1,370
WRA248630/___	23 5/8	86 1/2	29 1/2	0.049	57 lbs	\$ 1,059	\$ 1,404

Right

Model No.	A	B	C	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WRA303024/___	29 1/2	29 1/2	23 5/8	0.017	19 lbs	\$ 344	\$ 466
WRA303624/___	29 1/2	35 3/8	23 5/8	0.020	23 lbs	\$ 470	\$ 645
WRA304224/___	29 1/2	41 3/8	23 5/8	0.023	27 lbs	\$ 479	\$ 656
WRA304824/___	29 1/2	47 1/4	23 5/8	0.027	31 lbs	\$ 489	\$ 667
WRA306024/___	29 1/2	59	23 5/8	0.033	39 lbs	\$ 961	\$ 1,299
WRA307224/___	29 1/2	70 7/8	23 5/8	0.040	46 lbs	\$ 999	\$ 1,343
WRA307824/___	29 1/2	78 3/4	23 5/8	0.044	51 lbs	\$ 1,028	\$ 1,370
WRA308624/___	29 1/2	86 1/2	23 5/8	0.049	57 lbs	\$ 1,059	\$ 1,404

Power Supply Cut Options**NG**

No Grommet

LG

Left Grommet

\$ 5

RG


Right Grommet

\$ 5

DG

Double Grommet

\$ 11

45° Transition Corner Worksurface

left shown

DESCRIPTION

Worksurface hangs from a 90° corner frames or wall strips

SPECIFICATIONS


- o Surface Thickness 1"
- o High resistant surface finish All edges have 2mm PVC
- o Cantilever brackets not include
- o Wood grain direction as shown
- o Cut at 45° at one end for corner
- o Reinforcement included in 60 "decks 72 ", 78" and 86 ".

NOTES

- o Order worksurface left and right to complete the corner.
- o Order cantilever brackets
- o end panel or Leg separately
- o Ordered Separately

SPECIFY ON ORDER

1. Model number.
2. Worksurface finish option
3. Worksurface Color
4. Grommet option




Wood Grain

Left

Model No.	A	B	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
W45TC2460L/___	23 5/8	59	0.027	27 lbs	\$ 547	\$ 725
W45TC2472L/___	23 5/8	70 7/8	0.032	33 lbs	\$ 585	\$ 766
W45TC2478L/___	23 5/8	78 3/4	0.035	37 lbs	\$ 597	\$ 779
W45TC2486L/___	23 5/8	86 1/2	0.039	40 lbs	\$ 619	\$ 803

Right

Model No.	A	B	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
W45TC2460R/___	23 5/8	59	0.027	27 lbs	\$ 547	\$ 725
W45TC2472R/___	23 5/8	70 7/8	0.032	33 lbs	\$ 585	\$ 766
W45TC2478R/___	23 5/8	78 3/4	0.035	37 lbs	\$ 597	\$ 779
W45TC2486R/___	23 5/8	86 1/2	0.039	40 lbs	\$ 619	\$ 803



Wood Grain



Left

Model No.	A	B	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
W45TC3060L/___	29 1/2	59	0.033	34 lbs	\$ 904	\$ 1,242
W45TC3072L/___	29 1/2	70 7/8	0.040	41 lbs	\$ 943	\$ 1,283
W45TC3078L/___	29 1/2	78 3/4	0.044	46 lbs	\$ 953	\$ 1,295
W45TC3086L/___	29 1/2	86 1/2	0.049	50 lbs	\$ 975	\$ 1,320

Right

Model No.	A	B	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
W45TC3060R/___	29 1/2	59	0.033	34 lbs	\$ 904	\$ 1,242
W45TC3072R/___	29 1/2	70 7/8	0.040	41 lbs	\$ 943	\$ 1,283
W45TC3078R/___	29 1/2	78 3/4	0.044	46 lbs	\$ 953	\$ 1,295
W45TC3086R/___	29 1/2	86 1/2	0.049	50 lbs	\$ 975	\$ 1,320

Linking Worksurface



Wood Grain

DESCRIPTION

Links two worksurfaces in equal depth in an external corner.

SPECIFICATIONS

- o Surface Thickness 1"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Cantilever brackets not include.
- o Wood grain direction as shown.

NOTES

- o Ordered Separatelyseparately
Order cantilever brackets, end panel or Leg separately.

SPECIFY ON ORDER

1. Model number.
2. Worksurface finish option
3. Worksurface Color
4. Grommet option

Model No.	Height -D	Width-W	Vol- (m³)	WT. (lbs)	"M" TLP	"L" HPL
WLK2424/___	23 5/8	23 5/8	0.011	11 lbs	\$ 342	\$ 462
WLK3030/___	29 1/2	29 1/2	0.017	17 lbs	\$ 477	\$ 653

Cantilever Bracket

DESCRIPTION

Cantilever brackets supports left and right side of a worksurface and attaches to frame and worksurface.

NOTES


- o Order Left and Right for any Worksurface.
- o Only small bracket as auxiliary support.
- o Cantilever bracket fits to all work surfaces.

SPECIFICATIONS

- o Powder-coat paint finish.

SPECIFY ON ORDER

1. Quantity.
2. Model Number.
3. Paint finish.



Left shown (CBL)

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price	
CBL	7 1/4	19 7/8	2 1/2	0.006	3.3 lbs	\$	107
CBR	7 1/4	19 7/8	2 1/2	0.006	3.3 lbs	\$	107


Corner Cantilever Bracket

DESCRIPTION

Corner bracket supports a worksurface at the end when enclosed by a panel of the same depth and a corner worksurface at back corner.

NOTES

- o Specify left or right.



Left shown (CCBL)

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price	
CCBL	7 1/4	7 3/4	2 1/2	0.002	1.1 lbs	\$	58
CCBR	7 1/4	7 3/4	2 1/2	0.002	1.1 lbs	\$	58

End Support Bracket

DESCRIPTION

End Support, supports a Worksurface at the end when enclosed by a panel of the same depth and a corner Worksurface at back corner.

NOTES

- o Specify left or right.



left shown (ESL)

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price	
ESL	7 1/4	5	2 1/4	0.001	0.4 lbs	\$	58
ESR	7 1/4	5	2 1/4	0.001	0.4 lbs	\$	58

Flat Bracket

FB4



DESCRIPTION

Flat Brackets joins edges of two Worksurfaces of the same depth.

SPECIFICATIONS

- o Powder-coat paint finish.


NOTES

- o Ordered individually.
- o FB4 Flat Brackets join front edges of two Worksurfaces of the same depth.
- o FB13 Flat Brackets join primary Worksurface to return Worksurface.

SPECIFY ON ORDER


1. Quantity.
2. Model Number.

FB13



Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price
FB4	4 7/8	2	1	0.000	0.3 lbs	\$ 32
FB13	13	2	1	0.000	0.8 lbs	\$ 37

L Support



DESCRIPTION

L Support joins freestanding Corner Worksurface/Desk to return Worksurface and Angled Peninsula Worksurface to side of Pedestal or End Support Panel.

SPECIFICATIONS

- o Powder-coat paint finish.

NOTES



- o Ordered individually.

SPECIFY ON ORDER


1. Quantity.
2. Model Number.

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price
LS	2 1/2	4 3/4	15 3/4	0.003	4.4 lbs	\$ 58

Application



Panel Stabilizer Support



DESCRIPTION

Brackets hold and stabilize the frame

NOTES

- o Pair supplied


SPECIFICATIONS

- o Powder-coat paint finish.


SPECIFY ON ORDER

1. Quantity.
2. Model Number.

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price
CBP	4	2 1/2	4 3/4	0.001	1.3 lbs	\$ 174



Credenza Support



DESCRIPTION

Allow the credenza to be fixed to the frame to stabilize it

NOTES

- o Supplied pair


SPECIFICATIONS

- o Powder-coat paint finish.

SPECIFY ON ORDER

1. Quantity.
2. Model Number.


Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price
CBCZ	4 1/4	7/8	1 1/8	0.0001	0.2 lbs	\$ 47



Pedestal Support



Supports



DESCRIPTION

Allow the pedestal to be fixed to the frame to stabilize it

NOTES

- o Ordered individually.
- o Left or right is requested

SPECIFICATIONS

- o Powder-coat paint finish.

SPECIFY ON ORDER

1. Quantity.
2. Model Number.

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price	
BPR-D	4 1/4	7/8	1 1/8	0.0001	0.2 lbs	\$	35
BPR-I	4 1/4	7/8	1 1/8	0.0001	0.2 lbs	\$	35

Intermediate Support

DESCRIPTION

The support is mounted directly on the frame and holds the worksurface.

NOTES

- o Ordered individually.



SPECIFICATIONS

- o Powder-coat paint finish.


SPECIFY ON ORDER

1. Quantity.
2. Model Number.

Support



Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price	
ZSS	3 3/4	1	2 1/4	0.0001	2.5 lbs	\$	37

Bracket for Cabinet to Wall

Shown initial / Final

DESCRIPTION

Metal profile, it is fixed directly to the wall and supports the cabinet to wall.

SPECIFICATIONS

- o with powder paint.
- o Left & Right are same Profile


NOTES

- o It is supplied by the piece. (Cabinet not included)
- o Initial / final or intermediate is requested according to configuration
- o Ordered individually.

SPECIFY ON ORDER


1. Quantity
2. Model number.

Model No.	Height	Width	Depth	Volume (m ³)	WT. (lbs)	Price
SCGMINI	13 3/4	2	1	0.0004	1.6 lbs	\$ 71
SCGMINT	13 3/4	2	1	0.0004	1.6 lbs	\$ 82



Important Note: This hardware is placed on a rigid wall, partition or concrete. (Does not apply to Drywall Walls)

End Panel Support



left shown

DESCRIPTION

Attaches a worksurface, and a frame.

NOTES

- o Order Left or Right.

SPECIFICATIONS

- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Includes brackets to attach to panel.
- o Includes leveling glides.

SPECIFY ON ORDER

1. Model number.
2. Panel finish.
3. Paint finish.


Left

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price
EPSL24/___	28	23 5/8	6	0.06	19.0 lbs	\$ 354
EPSL30/___	28	29 1/2	6	0.08	24.1 lbs	\$ 579

Right

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price
EPSR24/___	28	23 5/8	6	0.06	19.0 lbs	\$ 354
EPSR30/___	28	29 1/2	6	0.08	24.1 lbs	\$ 579

End P-Panel Support



left shown

DESCRIPTION

Attaches to a worksurface, and a frame.

NOTES

- o Order Left and Right.

SPECIFICATIONS

- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Includes brackets to attach to panel.
- o Includes leveling glides.

SPECIFY ON ORDER

1. Model number.
2. Panel finish.
3. Paint finish.


Left

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price
ESLL24/___	28	23 5/8	6	0.06	14.3 lbs	\$ 394
ESLL30/___	28	29 1/2	6	0.08	18.2 lbs	\$ 579

Right

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price
ESLR24/___	28	23 5/8	6	0.06	14.3 lbs	\$ 394
ESLR30/___	28	29 1/2	6	0.08	18.2 lbs	\$ 579

Intermediate Panel Support



DESCRIPTION

Intermediate panel support attaches a worksurface and a frame.

SPECIFICATIONS

- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Includes brackets to attach to panel.
- o Includes leveling glides.

NOTES

- o It is ordered individually.

SPECIFY ON ORDER

1. Model number.
2. Panel finish.
3. Paint finish.


Left

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price	
HPSL24/___	28	23 5/8	6	0.06	17.5 lbs	\$	411
HPSL30/___	28	29 1/2	6	0.08	22.7 lbs	\$	586

Right

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price	
HPSR24/___	28	23 5/8	6	0.06	17.5 lbs	\$	411
HPSR30/___	28	29 1/2	6	0.08	22.7 lbs	\$	586

Support Leg TEC



left shown

DESCRIPTION

Support attaches to a worksurface, and a frame.

NOTES

- o Order Left or Right.

SPECIFICATIONS

- o Powder-coat paint finish.
- o Includes brackets to attach to panel.
- o Includes leveling glides.
- o Structural profile 2" x 2"

SPECIFY ON ORDER

1. Model number.
2. Leg finish.


Left

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price	
SLTL24	28	23 5/8	6 3/4	0.073	10.1 lbs	\$	411
SLTL30	28	29 1/2	6 3/4	0.091	12.0 lbs	\$	422

Right

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price	
SLTR24	28	23 5/8	6 3/4	0.073	10.1 lbs	\$	411
SLTR30	28	29 1/2	6 3/4	0.091	12.0 lbs	\$	422

Support Leg QUO



left shown

DESCRIPTION

Support attaches to a worksurface, and a frame.

NOTES

- o Order Left or Right.

SPECIFICATIONS

- o Powder coat paint finish.
- o Includes brackets to attach to panel.
- o Includes leveling glides.
- o Structural profile 2" x 1"

SPECIFY ON ORDER


1. Model number.
2. Leg finish.

Left

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price	
SLQL24	28	23 5/8	6 3/4	0.073	9.5 lbs	\$	300
SLQR30	28	29 1/2	6 3/4	0.091	11.6 lbs	\$	317

Right

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price	
SLQL24	28	23 5/8	6 3/4	0.073	9.5 lbs	\$	300
SLQR30	28	29 1/2	6 3/4	0.091	11.6 lbs	\$	317

Support Leg TEC for 19"H Credenza

left shown

DESCRIPTION

To support worksurfaces
over 19" height credenza.

NOTES

- o Order Left, Right or Intermediate.

SPECIFICATIONS

- o Powder-coat paint finish.
- o Includes brackets to attach to panel.
- o Structural profile 2" x 2"

SPECIFY ON ORDER

1. Model number.
2. Leg finish.

Left


Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price	
SLLTOCL1924	8 3/4	23 5/8	6 3/4	0.023	9.1 lbs	\$	443
SLLTOCL1930	8 3/4	29 1/2	6 3/4	0.029	10.9 lbs	\$	480

Intermediate

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price	
SLLTOCM1924	8 3/4	23 5/8	6 3/4	0.023	9.9 lbs	\$	558
SLLTOCM1930	8 3/4	29 1/2	6 3/4	0.029	12.5 lbs	\$	610

Right

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price	
SLLTOCR1924	8 3/4	23 5/8	6 3/4	0.023	8.7 lbs	\$	443
SLLTOCR1930	8 3/4	29 1/2	6 3/4	0.029	10.9 lbs	\$	480

Support Leg QUO for 19"H Credenza

left shown

DESCRIPTION

It supports the panel on a credenza.

NOTES

- o Order Left, Right or Intermediate.

SPECIFICATIONS

- o with powder paint.
- o Brackets to fix to panel included.
- o Structural profile 2" x 1"

SPECIFY ON ORDER

1. Model number.
2. Worksurface finish option

Left


Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price	
SLLQOCL1924	8 3/4	23 5/8	6 3/4	0.02	9.0 lbs	\$	402
SLLQOCL1930	8 3/4	29 1/2	6 3/4	0.03	11.2 lbs	\$	453

Intermediate

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price	
SLLQOCM1924	8 3/4	23 5/8	6 3/4	0.02	12.1 lbs	\$	597
SLLQOCM1930	8 3/4	29 1/2	6 3/4	0.03	15.5 lbs	\$	682

Right

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price	
SLLQOCR1924	8 3/4	23 5/8	6 3/4	0.02	9.0 lbs	\$	402
SLLQOCR1930	8 3/4	29 1/2	6 3/4	0.03	11.2 lbs	\$	453

Support Leg QUO for 24"H Credenza

left shown

DESCRIPTIONSupport worksurfaces
over 19" height credenza.**NOTES**

- o Order Left, Right or Intermediate.

SPECIFICATIONS

- o Powder-coat paint finish.
- o Includes brackets to attach to panel.
- o Structural profile 2" x 1"

SPECIFY ON ORDER

1. Model number.
2. Leg finish.

Left

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price	
SLLQOCL2424	3 1/4	23 5/8	6 3/4	0.01	8.2 lbs	\$	456
SLLQOCL2430	3 1/4	29 1/2	6 3/4	0.01	10.4 lbs	\$	478


Intermediate

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price	
SLLQOCM2424	3 1/4	23 5/8	6 3/4	0.01	11.3 lbs	\$	547
SLLQOCM2430	3 1/4	29 1/2	6 3/4	0.01	14.7 lbs	\$	578

Right

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price	
SLLQOCR2424	3 1/4	23 5/8	6 3/4	0.01	8.2 lbs	\$	456
SLLQOCR2430	3 1/4	29 1/2	6 3/4	0.01	10.4 lbs	\$	478

Peninsula Support Leg TEC



DESCRIPTION

It supports peninsula worksurfaces to the panel.

NOTES

- o Frame and Worksurface are ordered separately.
- o Ordered individually.
- o Cantilever brackets not include.

SPECIFICATIONS


- o Powder-coat paint finish.
- o Includes brackets to attach to panel.
- o Includes leveling glides.
- o Structural profile 2" x 2"

SPECIFY ON ORDER

1. Model number.
2. Leg finish.

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price	
SLTPL24	28	23 5/8	6 3/4	0.07	15.5 lbs	\$	521
SLTPR30	28	29 1/2	6 3/4	0.09	18.1 lbs	\$	531

Support Column Leg.



DESCRIPTION

It supports peninsula worksurfaces to the panel.

NOTES

- o Frame and Worksurface are ordered separately.
- o Ordered individually.


SPECIFICATIONS

- o Powder-coat paint finish.
- o Includes brackets to attach to panel.
- o Includes leveling glides.

SPECIFY ON ORDER

1. Model number.
2. Leg finish.

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	Price	
PIAW-TEC60	9 1/2	28	28	0.12	41.9 lbs	\$	187

Transaction Worksurface**DESCRIPTION**

Worksurface attaches to the top of frames.

SPECIFICATIONS


- o Surface Thickness 1"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Brackets are included.
- o Grain direction as shown.

NOTES

- o Attaches to the top of two 24", 30", 36" or 42", frames connected at a 90° angle for corner counter or display area.


SPECIFY ON ORDER

1. Model number.
2. Worksurface finish.



Wood Grain

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	"M" LPL	"L" HPL
WT1424/ __	13 3/4	23 5/8	1	0.01	8.0 lbs	\$ 259	\$ 298
WT1430/ __	13 3/4	29 1/2	1	0.01	10.0 lbs	\$ 277	\$ 318
WT1436/ __	13 3/4	35 3/8	1	0.01	12.0 lbs	\$ 308	\$ 354
WT1442/ __	13 3/4	41 1/4	1	0.01	14.0 lbs	\$ 311	\$ 358
WT1448/ __	13 3/4	47 1/4	1	0.01	16.0 lbs	\$ 325	\$ 446
WT1460/ __	13 3/4	59	1	0.01	20.0 lbs	\$ 406	\$ 467
WT1472/ __	13 3/4	70 7/8	1	0.02	24.0 lbs	\$ 409	\$ 473
WT1478/ __	13 3/4	78 3/4	1	0.02	26.7 lbs	\$ 412	\$ 483
WT1486/ __	13 3/4	86 1/2	1	0.02	29.4 lbs	\$ 417	\$ 493

Rectangular Corner Transaction Worksurface**DESCRIPTION**

Worksurface attaches to the top of two frames.

SPECIFICATIONS


- o Surface Thickness 1"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Brackets are included.
- o Grain direction as shown.

NOTES

- o It is placed on top of the frame.


SPECIFY ON ORDER

1. Model number.
2. Worksurface finish.



Wood Grain

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	"M" LPL	"L" HPL
WTC1424/ __	23 5/8	23 5/8	1	0.01	16.9 lbs	\$ 440	\$ 505
WTC1430/ __	29 1/2	29 1/2	1	0.01	20.9 lbs	\$ 531	\$ 644
WTC1436/ __	35 3/8	35 1/2	1	0.02	24.9 lbs	\$ 537	\$ 661

Radial Corner Transaction Worksurface**DESCRIPTION**

Worksurface attaches to the top of two frames.

SPECIFICATIONS


- o Surface Thickness 1"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Brackets are included.
- o Grain direction as shown.

NOTES

- o Attaches to the top of two 24", 30", 36" or 42", frames connected at a 90° angle for corner counter or display area.


SPECIFY ON ORDER

1. Model number.
2. Worksurface finish.



Wood Grain

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	"M" LPL	"L" HPL
WTCR1424/ __	23 5/8	23 5/8	1	0.01	16.8 lbs	\$ 478	\$ 549
WTCR1430/ __	29 1/2	29 1/2	1	0.01	20.8 lbs	\$ 569	\$ 654
WTCR1436/ __	35 3/8	35 3/8	1	0.02	24.8 lbs	\$ 575	\$ 664

Radial End Transaction Worksurface**DESCRIPTION**

Worksurface attaches to the top of frames to adjust the corner.

SPECIFICATIONS


- o Surface Thickness 1"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Brackets are include.
- o Grain direction as shown.

NOTES

- o Attaches to the top of two 24", 30", 36" or 42", frames connected at a 90° angle for corner counter or display area.

SPECIFY ON ORDER


1. Model number.
2. Worksurface finish.



Wood Grain

Model No.	Height	Width	Depth	Volume (m³)	WT. (lbs)	"M" LPL	"L" HPL
WTTR1424/ __	13 3/4	23 5/8	1	0.01	9.9 lbs	\$ 342	\$ 392
WTTR1430/ __	13 3/4	29 1/2	1	0.01	11.9 lbs	\$ 373	\$ 429
WTTR1436/ __	13 3/4	35 3/8	1	0.01	13.8 lbs	\$ 377	\$ 432
WTTR1442/ __	13 3/4	41 1/4	1	0.01	15.9 lbs	\$ 465	\$ 533
WTTR1448/ __	13 3/4	47 1/4	1	0.01	17.9 lbs	\$ 468	\$ 537
WTTR1460/ __	13 3/4	59	1	0.01	21.9 lbs	\$ 474	\$ 545
WTTR1472/ __	13 3/4	70 7/8	1	0.02	25.9 lbs	\$ 478	\$ 548
WTTR1478/ __	13 3/4	78 3/4	1	0.02	28.6 lbs	\$ 481	\$ 552
WTTR1486/ __	13 3/4	86 1/2	1	0.02	31.2 lbs	\$ 484	\$ 556

Door Overhead Storage



DESCRIPTION

Lockable overhead storage cabinet hangs from a frame or wall strips.

NOTES

- o Used in frames of 55 and 71" height panel.


SPECIFICATIONS

- o Powder-coat painted finish.
- o Accommodates letter, legal and A4 binders.
- o 2 keys included.

SPECIFY ON ORDER


1. Quantity.
2. Model Number.
3. Paint finish.

Panel Installation



Model No.	Width	Height	Depth	Volume (m³)	WT(lbs)	Price	
OSPD24	23 5/8	15 3/4	13 3/4	0.08	25.1 lbs	\$	1,114
OSPD30	29 1/2	15 3/4	13 3/4	0.11	27.9 lbs	\$	1,166
OSPD36	35 3/8	15 3/4	13 3/4	0.13	31.4 lbs	\$	1,215
OSPD42	41 1/4	15 3/4	13 3/4	0.15	34.8 lbs	\$	1,270
OSPD48	47 1/4	15 3/4	13 3/4	0.17	38.3 lbs	\$	1,361

Wall installation




Model No.	Width	Height	Depth	Volume (m³)	WT(lbs)	Price	
OSPDM24	23 5/8	15 3/4	13 3/4	0.08	25.1 lbs	\$	1,114
OSPDM30	29 1/2	15 3/4	13 3/4	0.11	27.9 lbs	\$	1,166
OSPDM36	35 3/8	15 3/4	13 3/4	0.13	31.4 lbs	\$	1,215
OSPDM42	41 1/4	15 3/4	13 3/4	0.15	34.8 lbs	\$	1,270
OSPDM48	47 1/4	15 3/4	13 3/4	0.17	38.3 lbs	\$	1,361

Important notes:

- o To place Cabinets to Wall it is necessary to request separately
- o It is not recommended to place cabinets to drywall or durok wall

Fabric Door Overhead Storage



DESCRIPTION

Lockable overhead storage cabinet hangs from a frame or wall strips.

NOTES

- o Used in frames of 55 and 71 " height panel.


SPECIFICATIONS

- o Powder-coat painted finish.
- o Steel fabric covered door.
- o Accommodates letter, legal and A4 binders.
- o All overhead storage accommodates task light
- o 2 keys included.

SPECIFY ON ORDER


1. Quantity.
2. Model Number.
3. Paint finish.
4. Fabric finish.

Panel Attachment



Model No.	Width	Height	Depth	Volume (m³)	WT(lbs)	Price	
OSFD24	23 5/8	15 3/4	13 3/4	0.08	25.7 lbs	\$	965
OSFD30	29 1/2	15 3/4	13 3/4	0.11	28.8 lbs	\$	1,046
OSFD36	35 3/8	15 3/4	13 3/4	0.13	32.4 lbs	\$	1,128
OSFD42	41 1/4	15 3/4	13 3/4	0.15	35.9 lbs	\$	1,189
OSFD48	47 1/4	15 3/4	13 3/4	0.17	39.6 lbs	\$	1,249

Wall installation




Model No.	Width	Height	Depth	Volume (m³)	WT(lbs)	Price	
OSFDM24	23 5/8	15 3/4	13 3/4	0.08	25.7 lbs	\$	965
OSFDM30	29 1/2	15 3/4	13 3/4	0.11	28.8 lbs	\$	1,046
OSFDM36	35 3/8	15 3/4	13 3/4	0.13	32.4 lbs	\$	1,128
OSFDM42	41 1/4	15 3/4	13 3/4	0.15	35.9 lbs	\$	1,189
OSFDM48	47 1/4	15 3/4	13 3/4	0.17	39.6 lbs	\$	1,249

Important notes:

- o To place Cabinets to Wall it is necessary to request separately
- o It is not recommended to place cabinets to drywall or durok wall

laminated Door Overhead Storage

**DESCRIPTION**

Lockable overhead storage cabinet hangs from a frame or wall strips.

NOTES


- o Used in frames of 47, 55 and 71 " height panel.

SPECIFICATIONS


- o Powder-coat painted finish.
- o 19mm thick melamine door finish.
- o Accommodates letter, legal and A4 binders.
- o All overhead storage accommodates task light.
- o 2 keys included.

SPECIFY ON ORDER

1. Quantity.
2. Model Number.
3. Paint finish.
4. Door melamine finish.

Panel Attachment

Model No.	Width	Height	Width	Volume (m³)	WT(lbs)	"M" TLP	"L" HPL
OSMD24/___	23 5/8	15 3/4	13 3/4	0.08	27.5 lbs	\$ 1,052	\$ 1,090
OSMD30/___	29 1/2	15 3/4	13 3/4	0.11	29.8 lbs	\$ 1,137	\$ 1,203
OSMD36/___	35 3/8	15 3/4	13 3/4	0.13	33.7 lbs	\$ 1,199	\$ 1,279
OSMD42/___	41 1/4	15 3/4	13 3/4	0.15	37.5 lbs	\$ 1,232	\$ 1,310
OSMD48/___	47 1/4	15 3/4	13 3/4	0.17	41.4 lbs	\$ 1,280	\$ 1,359


Wall installation

Model No.	Width	Height	Width	Volume (m³)	WT(lbs)	"M" TLP	"L" HPL
OSMD24/___	23 5/8	15 3/4	13 3/4	0.08	27.5 lbs	\$ 1,090	\$ 1,052
OSMD30/___	29 1/2	15 3/4	13 3/4	0.11	29.8 lbs	\$ 1,203	\$ 1,137
OSMD36/___	35 3/8	15 3/4	13 3/4	0.13	33.7 lbs	\$ 1,279	\$ 1,199
OSMD42/___	41 1/4	15 3/4	13 3/4	0.15	37.5 lbs	\$ 1,310	\$ 1,232
OSMD48/___	47 1/4	15 3/4	13 3/4	0.17	41.4 lbs	\$ 1,359	\$ 1,280

Important notes:

- o To place Cabinets to Wall it is necessary to request separately
- o It is not recommended to place cabinets to drywall or durok wall

Open Overhead Storage



DESCRIPTION

Hanging cabinet without front.

NOTES

- o Used in frames of 47, 55 and 71 " height.

SPECIFICATIONS


- o Powder-coat painted finish.
- o Accommodates domestic, letter and legal binders.
- o All overhead storage accommodates task light
- o Lock and 2 keys included.

SPECIFY ON ORDER

1. Quantity.
2. Model Number.
3. Paint finish.

Model No.	Width	Height	Depth	Volume (m³)	WT(lbs)	Price
OSO24	23 5/8	15 3/4	13 3/4	0.08	20.1 lbs	\$ 624
OSO30	29 1/2	15 3/4	13 3/4	0.11	21.9 lbs	\$ 655
OSO36	35 3/8	15 3/4	13 3/4	0.13	24.2 lbs	\$ 684
OSO42	41 1/4	15 3/4	13 3/4	0.15	26.5 lbs	\$ 715
OSO48	47 1/4	15 3/4	13 3/4	0.17	28.8 lbs	\$ 745

Hanging Shelf.



DESCRIPTION

Hanging Shelf hangs from a frame or wall strips.

NOTES

- o Used in frames of 55 and 71 " height.

SPECIFICATIONS


- o Powder-coat painted finish.
- o Accommodates domestic, letter and legal binders.
- o Hanging Shelf can accommodate task light.

SPECIFY ON ORDER

1. Quantity.
2. Model Number.
3. Paint finish.

Model No.	Width	Height	Depth	Volume (m³)	WT(lbs)	Price
HS24	23 5/8	6	13 3/4	0.03	6.8 lbs	\$ 108
HS30	29 1/2	6	13 3/4	0.04	7.7 lbs	\$ 116
HS36	35 3/8	6	13 3/4	0.05	8.6 lbs	\$ 122
HS42	41 1/4	6	13 3/4	0.06	9.5 lbs	\$ 130
HS48	47 1/4	6	13 3/4	0.06	10.4 lbs	\$ 137

Half Cabinet



DESCRIPTION

Is placed on the Frame and fixed by hardware supplied

NOTES

- o Can be ordered to match worksurface

SPECIFICATIONS


- o Thickness panel 3/4"
- o Support beam and attachment hardware are included.

SPECIFY ON ORDER

1. Quantity.
2. Model Number.
3. Finish.

Model No.	Width	Height	Depth	Volume (m³)	WT(lbs)	"M" TLP	"L" HPL
HCM24/ __	23 5/8	15 3/4	15 3/4	0.10	28.8 lbs	\$ 1,042	\$ 1,255
HCM30/ __	29 1/2	15 3/4	15 3/4	0.12	36.2 lbs	\$ 1,207	\$ 1,508
HCM36/ __	35 3/8	15 3/4	15 3/4	0.14	44.1 lbs	\$ 1,208	\$ 1,640
HCM42/ __	41 1/4	15 3/4	15 3/4	0.17	51.6 lbs	\$ 1,446	\$ 1,790
HCM48/ __	47 1/4	15 3/4	15 3/4	0.19	59.4 lbs	\$ 1,456	\$ 1,799

Pedestals "J" Series

**DESCRIPTION**

Supporting metal pedestal,
No top cap.
Attaches to the underside of a worksurface.

SPECIFICATIONS

- o Powder-coat painted finish.
- o File drawers equipped for hanging folders, letter front-to-back, letter side-to-side, or legal filing.
- o Steel ball-bearing drawer slides.
- o 2 Keys included.
- o 4 leveling glides in base.
- o Includes drawer pulls.

NOTES



- o For installation under worksurfaces.
- o Order pedestal filler for 30" depth separately.
- o When you need to cover 30" depth, you can order 18" or 24" pedestal and add pedestal filler for 30" depth.

separado.

SPECIFY ON ORDER

1. Quantity.
2. Model Number.
3. Paint finish.
4. laminated finish.

Painted Front



**Box-Box-File**

Model No.	Depth	Height	Width	Volume (m³)	WT(lbs)	Price
QCAJBBF18/P	17 3/4	28 1/4	15	0.12	46.9 lbs	\$ 1,575
QCAJBBF24/P	23 5/8	28 1/4	15	0.16	54.7 lbs	\$ 1,622

File File

Model No.	Depth	Height	Width	Volume (m³)	WT(lbs)	Price
QCAJFF18/P	17 3/4	28 1/4	15	0.12	42.1 lbs	\$ 1,566
QCAJFF24/P	23 5/8	28 1/4	15	0.16	49.3 lbs	\$ 1,504

Laminated Front


**BoxBoxFile**

Model No.	Depth	Height	Width	Volume m3	WT(lbs)	"M" TLP	"L" HPL
QCAJBBF18/___	17 3/4	28 1/4	15	0.12	45.8 lbs	\$ 1,415	\$ 1,614
QCAJBBF24/___	23 5/8	28 1/4	15	0.16	55.1 lbs	\$ 1,454	\$ 1,630

File File

Model No.	Depth	Height	Width	Volume m3	WT(lbs)	"M" TLP	"L" HPL
QCAJFF18/___	17 3/4	28 1/4	15	0.12	43.8 lbs	\$ 1,373	\$ 1,549
QCAJFF24/___	23 5/8	28 1/4	15	0.16	50.9 lbs	\$ 1,254	\$ 1,441

Pedestals "E" Series



DESCRIPTION

Supporting metal pedestal,
No top cap.
Attaches to the underside of a worksurface.

SPECIFICATIONS

- o Powder-coat painted finish
- o File drawers equipped for hanging folders, letter front-to back, letter side-to-side, or legal filing.
- o Steel ball-bearing drawer slides.
- o 2 Keys included.
- o 4 leveling glides in base.
- o Drawer pulls not included.



NOTES

- o For installation under worksurface.
- o Order pedestal filler for 30" depth separately.
- o When you need to cover 30" depth, you can order 18" or 24" pedestal and add pedestal filler for 30" depth. de profundidad requerida por separado.

SPECIFY ON ORDER

1. Quantity
2. Model Number
3. Paint finish

Painted Front



Box-Box-File

Model No.	Depth	Height	Width	Volume (m³)	WT(lbs)	Price
QCAEBBF18/P	17 3/4	28 1/4	15	0.12	47 lbs	\$ 1,625
QCAEBBF24/P	23 5/8	28 1/4	15	0.16	55 lbs	\$ 1,672

File File

Model No.	Depth	Height	Width	Volume (m³)	WT(lbs)	Price
QCAEFF18/P	17 3/4	28 1/4	15	0.12	42 lbs	\$ 1,533
QCAEFF24/P	23 5/8	28 1/4	15	0.16	49 lbs	\$ 1,472
	11 4/5					

Pedestal Filler

DESCRIPTION

Compensates for free space on 75 cm roofs depth when using 45 and 60 cm pedestals background.

SPECIFICATIONS

- o Powder-coat painted finish

NOTES

- o Order PF12 for 18" pedestal depth.
- o Order PF6 for 24" pedestal depth.

SPECIFY ON ORDER

1. Quantity
2. Model Number
3. Paint finish



Left


Model No.	Width	Height	Depth	Volume (m³)	WT(lbs)	Price
PF6L	6	28	1 1/4	0.00	2 lbs	\$ 79
PF12L	11 3/4	28	1 1/4	0.01	5 lbs	\$ 102

Right

Model No.	Width	Height	Depth	Volume (m³)	WT(lbs)	Price
PF6R	6	28	1 1/4	0.00	2 lbs	\$ 79
PF12R	11 3/4	28	1 1/4	0.01	5 lbs	\$ 102

DESCRIPTION


Freestanding mobile pedestal with lock.

NOTES**SPECIFICATIONS**


- o Powder-coat painted finish
- o File drawers equipped for hanging foldeletter front-to back, letter side-to-side, or legal filing.
- o Steel ball-bearing drawer slides.
- o 2 Keys included.
- o 4 wheels base.
- o Includes drawer pulls.

SPECIFY ON ORDER


1. Quantity.
2. Model Number
3. Paint finish.
4. laminated finish

Painted Front**Box-File**


Model No.	Depth	Height	Width	Volume (m³)	WT(lbs)	Price	
QCRJBF/P	23 1/2	18 7/8	15	0.10	41 lbs	\$	1,370

**Box-Box-Box**

Model No.	Depth	Height	Width	Volume (m³)	WT(lbs)	Price	
QCRJBBB/P	23 1/2	18 7/8	15	0.10	45 lbs	\$	1,541

laminated Front**Box-File**


Model No.	Depth	Height	Width	Volume m3	WT(lbs)	"M" TLP	"L" HPL
QCRJBF/___	23 1/2	18 7/8	15	0.10	40 lbs	\$ 1,189	\$ 1,367

**Box-Box-Box**

Model No.	Depth	Height	Width	Volume m3	WT(lbs)	"M" TLP	"L" HPL
QCRJBBB/___	23 1/2	18 7/8	15	0.10	42 lbs	\$ 1,260	\$ 1,448

DESCRIPTION


Freestanding mobile pedestal with lock.

NOTES**SPECIFICATIONS**


- o Powder-coat painted finish.
- o File drawers equipped for hanging folders, letter front-to back, letter side-to-side, or legal filing.
- o Steel ball-bearing drawer slides.
- o 2 Keys included.
- o 4 wheels base.
- o Drawer pulls not included.

SPECIFY ON ORDER

1. Quantity.
2. Model Number.
3. Paint finish.


Painted Front**Box-File**

Model No.	Width	Height	Depth	Volume (m³)	WT(lbs)	Price	
QCREBF/___	23 1/2	18 7/8	15	0.10	41 lbs	\$	1,368

**Box-Box-Box**

Model No.	Width	Height	Depth	Volume (m³)	WT(lbs)	Price	
QCREBBB/___	23 1/2	18 7/8	15	0.10	45 lbs	\$	1,541

Frameless Acrylic Divider.



DESCRIPTION

Acrylic divider is placed on the top cover panel.

NOTES

- o Width according to the width of the specified panel

SPECIFICATIONS


- o Clips are painted
- o Translucent acrylic 6mm thickness.
- o Screws included.
- o Includes top cover frame with machined.

SPECIFY ON ORDER

1. Quantity.
2. Model.
3. Paint Color.

Model No.	Height	Width	Depth	Volume (m³)	WT(lbs)	Price
FG24A	11 3/4	23 5/8	1/4	0.001	3.6 lbs	\$ 764
FG30A	11 3/4	29 1/2	1/4	0.001	4.5 lbs	\$ 934
FG36A	11 3/4	35 3/8	1/4	0.002	5.4 lbs	\$ 1,104
FG42A	11 3/4	41 1/4	1/4	0.002	6.3 lbs	\$ 1,272
FG48A	11 3/4	47 1/4	1/4	0.002	1.9 lbs	\$ 1,442

Frameless Glass Divider.



DESCRIPTION

Acrylic divider is placed over the top cover panel.

NOTES

- o Width according to the width of the specified panel

SPECIFICATIONS

- o Clips are painted
- o 6mm thickness tempered glass..
- o Screws included.
- o Includes top cover frame with machined.
- o Finish frost glass.


SPECIFY ON ORDER

1. Quantity.
2. Model.
3. Paint Color.

Model No.	Height	Width	Depth	Volume (m³)	WT(lbs)	Price
FG24G	11 3/4	23 5/8	1/4	0.001	3.6 lbs	\$ 941
FG30G	11 3/4	29 1/2	1/4	0.001	4.5 lbs	\$ 1,091
FG36G	11 3/4	35 3/8	1/4	0.002	5.4 lbs	\$ 1,242
FG42G	11 3/4	41 1/4	1/4	0.002	6.3 lbs	\$ 1,393
FG48G	11 3/4	47 1/4	1/4	0.002	1.9 lbs	\$ 1,543

- o Important Note: Delivery time 4 weeks for tempered glass.

Acrylic Side Divider .



DESCRIPTION

Acrylic lateral divider is placed on the ends of the worksurfaces.

NOTES

- Order according to worksurface deep.

SPECIFICATIONS


- Clips are painted
- Translucent acrylic 6mm thickness.
- Screws included.
- Finish frost glass.

SPECIFY ON ORDER

- Quantity.
- Model.
- Paint Color.

Model No.	Height	Width	Depth	Volume (m³)	WT(lbs)	Price	
DAS24	11 3/4	23 5/8	1/4	0.001	3.6 lbs	\$	690
DAS30	11 3/4	29 1/2	1/4	0.001	4.5 lbs	\$	844

Acrylic Intermediate Divider.



DESCRIPTION

The intermediate acrylic divider is placed between two Worksurfaces.

NOTES

- Order according to worksurface deep.

SPECIFICATIONS


- Clips are painted
- Translucent acrylic 6mm thickness.
- Screws included.
- Finish frost glass.

SPECIFY ON ORDER

- Quantity.
- Model.
- Paint Color.

Model No.	Height	Width	Depth	Volume (m³)	WT(lbs)	Price	
DAM24	11 3/4	23 5/8	1/4	0.001	3.6 lbs	\$	690
DAM30	11 3/4	29 1/2	1/4	0.001	4.5 lbs	\$	844

Glass Side Divider .



DESCRIPTION

Glass lateral divider is placed in the ends of the worksurfaces.

NOTES

- Order according to worksurface deep.

SPECIFICATIONS


- Clips are painted
- 6mm thickness tempered glass..
Screws included.
- Finish frost glass.

SPECIFY ON ORDER

- Quantity.
- Model.
- Paint Color.

Model No.	Height	Width	Depth	Volume (m³)	WT(lbs)	Price	
DGS24	11 3/4	23 5/8	1/4	0.001	6.6 lbs	\$	964
DGS30	11 3/4	29 1/2	1/4	0.001	8.3 lbs	\$	1,104

Glass Intermediate Divider.



DESCRIPTION

The intermediate Glass divider is placed between two Worksurfaces.

NOTES

- Order according to worksurface deep.

SPECIFICATIONS



- Clips are painted
- 6mm thickness tempered glass..
- Screws included.
Includes top cover frame with machined.
Finish frost glass.

SPECIFY ON ORDER

- Quantity.
- Model.
- Paint Color.

Model No.	Height	Width	Depth	Volume (m³)	WT(lbs)	Price	
DGM24	11 3/4	23 5/8	1/4	0.001	6.6 lbs	\$	964
DGM30	11 3/4	29 1/2	1/4	0.001	8.3 lbs	\$	1,104

Steel Modesty Panel



DESCRIPTION

The Modesty panel is fixed directly to the worksurface.

NOTES

- o Applies to peninsula worksurface.

SPECIFICATIONS



- o Steel plate with powder paint finish
- o Screws included.

SPECIFY ON ORDER

1. Quantity.
2. Model.
3. Paint Color.

Model No.	Height	Width	Depth	Volume (m³)	WT(lbs)	Price
MPSD24	11 3/4	23 5/8	1/2	0.002	2.7 lbs	\$ 110
MPSD30	11 3/4	29 1/2	1/2	0.003	3.8 lbs	\$ 122
MPSD36	11 3/4	35 3/8	1/2	0.003	4.8 lbs	\$ 135
MPSD42	11 3/4	41 1/4	1/2	0.004	5.8 lbs	\$ 147
MPSD48	11 3/4	47 1/4	1/2	0.004	7.1 lbs	\$ 159
MPSD60	11 3/4	59	1/2	0.005	8.8 lbs	\$ 184
MPSD72	11 3/4	70 7/8	1/2	0.006	10.8 lbs	\$ 208
MPSD78	11 3/4	78 3/4	1/2	0.007	12.1 lbs	\$ 224
MPSD86	11 3/4	86 5/8	1/2	0.008	13.5 lbs	\$ 241

Laminated Modesty Panel



DESCRIPTION

The Modesty panel is fixed directly to the worksurface.

NOTES

- o Applies to peninsula worksurface.

SPECIFICATIONS

- o thickness 12mm
- o High resistant surface finish
- o All edges have 2mm PVC
- o Screws included.

SPECIFY ON ORDER


1. Quantity.
2. Model.
3. laminated Modesty Panel Finish.

Model No.	Height	Width	Depth	Volume (m³)	WT(lbs)	"L" HPL
MPMD24/___	11 3/4	23 5/8	1 1/8	0.005	1.6 lbs	\$ 195
MPMD30/___	11 3/4	29 1/2	1 1/8	0.006	2.1 lbs	\$ 227
MPMD36/___	11 3/4	35 3/8	1 1/8	0.008	2.6 lbs	\$ 259
MPMD42/___	11 3/4	41 1/4	1 1/8	0.009	3.0 lbs	\$ 319
MPMD48/___	11 3/4	47 1/4	1 1/8	0.010	3.5 lbs	\$ 323
MPMD60/___	11 3/4	59	1 1/8	0.013	4.4 lbs	\$ 500
MPMD72/___	11 3/4	70 7/8	1 1/8	0.015	5.3 lbs	\$ 529
MPMD78/___	11 3/4	78 3/4	1 1/8	0.017	5.9 lbs	\$ 534
MPMD86/___	11 3/4	86 5/8	1 1/8	0.018	6.6 lbs	\$ 540


Accessories for Tool Rail Tile.

Model No.		Volume (m³)	WT(lbs)	Price	
PTL	Large Shelf - Legal size	0.005	2.0 lbs	\$	72
PTS	Small Shelf - Letter size	0.004	2.3 lbs	\$	68
VT	Vertical tray	0.006	2.7 lbs	\$	120


PTL




PTS



VT



DATA Port Pate



DESCRIPTION

DATA Port Plate

NOTES

- It requires specifying tile with data output

SPECIFICATIONS

- Clip placement system.
- Includes 2 Jack JR45

SPECIFY ON ORDER

- Quantity.
- Color.

Model No.	Description	Volume (m³)	WT(lbs)	Price	
LCTTEC60	Cover LAN	0.0003	0.2 lbs	\$	142