

tec

price list

MTK-L-01

Rev. 0 / Aug-2021



Table of contents

Table of Contents	1		
Terms and Conditions	4	Portico leg	40
TEC Standard Finishes	7	Loop Leg	41
		Panel leg	42
"R" Series Worksurfaces		Intermediate Leg	44
Rectangular Worksurface	11	One Short Sided Portico Right Leg for 24H Credenza	44
Bowfront worksurface	12	One Short Sided Portico Right Leg for 24H Credenza	44
Rectangular worksurface with front rail	13	Leg Supported Over 24H Credenza	45
Rectangular Return Worksurface	14	One Short Sided Intermediate Leg for 24H Credenza	45
Rectangular Bridge Worksurface	15	Intermediate Leg Supported Over For 24H Credenza	45
Return with pedestal support	16	One Short Sided Portico Right Leg for 24H Credenza	46
Return with Storage Cabinet support	17	One Short Sided Portico Right Leg for 24H Credenza	46
		Leg Supported Over 24H Credenza	46
Rectangular Benching Worksurface	18	One Short Sided Intermediate Leg for 24H Credenza	47
Rectangular Benching Worksurface with Central Gap	19	Intermediate Leg Supported Over For 24H Credenza	47
Rectangular Benching Worksurface with Central Rail	20		
Rectangular Headboard Worksurface	21	Accessories	
		Single Sided Cable Tray	48
120° worksurface	22	Single Sided Cable Tray For Credenza	48
120° Three Cluster Worksurface	22	Double Sided Cable Tray	49
120° Three Cluster Worksurface with Central Rail	23	Double Sided Cable Tray For Credenza	49
		Cable Tray For Headboard Worksurface	50
Portico leg	24	Base Wire Infeed column	50
Loop Leg	24	Leg Wire Infeed	50
Panel leg	25	CPU Holder	50
Intermediate Leg	25		
One Short Sided Portico Right Leg for 19H Credenza	26	Steel Modesty Panel	51
One Short Sided Portico Right Leg for 19H Credenza	26	Steel Modesty Panel P1 for Credenza	51
Leg Supported Over 19H Credenza	26	Steel Modesty Panel P2 for Credenza	51
One Short Sided Intermediate Leg for 19H Credenza	27	Perforated Steel Modesty Panel	52
Intermediate Leg Supported Over For 19H Credenza	27	Perforated Steel Modesty Panel P1 for Credenza	52
One Short Sided Portico Right Leg for 24H Credenza	28	Perforated Steel Modesty Panel P2 for Credenza	52
One Short Sided Portico Left Leg for 24H Credenza	28	Laminatedd Modesty Panel	53
Leg Supported Over 24H Credenza	28	Laminatedd Modesty Panel P1 for Credenza	54
One Short Sided Intermediate Leg for 24H Credenza	29	Laminatedd Modesty Panel P2 for Credenza	54
Intermediate Leg Supported Over For 24H Credenza	29	Steel Modesty Panel to Worksurface	54
		Steel Modesty Panel to Worksurface P1	54
"S" Series Worksurfaces		Steel Modesty Panel to Worksurface P2	55
Diagonal worksurface	30	Flat Bracket	55
Diagonal Return Worksurface	30		
Diagonal Benching Worksurface	32	Paper Management Divider	56
Diagonal Benching Worksurface with Central Gap	32	Pencil Box	56
Diagonal Benching Worksurface with Central Rail	33	Pencil tray	56
Transition Worksurface	34	Pad Tray	56
Transition Return Worksurface	35	Folder Tray	56
Transition Benching Worksurface	37		
Transition Benching Worksurface with Central Gap	37	Acrylic Frontal Divider for Rail	57
Transition Benching Worksurface with Central Rail	39	Acrylic Divider for Central Gap	57

Table of contents

Acrylic Frontal Divider	57
Acrylic Lateral Divider	58
Acrylic Lateral End Divider	58
Acrylic Intermediate Divider	58
Laminated	
Laminated Frontal Divider	59
Fabric	
Fabric Frontal Divider for Rail	59
Fabric Frontal Divider for Central Gap	59
Fabric Frontal Divider	59
Fabric Frontal Divider for Single Worksurfaces	59
Fabric Lateral Divider	60
Fabric Lateral End Divider	60
Fabric Intermediate Divider	60

H19" Credenzas

Credenza with Shelf	62
Credenza with Drawer BF	62
Credenza with Shelf & Drawer BF	62
Credenza with Shelf & Sliding Door	63
Credenza with Shelves & Two Sliding Doors	63
Credenza with Drawer BF, Shelf, & Drawer BF	63
Credenza with Shelf,Drawer BF & Shelf	64
Credenza with Drawer BF , Shelf And Sliding Door	64

H24" Credenzas

Credenza with Shelf	65
Credenza with Drawer BBF	65
Credenza with Shelf & Drawer BBF	65
Credenza with Shelf & Sliding Door	66
Credenza with Shelves & Two Sliding Doors	66
Credenza with Drawer BBF, Shelf, & Drawer BBF	66
Credenza with Shelf,Drawer BBF & Shelf	67
Credenza with Drawer BBF , Shelf And Sliding Door	67

H29" Credenzas

Credenza with Shelf	68
Credenza with Drawer BBF	68
Credenza with Shelf & Drawer BBF	68
Credenza with Shelf & Sliding Door	69
Credenza with Shelves & Two Sliding Doors	69
Credenza with Drawer BBF, Shelf, & Drawer BBF	69
Credenza with Shelf,Drawer BBF & Shelf	69
Credenza with Drawer BBF , Shelf And Sliding Door	70

Horizontal Cabinet over Credenza

Storage over Credenza	71
Cushion for pedestal or credenza	71

Meeting Tables

Square Meeting Table	72
Rectangular Meeting Table	72
Round Meeting Table	72
Square Table H43	73
Rectangular Table H43	73
Round Table H43	73

Configurable Meeting Table

Initial Table	74
Intermediate Table	74
Final Table	74

D24" Pedestals "E" Series**Steel Front**

Mobile Pedestal without Handle BF	77
Mobile Pedestal without Handle BBB	77
Mobile Pedestal without Handle BBF	77
Fixed Pedestal without Handle BF	78
Fixed Pedestal without Handle BBB	78
Fixed Pedestal without Handle BBF	78
Worksurface Support Pedestal without Handle BBF	79
Worksurface Support Pedestal without Handle FF	79

D24" Pedestals "J" Series**Steel Front**

Mobile Pedestal with Handle BF	80
Mobile Pedestal with Handle BBB	80
Mobile Pedestal with Handle BBF	80
Laminated Front	
Mobile Pedestal with Handle BF	81
Mobile Pedestal with Handle BBB	81
Mobile Pedestal with Handle BBF	81

Steel Front

Fixed Pedestal with Handle BF	82
Fixed Pedestal with Handle BBB	82
Fixed Pedestal with Handle BBF	82
Laminated Front	
Fixed Pedestal with Handle BF	83
Fixed Pedestal with Handle BBB	83
Fixed Pedestal with Handle BBF	83

Steel Front

Worksurface Support Pedestal with Handle BBF	84
Worksurface Support Pedestal with Handle FF	84

Table of contents

Laminated Front

Worksurface Support Pedestal with Handle BBF	85
Worksurface Support Pedestal with Handle FF	85

D24" Pedestals "M" Series

Laminated	
Mobile Pedestals "M" Series BF	86
Mobile Pedestals "M" Series BBB	86
Mobile Pedestals "M" Series BB	86

Laminated

Fixed Pedestals "M" Series BF	87
Fixed Pedestals "M" Series BBB	87
Fixed Pedestals "M" Series BBF	87

Laminated

Worksurface Support Pedestal "M" Series BBF	88
Worksurface Support Pedestal "M" Series FF	88

D18" Pedestals "E" Series**Steel Front**

Mobile Pedestal without Handle BF	89
Mobile Pedestal without Handle BBB	89
Mobile Pedestal without Handle BBF	89
Fixed Pedestal without Handle BF	90
Fixed Pedestal without Handle BBB	90
Fixed Pedestal without Handle BBF	90

D24" Pedestals "J" Series**Steel Front**

Mobile Pedestal with Handle BF	91
Mobile Pedestal with Handle BBB	91
Mobile Pedestal with Handle BBF	91

Laminated Front

Mobile Pedestal with Handle BF	92
Mobile Pedestal with Handle BBB	92
Mobile Pedestal with Handle BBF	92

Steel Front

Fixed Pedestal with Handle BF	93
Fixed Pedestal with Handle BBB	93
Fixed Pedestal with Handle BBF	93

Laminated Front

Fixed Pedestal with Handle BF	94
Fixed Pedestal with Handle BBB	94
Fixed Pedestal with Handle BBF	94

Laminated

Mobile Pedestals "M" Series BF	95
Mobile Pedestals "M" Series BBB	95
Mobile Pedestals "M" Series BBF	95

Laminated

Fixed Pedestals "M" Series BF	96
Fixed Pedestals "M" Series BBB	96
Fixed Pedestals "M" Series BBF	96

QUO Storage

Bookcases	97
Storage Cabinet (steel front)	98
Storage Cabinet (melamine front)	99
Tops for H29" Bookcase & Storage Cabinet	100
Steel Top	100
Laminate Top Cover	100
Laminate Top Cover	100

QUO Lateral Files

Lateral File 2 Drawers	101
Lateral File 3 Drawers	101
Lateral File 4 Drawers	101
Lateral File 5 Drawers	101

Stackable Cabinets T-Box

T-Box Storage Cabinet Open	102
T-Box Storage Cabinet with Retractable Door	102
T-Box Storage Cabinet Double Drawers Unit	102
T-Box Storage Cabinet File Drawers Unit	102
T-Box Credenza without Front	103
T-Box Credenza with 2 Drawer	103
Single Base for T-Box	104
Double Base For T-Box	104
Top For T-Box	104
Single Top Cover For T-Box	105
Double Top Cover For T-Box	105

Terms and Conditions

o **Order Information**

Metrika requires that all orders be submitted in writing. An order is not binding until Metrika receives a signed purchase order and issues an order acknowledgement that includes price information and anticipated shipping date.

o **Prices and Payment**

All prices are list and subject to change without prior notice. Orders are invoiced at time of shipment and payment is due at time of invoice

Changes and Cancellations

Changes and Cancellations All orders are processed immediately and therefore cannot be changed or cancelled.

o **Taxes**

All sales, use, excise and other applicable taxes are the purchaser's responsibility and will be invoiced to the purchaser.

If the purchaser is tax exempt, it is the purchaser's responsibility to furnish appropriate tax exempt certification.

o **Shipping and Delivery**

Freight will be prepaid by Metrika to destination in the continental United States on all orders of \$25,000 list and greater.

Orders under \$25,000 list will be plus freight. Metrika will select the carrier and method of shipment routing on all prepaid shipments.

Any additional charges incurred from purchaser-requested inside delivery, special handling notification or expedited shipment services will be billed to the purchaser

o **Damage Claims**

All shipments must be inspected immediately upon delivery for visible or concealed damage.

The purchaser is responsible for visible damage and must file a freight claim with the carrier.

Any unconcealed damage must be reported to Metrika Customer Service within 72 hours so that appropriate disposition can be determined.

o **Shortage Claims**

Upon delivery, the shipment should be checked for shortages.

Note any discrepancies and notify Metrika Customer Service immediately.

Claims against Metrika for shortages or errors must be made within 72 hours of receipt of the shipment, after which the right to make such claims may be waived

Terms and Conditions

o **Storage**

Metrika may transfer product to storage at the purchaser's risk and expense if the purchaser is unable to take delivery of product as scheduled.

Upon such transfer to storage, the purchaser assumes risk of loss.

Metrika will invoice the purchaser on a monthly basis for storage fees, and the purchaser will make payments in accordance with the Metrika's standard payment terms.

o **Return Merchandise**

No returns are accepted.

For detailed policies and procedures, go to <http://www.metrikastudio.mx>

Warranty

Warranty

Metrika (hereinafter referred to as the Company) warrants to the original end user that each of its Products is free from defects in material and workmanship for as long as the original end user owns the products unless as otherwise noted below.

Such warranty is limited to repair or replacement, at the Company's option, of any Products which, under normal use in accordance with the Company's published instruction, proves to be defective. Damage arising from misuse, accidents or normal wear and tear is excluded from this warranty.

This warranty does not apply to damage caused by carrier, alterations to product, nor to products considered to be of a consumable nature such as bulbs, light ballasts, and surge suppression products. It also does not apply to Customer's Own Material.

The Company does not warranty the matching of color, grain or texture, except to within commercially acceptable standards.

The Company does not warranty the matching of color, grain or texture, except to within commercially acceptable standards.

Buyer's sole remedy pursuant to the foregoing warranties is limited to repair or replacement, at the option of Seller, FOB its plant, of products or work which prove to be defective within the applicable warranty period, except that labor is not provided without charge by Seller for any warranty claim made after the first year of any warranty period.


The remedy contained in this paragraph is hereby expressly agreed to be exclusive. Buyer may be required to establish that a warranty claim is within the warranty period by producing the invoice for the product or such other evidence as may be reasonably satisfactory to Seller

There are no other warranties except as expressly set forth in this warranty section with respect to products or services provided pursuant to this agreement, either expressed or implied, including any warranty of merchantability or fitness for any particular purpose.

The Company will not be responsible for consequential, economic or incidental damages arising from product defects.

R Series Worksurfaces

Rectangular Worksurfaces



Wood Grain

DESCRIPTION

Rectangular Worksurface
to be used on single or end to end.

SPECIFICATIONS


- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Beams and hardware included

NOTES

- o Legs are listed separately and individually.
- o Can be used with initial and intermediate leg.
- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.


SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.



24" Depth

Model no.	Depth	Width	Vol. m ³	WT. (lb)	M TLP	L LPL
TCR2430/___	23 5/8	29 1/2	0.02	7.7	\$ 444	\$ 577
TCR2436/___	23 5/8	35 3/8	0.02	9.2	\$ 462	\$ 599
TCR2440/___	23 5/8	39 3/8	0.02	11.2	\$ 471	\$ 612
TCR2448/___	23 5/8	47 1/4	0.03	13.4	\$ 483	\$ 627
TCR2455/___	23 5/8	55 1/8	0.03	16.5	\$ 648	\$ 842
TCR2460/___	23 5/8	59	0.03	16.8	\$ 662	\$ 859
TCR2472/___	23 5/8	70 7/8	0.04	21.8	\$ 699	\$ 906
TCR2478/___	23 5/8	78 3/4	0.04	22.4	\$ 711	\$ 923
TCR2486/___	23 5/8	86 1/2	0.04	31.1	\$ 730	\$ 947



30" Depth

Model No.	Depth	Width	Vol. m ³	WT. M (lb)	M TLP	L LPL
TCR3030/___	29 1/2	29 1/2	0.02	8.1	\$ 586	\$ 761
TCR3036/___	29 1/2	35 3/8	0.03	9.7	\$ 605	\$ 786
TCR3040/___	29 1/2	39 3/8	0.03	11.8	\$ 615	\$ 798
TCR3048/___	29 1/2	47 1/4	0.03	14.2	\$ 627	\$ 812
TCR3055/___	29 1/2	55 1/8	0.04	17.3	\$ 934	\$ 1,212
TCR3060/___	29 1/2	59	0.04	17.7	\$ 947	\$ 1,229
TCR3072/___	29 1/2	70 7/8	0.05	22.9	\$ 983	\$ 1,275
TCR3078/___	29 1/2	78 3/4	0.05	23.6	\$ 996	\$ 1,294
TCR3086/___	29 1/2	86 1/2	0.05	32.4	\$ 1,015	\$ 1,317

Power Supply Cut Options

LG

Left Grommet



\$ 6

RG

Right Grommet



\$ 6

DG

Double Grommet



\$ 12

LL (30" depth only)

Left Flip-up Lid



\$ 45

RL (30" depth only)

Right Flip-up Lid



\$ 45

FL


Front Flip-up Lid



\$ 45

"R" Series Worksurfaces

Bowfront Worksurface



Wood Grain

DESCRIPTION

Bowfront Worksurface
to be used as single or end to end.

SPECIFICATIONS


- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Beams and hardware included

NOTES

- o Legs are listed separately and individually.
- o Can be used with initial and Intermediate leg.
- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.


SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.



24" Depth

Model No.	Depth	Depth 2	Width	Vol. m ³	WT. (lb)	M TLP	L LPL
TCFC2460/___	23 5/8	4	59	0.04	17.4	\$ 932	\$ 1,210
TCFC2472/___	23 5/8	4	70 7/8	0.04	22.5	\$ 975	\$ 1,268
TCFC2478/___	23 5/8	4	78 3/4	0.05	23.2	\$ 989	\$ 1,283
TCFC2486/___	23 5/8	4	86 1/2	0.05	32.0	\$ 1,011	\$ 1,314



30" Depth

Model No.	Depth	Depth 2	Width	Vol. m ³	WT. (lb)	M TLP	L LPL
TCFC3060/___	29 1/2	4	59	0.04	18.3	\$ 940	\$ 1,220
TCFC3072/___	29 1/2	4	70 7/8	0.05	23.6	\$ 987	\$ 1,281
TCFC3078/___	29 1/2	4	78 3/4	0.06	24.4	\$ 997	\$ 1,295
TCFC3086/___	29 1/2	4	86 1/2	0.06	33.4	\$ 1,020	\$ 1,325

Power Supply Cut Options

LG

Left Grommet



\$ 6

RG

Right Grommet



\$ 6

DG

Double Grommet



\$ 12

LL (30" depth only)

Left Flip-up Lid




\$ 45

RL (30" depth only)

Right Flip-up Lid



\$ 45

"R" Series Worksurfaces**Rectangular Worksurface with Front Rail**

Wood Grain

DESCRIPTION

Rectangular Worksurface with Front Rail to be used as single or end to end.

SPECIFICATIONS


- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Incluye riel frontal de 30 mm
- o Beams and hardware included

NOTES


- o Legs are listed separately and individually.
- o Can be used with initial and Intermediate leg.
- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.

SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.

**24" Depth**

Model No.	Depth	Width	Vol. m ³	WT. (lb)	M TLP	L LPL
TRR2430/___	23 5/8	29 1/2	0.020	19.3	\$ 869	\$ 1,129
TRR2436/___	23 5/8	35 3/8	0.020	19.5	\$ 909	\$ 1,181
TRR2448/___	23 5/8	47 1/4	0.030	23.3	\$ 998	\$ 1,297
TRR2455/___	23 5/8	55 1/8	0.030	29.2	\$ 1,173	\$ 1,524
TRR2460/___	23 5/8	59	0.030	29.6	\$ 1,203	\$ 1,561
TRR2472/___	23 5/8	70 7/8	0.210	61.1	\$ 1,295	\$ 1,681
TRR2478/___	23 5/8	78 3/4	0.040	38.2	\$ 1,322	\$ 1,717
TRR2486/___	23 5/8	86 1/2	0.040	46.7	\$ 1,370	\$ 1,779

**30" Depth**

Model No.	Depth	Width	Vol. m ³	WT. (lb)	M TLP	L LPL
TRR3030/___	29 1/2	29 1/2	0.020	19.7	\$ 1,012	\$ 1,314
TRR3036/___	29 1/2	35 3/8	0.030	20.1	\$ 1,053	\$ 1,367
TRR3048/___	29 1/2	47 1/4	0.030	24.0	\$ 1,143	\$ 1,483
TRR3055/___	29 1/2	55 1/8	0.040	30.1	\$ 1,460	\$ 1,895
TRR3060/___	29 1/2	59	0.040	30.5	\$ 1,487	\$ 1,931
TRR3072/___	29 1/2	70 7/8	0.050	38.4	\$ 1,580	\$ 2,050
TRR3078/___	29 1/2	78 3/4	0.050	39.4	\$ 1,608	\$ 2,087
TRR3086/___	29 1/2	86 1/2	0.050	48.1	\$ 1,656	\$ 2,149

Power Supply Cut Options**LG**

Left Grommet



\$ 6

RG

Right Grommet



\$ 6

DG

Double Grommet



\$ 12

LL (30" depth only)

Left Flip-up Lid



\$ 45

RL (30" depth only)

Right Flip-up Lid



\$ 45

FL


Front Flip-up Lid



\$ 45

"R" Series Worksurfaces

Rectangular Return Worksurface



Wood Grain

DESCRIPTION

Rectangular Return must be attached to support beams of a single main table

SPECIFICATIONS


- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Beams and hardware included

NOTES

- o Legs are listed separately and individually.
- o Can be used with initial and intermediate leg.
- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.


SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.



24" Depth

Model No.	Depth	Width	Vol. m ³	WT. (lb)	MTLP	L LPL
TCL2436/___	23 5/8	35 3/8	0.020	14.3	\$ 550	\$ 694
TCL2448/___	23 5/8	47 1/4	0.030	17.5	\$ 585	\$ 717
TCL2455/___	23 5/8	55 1/8	0.030	22.0	\$ 590	\$ 746
TCL2460/___	23 5/8	59	0.030	23.8	\$ 733	\$ 891



30" Depth

Model No.	Depth	Width	Vol. m ³	WT. (lb)	MTLP	L LPL
TCL3036/___	29 1/2	35 3/8	0.030	14.9	\$ 666	\$ 802
TCL3048/___	29 1/2	47 1/4	0.030	18.2	\$ 695	\$ 816
TCL3055/___	29 1/2	55 1/8	0.040	22.9	\$ 700	\$ 844
TCL3060/___	29 1/2	59	0.040	24.7	\$ 978	\$ 1,217

Power Supply Cut Options

LG

Left Grommet



\$ 6

RG

Right Grommet



\$ 6

DG

Double Grommet



\$ 12

FL


Front Flip-up Lid





\$ 45

"R" Series Worksurfaces

Rectangular Bridge Worksurface



Wood Grain



DESCRIPTION

Rectangular Return must be attached to support beams of two main tables

SPECIFICATIONS

- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Beams and hardware included

NOTES

- o Connected to the beams of two main worksurfaces
- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.

SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.

24" Depth

Model No.	Depth	Width	Vol. m ³	WT. (lb)	M TLP	L LPL
TCLP2448/___	23 5/8	35 3/8	0.030	21.7	\$ 831	\$ 861
TCLP2455/___	23 5/8	47 1/4	0.030	22.3	\$ 962	\$ 1,106
TCLP2460/___	23 5/8	59	0.030	23.0	\$ 974	\$ 1,119
TCLP2472/___	23 5/8	70 7/8	0.040	31.4	\$ 1,014	\$ 1,160

30" Depth


Model No.	Depth	Width	Vol. m ³	WT. (lb)	M TLP	L LPL
TCLP3048/___	29 1/2	47 1/4	0.030	22.5	\$ 943	\$ 1,085
TCLP3055/___	29 1/2	55 1/8	0.040	23.2	\$ 1,180	\$ 1,446
TCLP3060/___	29 1/2	59	0.040	23.9	\$ 1,192	\$ 1,459
TCLP3072/___	29 1/2	70 7/8	0.050	32.5	\$ 1,232	\$ 1,500

Power Supply Cut Options

LG	RG	DG	FL
Left Grommet	Right Grommet	Double Grommet	Front Flip-up Lid
 \$ 6	 \$ 6	 \$ 12	 \$ 45

"R" Series Worksurfaces

Return with Pedestal Support



Wood Grain

DESCRIPTION

Return serves as support to a main worksurface and is supported by a pedestal.

SPECIFICATIONS


- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Does not include crossbars.
- o Fastening accesories included.

NOTES

- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.


SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.



24" Depth

Model No.	Depth	Width	Vol. m ³	WT. L (lb)	M TLP	L LPL
TCLA2436/___	23 5/8	35 3/8	0.030	3.2	\$ 482	\$ 625
TCLA2448/___	23 5/8	47 1/4	0.030	4.1	\$ 498	\$ 647
TCLA2455/___	23 5/8	55 1/8	0.040	4.7	\$ 517	\$ 671
TCLA2460/___	23 5/8	59	0.040	5.0	\$ 619	\$ 802



30" Depth

Model No.	Depth	Width	Vol. m ³	WT. L (lb)	M TLP	L LPL
TCLA3036/___	29 1/2	35 3/8	0.030	4.1	\$ 485	\$ 629
TCLA3048/___	29 1/2	47 1/4	0.040	4.7	\$ 499	\$ 648
TCLA3055/___	29 1/2	55 1/8	0.040	5.0	\$ 581	\$ 847
TCLA3060/___	29 1/2	59	0.050	6.0	\$ 655	\$ 850



Pedestal not included.

Power Supply Cut Options

LG

Left Grommet



\$ 6

RG

Right Grommet



\$ 6

DG

Double Grommet



\$ 12

FL


Front Flip-up Lid



\$ 45

"R" Series Worksurfaces

Return with Storage Cabinet Support



Wood Grain

DESCRIPTION

Return serves as support to a main work surface and is supported by a cabinet.

SPECIFICATIONS


- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Does not include crossbars.
- o Fastening accessories included.

NOTES

- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.


SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.



24" Depth

Model No.	Depth	Width	Vol. m ³	WT. (lb)	M TLP	L LPL
TCLC2436/___	23 5/8	35 3/8	0.03	3.2	\$ 482	\$ 625
TCLC2448/___	23 5/8	47 1/4	0.03	4.1	\$ 498	\$ 647
TCLC2455/___	23 5/8	55 1/8	0.04	4.7	\$ 581	\$ 671
TCLC2460/___	23 5/8	59	0.04	5.0	\$ 619	\$ 802



30" Depth

Model No.	Depth	Width	Vol. m ³	WT. L (lb)	M TLP	L LPL
TCLC3036/___	29 1/2	35 3/8	0.03	4.1	\$ 485	\$ 629
TCLC3048/___	29 1/2	47 1/4	0.04	4.7	\$ 499	\$ 648
TCLC3055/___	29 1/2	55 1/8	0.04	5.0	\$ 519	\$ 847
TCLC3060/___	29 1/2	59	0.05	6.0	\$ 655	\$ 850



Pedestal not included.

Power Supply Cut Options

LG

Left Grommet



\$ 6

RG

Right Grommet



\$ 6

DG

Double Grommet




\$ 12

FL

Front Flip-up Lid



\$ 45

"R" Series Worksurfaces**Rectangular Benching Worksurface**

Wood Grain

DESCRIPTION

Rectangular benching worksurface.

SPECIFICATIONS


- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Beams and hardware included

NOTES


- o Legs are listed separately and individually.
- o Can be used with initial and Intermediate leg.
- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.

SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.

24" Depth

Model No.	Depth	Width	Vol. m ³	WT. (lb)	M TLP	L LPL
TCRE2430/___	23 5/8	29 1/2	0.02	15.1	\$ 885	\$ 1,149
TCRE2436/___	23 5/8	35 3/8	0.02	19.4	\$ 922	\$ 1,198
TCRE2440/___	23 5/8	39 3/8	0.02	22.3	\$ 942	\$ 1,222
TCRE2448/___	23 5/8	47 1/4	0.03	26.8	\$ 964	\$ 1,250
TCRE2455/___	23 5/8	55 1/8	0.03	32.9	\$ 1,296	\$ 1,682
TCRE2460/___	23 5/8	59	0.03	33.5	\$ 1,322	\$ 1,716
TCRE2472/___	23 5/8	70 7/8	0.04	43.5	\$ 1,395	\$ 1,811
TCRE2478/___	23 5/8	78 3/4	0.04	44.8	\$ 1,420	\$ 1,844
TCRE2486/___	23 5/8	86 1/2	0.04	62.2	\$ 1,457	\$ 1,892

30" Depth

Model No.	Depth	Width	Vol. m ³	WT. (lb)	M TLP	L LPL
TCRE3030/___	29 1/2	29 1/2	0.02	16.3	\$ 1,171	\$ 1,520
TCRE3036/___	29 1/2	35 3/8	0.03	20.5	\$ 1,209	\$ 1,570
TCRE3040/___	29 1/2	39 3/8	0.03	23.6	\$ 1,228	\$ 1,594
TCRE3048/___	29 1/2	47 1/4	0.03	28.3	\$ 1,250	\$ 1,623
TCRE3055/___	29 1/2	55 1/8	0.04	34.7	\$ 1,866	\$ 2,423
TCRE3060/___	29 1/2	59	0.04	35.4	\$ 1,892	\$ 2,456
TCRE3072/___	29 1/2	70 7/8	0.05	45.7	\$ 1,965	\$ 2,550
TCRE3078/___	29 1/2	78 3/4	0.05	47.2	\$ 1,991	\$ 2,584
TCRE3086/___	29 1/2	86 1/2	0.05	64.9	\$ 2,028	\$ 2,631

Power Supply Cut Options**LG**

Left Grommet



\$ 12

RG

Right Grommet



\$ 12

DG

Double Grommet



\$ 24

SL (30" depth only)

Side Flip Cover




\$ 91

FL

Front Flip-up Lid



\$ 91

"R" Series Worksurfaces**Rectangular Benching Worksurface with Central Gap**

Wood Grain

DESCRIPTION

Rectangular benching worksurface with central gap for accessories.

SPECIFICATIONS


- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Beams and hardware included
- o 10mm or 30mm gap depending on choice of legs.

NOTES


- o Legs are listed separately and individually.
- o Can be used with initial and intermediate leg.
- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.

SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.

**24" Depth**

Model No.	Depth	Width	Vol. m ³	WT. (lb)	M TLP	L LPL
TCREE2430/___	23 5/8	29 1/2	0.02	15.4	\$ 939	\$ 1,217
TCREE2436/___	23 5/8	35 3/8	0.02	19.4	\$ 1,008	\$ 1,308
TCREE2440/___	23 5/8	39 3/8	0.02	22.3	\$ 1,042	\$ 1,353
TCREE2448/___	23 5/8	47 1/4	0.03	26.8	\$ 1,056	\$ 1,370
TCREE2455/___	23 5/8	55 1/8	0.03	32.9	\$ 1,400	\$ 1,819
TCREE2460/___	23 5/8	59	0.03	33.5	\$ 1,444	\$ 1,875
TCREE2472/___	23 5/8	70 7/8	0.04	43.5	\$ 1,557	\$ 2,020
TCREE2478/___	23 5/8	78 3/4	0.04	44.8	\$ 1,593	\$ 2,068
TCREE2486/___	23 5/8	86 1/2	0.04	62.2	\$ 1,641	\$ 2,131

**30" Depth**

Model No.	Depth	Width	Vol. m ³	WT. (lb)	M TLP	L LPL
TCREE3030/___	29 1/2	29 1/2	0.02	16.3	\$ 1,223	\$ 1,587
TCREE3036/___	29 1/2	35 3/8	0.03	20.5	\$ 1,294	\$ 1,680
TCREE3040/___	29 1/2	39 3/8	0.03	23.6	\$ 1,329	\$ 1,725
TCREE3048/___	29 1/2	47 1/4	0.03	28.3	\$ 1,343	\$ 1,743
TCREE3055/___	29 1/2	55 1/8	0.04	34.7	\$ 1,971	\$ 2,559
TCREE3060/___	29 1/2	59	0.04	35.4	\$ 2,014	\$ 2,615
TCREE3072/___	29 1/2	70 7/8	0.05	45.7	\$ 2,125	\$ 2,759
TCREE3078/___	29 1/2	78 3/4	0.05	47.2	\$ 2,164	\$ 2,809
TCREE3086/___	29 1/2	86 1/2	0.05	64.9	\$ 2,211	\$ 2,870

Power Supply Cut Options**LG**

Left Grommet



\$ 12

RG

Right Grommet



\$ 12

DG

Double Grommet



\$ 24

SL (30" depth only)

Side Flip Cover




\$ 91

FL

Front Flip-up Lid



\$ 91

"R" Series Worksurfaces**Rectangular Benching Worksurface with Central Rail**

Wood Grain

DESCRIPTION

Rectangular benching worksurface with central rail for accessories.

SPECIFICATIONS


- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Beams and hardware included
- o Includes 30mm center rail

NOTES


- o Legs are listed separately and individually.
- o Can be used with initial and Intermediate leg.
- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.

SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.

**24" Depth**

Model No.	Depth	Width	Vol. m ³	WT. (lb)	M TLP	L LPL
TCRER2430/___	23 5/8	29 1/2	0.02	19.5	\$ 1,069	\$ 1,387
TCRER2436/___	23 5/8	35 3/8	0.02	24.7	\$ 1,171	\$ 1,521
TCRER2440/___	23 5/8	39 3/8	0.02	29.0	\$ 1,223	\$ 1,587
TCRER2448/___	23 5/8	47 1/4	0.03	33.9	\$ 1,227	\$ 1,593
TCRER2455/___	23 5/8	55 1/8	0.03	40.9	\$ 1,584	\$ 2,057
TCRER2460/___	23 5/8	59	0.03	43.5	\$ 1,645	\$ 2,136
TCRER2472/___	23 5/8	70 7/8	0.04	53.9	\$ 1,796	\$ 2,333
TCRER2478/___	23 5/8	78 3/4	0.04	57.9	\$ 1,843	\$ 2,394
TCRER2486/___	23 5/8	86 1/2	0.04	76.9	\$ 1,905	\$ 2,473

**30" Depth**

Model No.	Depth	Width	Vol. m ³	WT. (lb)	M TLP	L LPL
TCRER3030/___	29 1/2	29 1/2	0.02	20.5	\$ 1,355	\$ 1,758
TCRER3036/___	29 1/2	35 3/8	0.03	25.8	\$ 1,457	\$ 1,892
TCRER3040/___	29 1/2	39 3/8	0.03	30.3	\$ 1,509	\$ 1,960
TCRER3048/___	29 1/2	47 1/4	0.03	35.4	\$ 1,514	\$ 1,966
TCRER3055/___	29 1/2	55 1/8	0.04	42.6	\$ 2,156	\$ 2,798
TCRER3060/___	29 1/2	59	0.04	45.3	\$ 2,215	\$ 2,877
TCRER3072/___	29 1/2	70 7/8	0.05	56.2	\$ 2,366	\$ 3,072
TCRER3078/___	29 1/2	78 3/4	0.05	60.4	\$ 2,414	\$ 3,134
TCRER3086/___	29 1/2	86 1/2	0.05	79.7	\$ 2,474	\$ 3,214

Power Supply Cut Options**LG**

Left Grommet



\$ 12

RG

Right Grommet



\$ 12

DG

Double Grommet



\$ 24

SL (30" depth only)

Side Flip Cover




\$ 91

FL

Front Flip-up Lid



\$ 91

"R" Series Worksurfaces**Rectangular Headboard Worksurface**

Wood Grain

DESCRIPTION

Rectangular headboard worksurface allows adding an additional workspace

SPECIFICATIONS


- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Beams and hardware included

NOTES


- o Legs are listed separately and individually.
- o Requires an initial and intermediate leg.
- o Flip-top color is supplied equal to cover.
- o Code 00 does not supply electrification.

SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.

**24" Depth**

Model No.	Depth	Width	Vol. m ³	WT. (lb)	M TLP	L LPL
TCCB2448/___	23 5/8	47 1/4	0.03	11.8	\$ 812	\$ 1,054
TCCB2448E/___	23 5/8	47 3/4	0.03	11.8	\$ 898	\$ 1,080
TCCB2449/___	23 5/8	48 3/8	0.03	11.8	\$ 864	\$ 1,135
TCCB2460/___	23 5/8	59	0.03	12.5	\$ 972	\$ 1,261
TCCB2460E/___	23 5/8	59 1/2	0.03	12.5	\$ 992	\$ 1,287
TCCB2461/___	23 5/8	60 1/4	0.03	12.6	\$ 992	\$ 1,287

**30" Depth**

Model No.	Depth	Width	Vol. m ³	WT. (lb)	M TLP	L LPL
TCCB3048/___	29 1/2	47 1/4	0.03	14.6	\$ 960	\$ 1,246
TCCB3048E/___	29 1/2	47 3/4	0.03	14.6	\$ 984	\$ 1,277
TCCB3049/___	29 1/2	48 3/8	0.03	14.7	\$ 1,329	\$ 1,843
TCCB3060/___	29 1/2	59	0.03	15.4	\$ 1,340	\$ 1,860
TCCB3060E/___	29 1/2	59 1/2	0.03	15.4	\$ 1,341	\$ 1,860
TCCB3061/___	29 1/2	60 1/4	0.03	15.4	\$ 1,312	\$ 1,833


Power Supply Cut Options**FL**

Front Flip-up Lid


☐ \$ 45

"R" Series Worksurfaces

120° Worksurface



Wood Grain



DESCRIPTION

120° Worksurface.

SPECIFICATIONS

- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Beams and hardware included

NOTES

- o Legs are listed separately and individually.
- o Requires initial and intermediate legs.
- o Worksurface color defines Flip up lid color.
- o Code 00 does not supply electrification.

SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.

24" Depth

Model No.	Depth	Width	Vol. m ³	WT. (lb)	M TLP	L LPL
TC12S2448/_	23 5/8	47 1/4	0.08	36.84	\$ 1,539	\$ 1,997
TC12S2455/_	23 5/8	55 1/8	0.09	42.93	\$ 1,573	\$ 2,042

Power Supply Cut Options

LG

Left Grommet



\$ 6

RG

Right Grommet



\$ 6

CG

Central Grommet



\$ 6

LL

Left Flip-up Lid



\$ 45


RL

Right Flip-up Lid




\$ 45

120° Three Cluster Worksurface



Wood Grain



DESCRIPTION

120° Three Cluster Worksurface

SPECIFICATIONS

- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Beams and hardware included

NOTES

- o Legs are listed separately and individually.
- o Requires initial and intermediate legs.
- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.

SPECIFY ON ORDER


1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.

24" Depth


Model No.	Depth	Width	Vol. m ³	WT. (lb)	M TLP	L LPL
TC12TE2448/_	23 5/8	47 1/4	0.21	167.8	\$ 4,487	\$ 5,829
TC12TE2455/_	23 5/8	55 1/8	0.27	202.3	\$ 4,668	\$ 6,062

"R" Series Worksurfaces

120° Three Cluster Worksurface with Central Rail



Wood Grain



DESCRIPTION

120° Three Cluster Worksurface
 with Central Rail.

SPECIFICATIONS

- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Beams and hardware included
- o Includes 30mm central rail.

NOTES

- o Legs are listed separately and individually.
- o Requires initial and intermediate legs.
- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.

SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.


24" Depth

Model No.	Depth	Width	Vol. m ³	WT. (lb)	M TLP	L LPL
TC12TR2448/___	23 5/8	47 1/4	0.25	206.6	\$ 5,512	\$ 7,159
TC12TR2455/___	23 5/8	55 1/8	0.32	253.3	\$ 5,770	\$ 7,494

Power Supply Cut Options

LG


Left Grommet



\$ 18

RG


Right Grommet



\$ 18

CG

Central Grommet



\$ 18

LL


Left Flip-up Lid



\$ 136

RL


Right Flip-up Lid




\$ 136

R Series Legs

Portico Leg



24" and 30" depth



48", 48E, 49", 60", 60E and 61" depth.

DESCRIPTION

Legs to support "R" Series worksurfaces.

SPECIFICATIONS

- Powder-coat paint finish.
- Includes leveling glides.

NOTES


- Can be used on left or right side.

SPECIFY ON ORDER


1. Model Number.
2. Structure color.

Model No.	Depth-F	Height	Vol. m ³	WT. (lb)	Price
TPRP24	23 5/8	27 3/8	0.030	15.6	\$ 292
TPRP30	29 1/2	27 3/8	0.030	17.2	\$ 303
TPRP48	47 1/4	27 3/8	0.050	22.1	\$ 339
TPRP48E	47 3/4	27 3/8	0.050	22.6	\$ 342
TPRP49	48 3/8	27 3/8	0.050	25.4	\$ 342
TPRP60	59	27 3/8	0.060	34.3	\$ 372
TPRP60E	59 1/2	27 3/8	0.060	35.3	\$ 400
TPRP61	60 1/4	27 3/8	0.060	38.6	\$ 400

Loop Leg



24" and 30" depth



48", 48E, 49", 60", 60E and 61" depth.

DESCRIPTION

Legs to support "R" Series worksurfaces.

SPECIFICATIONS

- Powder-coat paint finish.
- Levelers included.

NOTES

- Can be used as left or right.


SPECIFY ON ORDER

1. Model Number.
2. Structure color.


Model No.	Depth-F	Height	Vol. m ³	WT. (lb)	Price
TPRM24	23 5/8	27 3/8	0.030	18.3	\$ 447
TPRM30	29 1/2	27 3/8	0.030	20.8	\$ 481
TPRM48	47 1/4	27 3/8	0.050	29.5	\$ 550
TPRM48E	47 3/4	27 3/8	0.050	30.1	\$ 566
TPRM49	48 3/8	27 3/8	0.050	30.6	\$ 566
TPRM60	59	27 3/8	0.060	34.5	\$ 630
TPRM60E	59 1/2	27 3/8	0.060	35.8	\$ 692
TPRM61	60 1/4	27 3/8	0.060	39.9	\$ 692

R Series Legs

Panel Leg



24" and 30" depth



48", 48E, 49", 60", 60E and 61" depth.

DESCRIPTION

Legs to support "R" Series worksurfaces.

SPECIFICATIONS

- Surface Thickness 3/4"
- All edges have 2mm PVC.
- Includes leveling glides.
- Wood grain direction as shown.

NOTES


- Can be use on left or right side.

SPECIFY ON ORDER


1. Model Number.
2. Laminate color.
3. Structure color.

Model No.	Depth-F	Height	Vol. m ³	WT. (lb)	M TLP	L LPL
TPRN24/___	23 5/8	27 3/8	0.03	12.2	\$ 453	\$ 586
TPRN30/___	29 1/2	27 3/8	0.03	13.6	\$ 475	\$ 618
TPRN48/___	47 1/4	27 3/8	0.05	23.3	\$ 611	\$ 767
TPRN48E/___	47 3/4	27 3/8	0.05	23.4	\$ 694	\$ 902
TPRN49/___	48 3/8	27 3/8	0.05	25.9	\$ 918	\$ 1,046
TPRN60/___	59	27 3/8	0.06	27.6	\$ 945	\$ 1,109
TPRN60E/___	59 1/2	27 3/8	0.06	28.4	\$ 921	\$ 1,112
TPRN61/___	60 1/4	27 3/8	0.06	31.3	\$ 947	\$ 1,117

Intermediate Leg



24" and 30" depth



48", 48E, 49", 60", 60E and 61" depth.

DESCRIPTION

Legs to support "R" Series worksurfaces.

SPECIFICATIONS

- Powder-coat paint finish.
- Includes leveling glides.

NOTES

- Only used as intermediate union between two worksurfaces.

SPECIFY ON ORDER

1. Model Number.
2. Structure color.

Model No.	Depth-F	Height	Vol. m ³	WT. (lb)	Price
TPRI24	23 5/8	27 3/8	0.02	15.3	\$ 325
TPRI30	29 1/2	27 3/8	0.02	18.8	\$ 354
TPRI48	47 1/4	27 3/8	0.04	21.1	\$ 407
TPRI48E	47 3/4	27 3/8	0.04	21.8	\$ 416
TPRI49	48 3/8	27 3/8	0.04	22.6	\$ 416
TPRI60	59	27 3/8	0.05	24.1	\$ 446
TPRI60E	59 1/2	27 3/8	0.05	24.7	\$ 464
TPRI61	60 1/4	27 3/8	0.05	25.1	\$ 464

R Series Legs

Support Legs for 19"H Credenza

DESCRIPTION

Legs to support "R" Series worksurfaces over 19" height credenza.

NOTES

- o Left and Right option available


SPECIFICATIONS

- o Powder-coat paint finish.
- o Includes leveling glides.

SPECIFY ON ORDER

1. Model Number.
2. Structure color.

One Short Sided Portico Leg.




Left

Model No.	Depth-F	Height	Vol. m ³	Application	WT. (lb)	Price
TPRP1CZI1924	23 5/8	27 3/8	0.030		9.4	\$ 292
TPRP1CZI1930	29 1/2	27 3/8	0.030		10.3	\$ 303
TPRP1CZI1948	47 1/4	27 3/8	0.050		14.1	\$ 339
TPRP1CZI1948E	47 3/4	27 3/8	0.050		14.1	\$ 342
TPRP1CZI1949	48 3/8	27 3/8	0.050		15.8	\$ 342
TPRP1CZI1960	59	27 3/8	0.060		15.9	\$ 372
TPRP1CZI1960E	59 1/2	27 3/8	0.060		16.0	\$ 400
TPRP1CZI1961	60 1/4	27 3/8	0.060		18.6	\$ 400

Right

Model No.	Depth-F	Height	Vol. m ³	Application	WT. (Lbs)	Price
TPRP1CZD1924	23 5/8	27 3/8	0.03		9.4	\$ 292
TPRP1CZD1930	29 1/2	27 3/8	0.03		10.3	\$ 303
TPRP1CZD1948	47 1/4	27 3/8	0.05		14.1	\$ 339
TPRP1CZD1948E	47 3/4	27 3/8	0.05		14.1	\$ 342
TPRP1CZD1949	48 3/8	27 3/8	0.05		15.8	\$ 342
TPRP1CZD1960	59	27 3/8	0.06		15.9	\$ 372
TPRP1CZD1960E	59 1/2	27 3/8	0.06		16.0	\$ 400
TPRP1CZD1961	60 1/4	27 3/8	0.06		18.6	\$ 400

Support Legs for 19"H Credenza




Model No.	Depth-F	Height	Vol. m ³	Application	WT. (Lbs)	Price
TPR2CZ1924	23 5/8	8 3/8	0.01		6.6	\$ 254
TPR2CZ1930	29 1/2	8 3/8	0.01		7.4	\$ 271
TPR2CZ1948	47 1/4	8 3/8	0.02		9.8	\$ 309
TPR2CZ1948E	47 3/4	8 3/8	0.02		10.6	\$ 332
TPR2CZ1949	48 3/8	8 3/8	0.02		12.4	\$ 332
TPR2CZ1960	59	8 3/8	0.02		12.8	\$ 339
TPR2CZ1960E	59 1/2	8 3/8	0.02		13.1	\$ 367
TPR2CZ1961	60 1/4	8 3/8	0.02		15.8	\$ 367

R Series Legs


Support Legs for 19"H Credenza

One Short Sided Intermediate Leg.



Model No.	Depth-F	Height	Vol. m ³	Application	WT. (lb)	Price
TPRI1CZ1924	23 5/8	27 3/8	0.020		15.8	\$ 325
TPRI1CZ1930	29 1/2	27 3/8	0.030		15.9	\$ 354
TPRI1CZ1948	47 1/4	27 3/8	0.060		16.0	\$ 407
TPRI1CZ1948E	47 3/4	27 3/8	0.070		18.6	\$ 416
TPRI1CZ1949	48 3/8	27 3/8	0.070		9.4	\$ 416
TPRI1CZ1960	59	27 3/8	0.090		10.3	\$ 446
TPRI1CZ1960E	59 1/2	27 3/8	0.090		14.1	\$ 464
TPRI1CZ1961	60 1/4	27 3/8	0.090		14.1	\$ 464

Intermediate Leg Supported Over Credenza.



Model No.	Depth-F	Height	Vol. m ³	Application	WT. (lb)	Price
TPRI2CZ1924	23 5/8	8 3/8	0.010		7.1	\$ 325
TPRI2CZ1930	29 1/2	8 3/8	0.010		8.6	\$ 354
TPRI2CZ1948	47 1/4	8 3/8	0.020		14.8	\$ 407
TPRI2CZ1948E	47 3/4	8 3/8	0.020		15.4	\$ 416
TPRI2CZ1949	48 3/8	8 3/8	0.020		20.7	\$ 416
TPRI2CZ1960	59	8 3/8	0.030		18.3	\$ 446
TPRI2CZ1960E	59 1/2	8 3/8	0.030		19.1	\$ 464
TPRI2CZ1961	60 1/4	8 3/8	0.030		19.9	\$ 464

R Series Legs

Support Legs for 24"H Credenza

DESCRIPTION

Legs to support "R" Series worksurfaces over 24" height credenza.

NOTES

- o Left and Right option available


SPECIFICATIONS

- o Powder-coat paint finish.
- o Includes leveling glides.

SPECIFY ON ORDER


1. Model Number.
2. Structure color.

One Short Sided Portico Leg.



Left


Model No.	Depth-F	Height	Vol. m ³	Application	WT. (lb)	Price
TPRP1CZI2424	23 5/8	27 3/8	0.026		9.7	\$ 292
TPRP1CZI2430	29 1/2	27 3/8	0.033		11.5	\$ 303
TPRP1CZI2448	47 1/4	27 3/8	0.053		17.7	\$ 339
TPRP1CZI2448E	47 3/4	27 3/8	0.053		18.3	\$ 342
TPRP1CZI2449	48 3/8	27 3/8	0.054		19.6	\$ 342
TPRP1CZI2460	59	27 3/8	0.066		22.0	\$ 372
TPRP1CZI2460E	59 1/2	27 3/8	0.067		22.0	\$ 400
TPRP1CZI2461	60 1/4	27 3/8	0.068		22.8	\$ 400



Left

Model No.	Depth-F	Height	Vol. m ³	Application	WT. (lb)	Price
TPRP1CZD2424	23 5/8	27 3/8	0.026		8.7	\$ 292
TPRP1CZD2430	29 1/2	27 3/8	0.033		9.5	\$ 303
TPRP1CZD2448	47 1/4	27 3/8	0.053		12.0	\$ 339
TPRP1CZD2448E	47 3/4	27 3/8	0.053		12.8	\$ 342
TPRP1CZD2449	48 3/8	27 3/8	0.054		14.5	\$ 342
TPRP1CZD2460	59	27 3/8	0.066		15.1	\$ 372
TPRP1CZD2460E	59 1/2	27 3/8	0.067		15.5	\$ 400
TPRP1CZD2461	60 1/4	27 3/8	0.068		17.5	\$ 400

Support Legs for 24"H Credenza




Right

Model No.	Depth-F	Height	Vol. m ³	Application	WT. (lb)	Price
TPR2CZ2424	23 5/8	3	0.002		6.8	\$ 254
TPR2CZ2430	29 1/2	3	0.003		7.1	\$ 271
TPR2CZ2448	47 1/4	3	0.005		9.2	\$ 309
TPR2CZ2448E	47 3/4	3	0.005		9.8	\$ 332
TPR2CZ2449	48 3/8	3	0.005		10.9	\$ 332
TPR2CZ2460	59	3	0.006		11.6	\$ 339
TPR2CZ2460E	59 4/8	3	0.006		12.6	\$ 367
TPR2CZ2461	60 1/4	3	0.006		13.6	\$ 367


R Series Legs

Support Legs for 24"H Credenza

One Short Sided Intermediate Leg.


Model No.	Depth-F	Height	Vol. m ³	Application	WT. (lb)	Price
TPRI1CZ2424	23 5/8	27 3/8	0.042		9.0	\$ 325
TPRI1CZ2430	29 1/2	27 3/8	0.053		9.9	\$ 354
TPRI1CZ2448	47 1/4	27 3/8	0.085		16.9	\$ 407
TPRI1CZ2448E	47 3/4	27 3/8	0.085		17.5	\$ 416
TPRI1CZ2449	48 3/8	27 3/8	0.087		18.4	\$ 416
TPRI1CZ2460	59	27 3/8	0.106		20.5	\$ 446
TPRI1CZ2460E	59 1/2	27 3/8	0.107		21.2	\$ 464
TPRI1CZ2461	60 1/4	27 3/8	0.108		21.6	\$ 464

Intermediate Leg Supported Over Credenza.

Model No.	Depth-F	Height	Vol. m ³	Application	WT. (lb)	Price
TPRI2CZ2424	23 5/8	3	0.005		5.4	\$ 325
TPRI2CZ2430	29 1/2	3	0.006		7.1	\$ 354
TPRI2CZ2448	47 1/4	3	0.009		13.3	\$ 407
TPRI2CZ2448E	47 3/4	3	0.009		13.7	\$ 416
TPRI2CZ2449	48 3/8	3	0.009		14.8	\$ 416
TPRI2CZ2460	59	3	0.012		16.8	\$ 446
TPRI2CZ2460E	59 1/2	3	0.012		17.0	\$ 464
TPRI2CZ2461	60 1/4	3	0.012		17.7	\$ 464

S Series Worksurfaces

Diagonal Worksurface



Wood Grain
Left worksurface

DESCRIPTION

Diagonal Worksurface to be used as a single or end to end.

SPECIFICATIONS


- o Surface Thickness 3/4"
- o Support beam and attachment hardware are included.
- o Support beams are standard in galvanized
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown.

NOTES

- o Legs are listed separately and individually.
- o Can be used with initial and intermediate leg.
- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.


SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.



Left

Model No.	Depth-F1	Width	Depth-F2	Vol (m ³)	WT (lb)	M TLP	L LPL
TCDI3055/___	29 1/2	55 1/8	23 5/8	0.040	16.4	\$ 919	\$ 1,192
TCDI3060/___	29 1/2	59	23 5/8	0.040	16.8	\$ 931	\$ 1,209
TCDI3072/___	29 1/2	70 7/8	23 5/8	0.050	21.7	\$ 979	\$ 1,271
TCDI3078/___	29 1/2	78 3/4	23 5/8	0.050	25.0	\$ 992	\$ 1,289
TCDI3086/___	29 1/2	86 5/8	23 5/8	0.050	31.0	\$ 1,017	\$ 1,320



Right

Model No.	Depth-F1	Width-A	Depth-F2	Vol (m ³)	WT (lb)	M TLP	L LPL
TCDD3055/___	23 5/8	55 1/8	29 1/2	0.040	16.4	\$ 919	\$ 1,192
TCDD3060/___	23 5/8	59	29 1/2	0.040	16.8	\$ 931	\$ 1,209
TCDD3072/___	23 5/8	70 7/8	29 1/2	0.050	21.7	\$ 979	\$ 1,271
TCDD3078/___	23 5/8	78 3/4	29 1/2	0.050	25.0	\$ 992	\$ 1,289
TCDD3086/___	23 5/8	86 5/8	29 1/2	0.050	31.0	\$ 1,017	\$ 1,320

Power Supply Cut Options

LG

Left Grommet



\$ 6

RG

Right Grommet



\$ 6

DG

Double Grommet



\$ 12

FL


Front Flip-up Lid



\$ 45

S Series Worksurfaces

Diagonal Return Worksurface



Wood Grain
Left cover

DESCRIPTION

Diagonal Return must be attached to support beams of a single main table.

SPECIFICATIONS


- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Beams and hardware included

NOTES

- o Legs are listed separately and individually.
- o Can be used with initial and intermediate leg.
- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.


SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.



24" Depth

Model No.	Depth-F	Width-A	Depth-F'	Vol (m ³)	WT (lb)	M TLP	L LPL
TCLDI2436/___	17 3/4	35 3/8	23 5/8	0.020	14.4	\$ 749	\$ 811
TCLDI2448/___	17 3/4	47 1/4	23 5/8	0.030	17.5	\$ 795	\$ 850
TCLDI2455/___	17 3/4	55 1/8	23 5/8	0.030	22.3	\$ 993	\$ 854
TCLDI2460/___	17 3/4	59	23 5/8	0.030	22.2	\$ 1,010	\$ 1,227



30" Depth

Model No.	Depth-F	Width-A	Depth-F'	Vol (m ³)	WT (lb)	M TLP	L LPL
TCLDI3036/___	23 5/8	35 3/8	29 1/2	0.020	14.4	\$ 670	\$ 812
TCLDI3048/___	23 5/8	47 1/4	29 1/2	0.030	17.5	\$ 706	\$ 856
TCLDI3055/___	23 5/8	55 1/8	29 1/2	0.030	22.3	\$ 1,029	\$ 1,335
TCLDI3060/___	23 5/8	59	29 1/2	0.030	22.2	\$ 1,041	\$ 1,353

Power Supply Cut Options

LG

Left Grommet



\$ 6

RG

Right Grommet



\$ 6

DG

Double Grommet



\$ 12

FL


Front Flip-up Lid



\$ 45

S Series Worksurfaces

Diagonal Return Worksurface



Wood Grain
Left cover

DESCRIPTION

Diagonal Return must be attached to support beams of a single main table.

SPECIFICATIONS

- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Beams and hardware included

NOTES

- o Legs are listed separately and individually.
- o Can be used with initial and intermediate leg.
- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.

SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.

		24" Depth							
		Model No.	Depth-F1	Width	Depth-F2	Vol (m ³)	WT (lb)	M TLP	L LPL
		TCLDD2436/___	17 3/4	35 3/8	23 5/8	0.03	15.0	\$ 749	\$ 811
		TCLDD2448/___	17 3/4	47 1/4	23 5/8	0.03	18.2	\$ 795	\$ 850
		TCLDD2455/___	17 3/4	55 1/8	23 5/8	0.04	23.2	\$ 993	\$ 854
		TCLDD2460/___	17 3/4	59	23 5/8	0.04	23.2	\$ 1,010	\$ 1,227

		30" Depth							
		Model No.	Depth-F1	Width	Depth-F2	Vol (m ³)	WT (lb)	M TLP	L LPL
		TCLDD3036/___	23 5/8	35 3/8	29 1/2	0.03	15.0	\$ 670	\$ 812
		TCLDD3048/___	23 5/8	47 1/4	29 1/2	0.03	18.2	\$ 706	\$ 856
		TCLDD3055/___	23 5/8	55 1/8	29 1/2	0.04	23.2	\$ 1,029	\$ 1,335
		TCLDD3060/___	23 5/8	59	29 1/2	0.04	23.2	\$ 1,041	\$ 1,353

Power Supply Cut Options

LG

Left Grommet



\$ 6

RG

Right Grommet



\$ 6

DG

Double Grommet



\$ 12

FL


Front Flip-up Lid




\$ 45

S Series Worksurfaces


Diagonal Benching Worksurface




Wood Grain



Diagonal Benching Worksurface with Central Gap



Wood Grain



DESCRIPTION

Diagonal benching worksurfaces supported by legs.

SPECIFICATIONS

- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Beams and hardware included

NOTES

- o Legs are listed separately and individually.
- o Can be used with initial and intermediate leg.
- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.

SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.

Model No.	Depth-F1	Width-A	Depth-F2	Vol (m ³)	WT (lb)	M TLP	L LPL
TCDE3055/_	29 1/2	55 1/8	23 5/8	0.02	14.4	\$ 1,835	\$ 2,382
TCDE3060/_	29 1/2	59	23 5/8	0.03	17.5	\$ 1,860	\$ 2,417
TCDE3072/_	29 1/2	70 7/8	23 5/8	0.03	22.3	\$ 1,955	\$ 2,540
TCDE3078/_	29 1/2	78 3/4	23 5/8	0.03	22.2	\$ 1,983	\$ 2,573
TCDE3086/_	29 1/2	86 5/8	23 5/8	0.02	14.4	\$ 2,032	\$ 2,640

DESCRIPTION

Diagonal benching worksurfaces with central gap supported by legs.

SPECIFICATIONS

- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Beams and hardware included
- o 10mm or 30mm central gap according to legs.

NOTES

- o Legs are listed separately and individually.
- o Can be used with initial and intermediate leg.
- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.


SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.


Model No.	Depth-F1	Width-A	Depth-F2	Vol (m ³)	WT (lb)	M TLP	L LPL
TCDEE3055/_	29 1/2	55 1/8	23 5/8	0.03	17.5	\$ 2,018	\$ 2,620
TCDEE3060/_	29 1/2	59	23 5/8	0.03	22.3	\$ 2,061	\$ 2,677
TCDEE3072/_	29 1/2	70 7/8	23 5/8	0.03	22.2	\$ 2,195	\$ 2,852
TCDEE3078/_	29 1/2	78 3/4	23 5/8	0.03	15.0	\$ 2,233	\$ 2,899
TCDEE3086/_	29 1/2	86 5/8	23 5/8	0.03	18.2	\$ 2,295	\$ 2,981

S Series Worksurfaces

Diagonal Benching Worksurface with Central Rail



Wood Grain



DESCRIPTION

Diagonal benching worksurface with central rail for accessories.

SPECIFICATIONS

- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Beams and hardware included
- o Includes 30mm center rail

NOTES

- o Legs are listed separately and individually.
- o Can be used with initial and intermediate leg.
- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.

SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.

Model No.	Depth-F1	Width-A	Depth-F2	Riel	WT (lb)	M TLP	L LPL
TCDER3055/___	29 1/2	55 1/8	23 5/8	1 1/8	34.7	\$ 2,202	\$ 2,859
TCDER3060/___	29 1/2	59	23 5/8	1 1/8	35.5	\$ 2,261	\$ 2,937
TCDER3072/___	29 1/2	70 7/8	23 5/8	1 1/8	45.7	\$ 2,435	\$ 3,164
TCDER3078/___	29 1/2	78 3/4	23 5/8	1 1/8	56.1	\$ 2,484	\$ 3,224
TCDER3086/___	29 1/2	86 5/8	23 5/8	1 1/8	64.9	\$ 2,559	\$ 3,323

Power Supply Cut Options

LG

Left Grommet



\$ 12

RG

Right Grommet



\$ 12

DG

Double Grommet



\$ 24

FL


Front Flip-up Lid



\$ 91

S Series Worksurfaces

Transition Worksurface



Wood Grain
Left worksurface

DESCRIPTION

Transition Worksurface to be used as a single or end to end.

SPECIFICATIONS


- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Beams and hardware included

NOTES

- o Legs are listed separately and individually
- o Can be used with initial and intermediate leg.
- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.


SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.



Left

Model No.	Depth-F1	Width-A	Depth-F2	Vol (m ³)	WT (lb)	M TLP		L LPL	
TCTI3055/___	29 1/2	55 1/8	23 5/8	0.04	16.4	\$	930	\$	1,207
TCTI3060/___	29 1/2	59	23 5/8	0.04	16.8	\$	944	\$	1,225
TCTI3072/___	29 1/2	70 7/8	23 5/8	0.05	21.7	\$	991	\$	1,286
TCTI3078/___	29 1/2	78 3/4	23 5/8	0.05	25.0	\$	1,004	\$	1,303
TCTI3086/___	29 1/2	86 5/8	23 5/8	0.05	31.0	\$	1,029	\$	1,335



Right

Model No.	Depth-F1	Width-A	Depth-F2	Vol (m ³)	WT (lb)	M TLP		L LPL	
TCTD3055/___	23 5/8	55 1/8	29 1/2	0.04	42.6	\$	930	\$	1,207
TCTD3060/___	23 5/8	59	29 1/2	0.04	44.7	\$	944	\$	1,225
TCTD3072/___	23 5/8	70 7/8	29 1/2	0.05	56.2	\$	991	\$	1,286
TCTD3078/___	23 5/8	78 3/4	29 1/2	0.05	57.8	\$	1,004	\$	1,303
TCTD3086/___	23 5/8	86 5/8	29 1/2	0.05	79.7	\$	1,029	\$	1,335

Power Supply Cut Options

LG

Left Grommet



\$ 6

RG

Right Grommet



\$ 6

DG

Double Grommet



\$ 12

FL


Front Flip-up Lid



\$ 45

S Series Worksurfaces

Transition Return Worksurface



Wood Grain
Left worksurface

DESCRIPTION

Transition Return must be attached to support beams of a single main table.

SPECIFICATIONS


- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Beams and hardware included

NOTES

- o Legs are listed separately and individually.
- o Can be used with initial and intermediate leg.
- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.


SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.



Depth 24"

Model No.	Depth-F1	Width-A	Depth-F2	Vol (m ³)	WT (lb)	M TLP	L LPL
TCLTI2455/___	17 3/4	55 1/8	23 5/8	0.03	15.6	\$ 777	\$ 1,008
TCLTI2460/___	17 3/4	59	23 5/8	0.03	15.8	\$ 790	\$ 1,025



Depth 30"

Model No.	Depth-F1	Width-A	Depth-F2	Vol (m ³)	WT (lb)	M TLP	L LPL
TCLTI3055/___	23 5/8	55 1/8	29 1/2	0.04	16.4	\$ 1,040	\$ 1,350
TCLTI3060/___	23 5/8	59	29 1/2	0.04	16.8	\$ 1,054	\$ 1,368

Power Supply Cut Options

LG

Left Grommet



\$ 6

RG

Right Grommet



\$ 6

DG

Double Grommet



\$ 12

FL


Front Flip-up Lid



\$ 45

S Series Worksurfaces

Transition Return Worksurface



Wood Grain
Right worksurface

DESCRIPTION

Transition Return must be attached to support beams of a single main table

SPECIFICATIONS


- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Beams and hardware included

NOTES

- o Legs are listed separately and individually.
- o Can be used with initial and intermediate leg.
- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.


SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.



Depth 24"

Model No.	Depth-F1	Width-A	Depth-F2	Vol (m ³)	WT (lb)	M TLP		L LPL	
TCLTD2455/___	17 3/4	55 1/8	23 5/8	0.03	15.6	\$	400	\$	342
TCLTD2460/___	17 3/4	59	23 5/8	0.03	15.8	\$	400	\$	372



Depth 30"

Model No.	Depth-F1	Width-A	Depth-F2	Vol (m ³)	WT (lb)	M TLP		L LPL	
TCLTD3055/___	23 5/8	55 1/8	29 1/2	0.03	15.6	\$	481	\$	407
TCLTD3060/___	23 5/8	59	29 1/2	0.03	15.8	\$	407	\$	447

Power Supply Cut Options

LG

Left Grommet



\$ 6

RG

Right Grommet



\$ 6

DG

Double Grommet



\$ 12

FL


Front Flip-up Lid




\$ 45

S Series Worksurfaces

Transition Benching Worksurface



Wood Grain



DESCRIPTION

Transition benching worksurfaces supported by legs.

SPECIFICATIONS

- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Beams and hardware included

NOTES


- o Legs are listed separately and individually.
- o Can be used with initial and intermediate leg.
- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.

SPECIFY ON ORDER


1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.

Model No.	Depth-F1	Width-A	Depth-F2	Vol (m ³)	WT (lb)	M TLP	L LPL
TCTE3055/_	29 1/2	55 1/8	23 5/8	0.04	34.7	\$ 1,857	\$ 2,411
TCTE3060/_	29 1/2	59	23 5/8	0.04	35.5	\$ 1,885	\$ 2,448
TCTE3072/_	29 1/2	70 7/8	23 5/8	0.05	45.7	\$ 1,979	\$ 2,570
TCTE3078/_	29 1/2	78 3/4	23 5/8	0.05	56.1	\$ 2,005	\$ 2,604
TCTE3086/_	29 1/2	86 5/8	23 5/8	0.05	64.9	\$ 2,055	\$ 2,667

Transition Benching Worksurface with Central Gap



Wood Grain



DESCRIPTION

Transition benching worksurfaces with central gap supported by legs.

SPECIFICATIONS

- o Thickness of surface .75 "
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Beams and hardware included
- o 10mm or 30 mm central rail according to legs

NOTES

- o Legs are listed separately and individually.
- o Can be used with initial and middle leg.
- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.


SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.


Model No.	Depth-F1	Width-A	Depth-F2	Vol (m ³)	WT (lb)	M TLP	L LPL
TCTEE3055/_	29 1/2	55 1/8	23 5/8	0.04	34.7	\$ 2,041	\$ 2,649
TCTEE3060/_	29 1/2	59	23 5/8	0.04	35.5	\$ 2,086	\$ 2,709
TCTEE3072/_	29 1/2	70 7/8	23 5/8	0.05	45.7	\$ 2,218	\$ 2,881
TCTEE3078/_	29 1/2	78 3/4	23 5/8	0.05	56.1	\$ 2,256	\$ 2,929
TCTEE3086/_	29 1/2	86 5/8	23 5/8	0.05	64.9	\$ 2,317	\$ 3,009

S Series Worksurfaces

Transition Benching Worksurface with center rail



Wood Grain



DESCRIPTION

Transition benching worksurfaces with central rail supported by legs.

SPECIFICATIONS

- o Surface Thickness 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown
- o Beams and hardware included
- o Center rail included

NOTES

- o Legs are listed separately and individually.
- o Can be used with initial and Intermediate leg.
- o Worksurface color defines Flip up lid color.
- o Code 00 for No Power Supply Cut.

SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Electrification option.
5. Grommet color.
6. Structure color.

Model No.	Depth-F1	Width-A	Depth-F2	Riel	WT. (lb)	M TLP	L LPL
TCDER3055/___	29 1/2	55 1/8	23 5/8	1 1/6	42.6	\$ 2,224	\$ 2,889
TCDER3060/___	29 1/2	59	23 5/8	1 1/6	44.7	\$ 2,287	\$ 2,969
TCDER3072/___	29 1/2	70 7/8	23 5/8	1 1/6	56.2	\$ 2,459	\$ 3,193
TCDER3078/___	29 1/2	86 5/8	23 5/8	1 1/6	57.8	\$ 2,507	\$ 3,255
TCDER3086/___	29 1/2	86 5/8	23 5/8	1 1/6	79.7	\$ 2,581	\$ 3,353

Power Supply Cut Options

LG

Left Grommet



\$ 12

RG

Right Grommet



\$ 12

DG

Double Grommet



\$ 24

FL


Front Flip-up Lid




\$ 91

S Series Legs

Portico Leg




Left position.



Right position.

18", 24" and 30" depth

Portico Leg for Benching



48", 49", 60" and 61" depth.

DESCRIPTION

Legs to support "S" Series worksurfaces.

NOTES

- o Can be use on left or right side.

SPECIFICATIONS

- o Powder-coat paint finish.
- o Includes leveling glides.

SPECIFY ON ORDER

1. Quantity.
2. Model Number.
3. Paint color.

Left position

Model No.	Depth-F	Height	Vol. m ³	WT. (lb)	Price
TPSP18L	17 3/4	27 3/8	0.016	11.6	\$ 271
TPSP24L	23 5/8	27 3/8	0.021	12.3	\$ 292
TPSP30L	29 1/2	27 3/8	0.026	13.1	\$ 303

Right position

Model No.	Depth-F	Height	Vol. m ³	WT. (lb)	Price
TPSP18R	17 3/4	27 3/8	0.016	11.6	\$ 271
TPSP24R	23 5/8	27 3/8	0.021	12.3	\$ 292
TPSP30R	29 1/2	27 3/8	0.026	13.1	\$ 303

DESCRIPTION

Legs to support "S" Series worksurfaces.

NOTES

- o Can be use on left or right side.

SPECIFICATIONS

- o Powder-coat paint finish.
- o Includes leveling glides.


SPECIFY ON ORDER

1. Quantity.
2. Model Number.
3. Paint color.


Model No.	Depth-F	Height	Vol. m ³	WT. Lb	Price
TPSP48	47 1/4	27 3/8	0.042	16.4	\$ 339
TPSP48E	47 5/8	27 3/8	0.043	17.4	\$ 342
TPSP49	48 3/8	27 3/8	0.043	18.1	\$ 342
TPSP60	59	27 3/8	0.053	18.8	\$ 372
TPSP60E	59 1/2	27 3/8	0.053	19.2	\$ 400
TPSP61	60 1/4	27 3/8	0.054	20.8	\$ 400

S Series Legs

Loop Leg




Left position.



Right position.

18", 24" and 30" depth

Loop Leg for Benching



48", 49", 60" and 61" depth.

DESCRIPTION

Legs to support "S" Series worksurfaces.

NOTES

- o Legs are listed separately

SPECIFICATIONS

- o Powder-coat paint finish.
- o Includes leveling glides.

intermediate legs.

SPECIFY ON ORDER

1. Quantity.
2. Model Number.
3. Paint color.

Left position

Model No.	Depth-F	Height	Vol. m ³	WT. Lb	Price
TPSM18L	17 3/4	27 3/8	0.016	15.1	\$ 407
TPSM24L	23 5/8	27 3/8	0.021	15.3	\$ 447
TPSM30L	29 1/2	27 3/8	0.026	16.8	\$ 481

Right position

Model No.	Depth-F	Height	Vol. m ³	WT. Lb	Price
TPSM18R	17 3/4	27 3/8	0.016	15.1	\$ 407
TPSM24R	23 5/8	27 3/8	0.021	15.3	\$ 447
TPSM30R	29 1/2	27 3/8	0.026	16.8	\$ 481

DESCRIPTION

Legs to support "S" Series worksurfaces.

NOTES

- o Legs are listed separately and individually.
- o Can be used with initial and intermediate legs.

SPECIFICATIONS

- o Powder-coat paint finish.
- o Includes leveling glides.


SPECIFY ON ORDER

1. Quantity.
2. Model Number.
3. Paint color.


Model No.	Depth-F	Height	Vol. m ³	WT. (Lbs)	Price
TPSM48	47 1/4	27 3/8	0.042	23.0	\$ 550
TPSM48E	47 5/8	27 3/8	0.043	23.8	\$ 566
TPSM49	47 5/8	27 3/8	0.043	24.6	\$ 566
TPSM60	59	27 3/8	0.053	26.3	\$ 630
TPSM60E	59 1/2	27 3/8	0.053	27.1	\$ 692
TPSM61	60 1/4	27 3/8	0.054	29.0	\$ 692

S Series Legs

Panel Leg



Left position.



Right position.

18", 24" and 30" depth

DESCRIPTION

Legs to support "S" Series worksurfaces.

NOTES

- o Can be use on left or right side.

SPECIFICATIONS

- o Surface Thickness 3/4"
- o All edges have 2mm PVC.
- o Includes leveling glides.
- o Wood grain direction as shown.

SPECIFY ON ORDER

1. Quantity.
2. Model Number.
3. Paint number
4. Laminated option
5. Laminated color


Left position

Model No.	Depth-F	Height	Vol. m ³	WT. (Lb)	M TLP	L LPL
TPSN18L/___	17 3/4	27 3/8	0.016	9.65928	\$ 396	\$ 512
TPSN24L/___	23 5/8	27 3/8	0.021	11.0856	\$ 453	\$ 586
TPSN30L/___	29 1/2	27 3/8	0.026	12.7766	\$ 475	\$ 618

Right position

Model No.	Depth-F	Height	Vol. m ³	WT. (Lb)	M TLP	L LPL
TPSN18R/___	17 3/4	27 3/8	0.016	9.65928	\$ 396	\$ 512
TPSN24R/___	23 5/8	27 3/8	0.021	11.0856	\$ 453	\$ 586
TPSN30R/___	29 1/2	27 3/8	0.026	12.7766	\$ 475	\$ 618

Panel Leg for Benching



48", 49", 60" and 61" depth.

DESCRIPTION

Legs to support "S" Series worksurfaces.

NOTES

- o Can be use on left or right side.

SPECIFICATIONS

- o Surface Thickness 3/4"
- o All edges have 2mm PVC.
- o Includes leveling glides.
- o Wood grain direction as shown.


SPECIFY ON ORDER

1. Quantity.
2. Model Number.
3. Paint number
4. Laminate option
5. Laminate color


Model No.	Depth-F	Height	Vol. m ³	WT. Lb	M TLP	L LPL
TPSN48/___	47 1/4	27 3/8	0.042	16.1296	\$ 611	\$ 767
TPSN48E/___	47 3/4	27 3/8	0.043	16.5995	\$ 694	\$ 902
TPSN49/___	47 3/4	27 3/8	0.043	17.4291	\$ 921	\$ 1,090
TPSN60/___	59	27 3/8	0.053	18.6515	\$ 945	\$ 1,115
TPSN60E/___	59 1/2	27 3/8	0.053	19.1215	\$ 946	\$ 1,116
TPSN61/___	60 1/4	27 3/8	0.054	20.3039	\$ 947	\$ 1,117

S Series Legs

Intermediate Leg



18", 24" and 30" depth



48", 49", 60" and 61" depth.

DESCRIPTION

Legs to support "S" Series worksurfaces

SPECIFICATIONS

- o Powder-coat paint finish.
- o Includes leveling glides.

NOTES

- o Only used as intermediate union between two worksurfaces.

SPECIFY ON ORDER

1. Quantity.
2. Model Number.
3. Paint color.

Model No.	Depth-F	Height	Vol. m ³	WT. Lb	Price
TPSI18	17 3/4	27 3/8	0.032	12.1	\$ 314
TPSI24	23 5/8	27 3/8	0.042	12.6	\$ 325
TPSI30	29 1/2	27 3/8	0.053	14.4	\$ 354
TPSI48	47 1/4	27 3/8	0.085	20.6	\$ 407
TPSI48E	47 3/4	27 3/8	0.085	21.0	\$ 416
TPSI49	48 3/8	27 3/8	0.087	22.0	\$ 416
TPSI60	59	27 3/8	0.106	24.1	\$ 446
TPSI60E	59 1/2	27 3/8	0.107	24.5	\$ 464
TPSI61	60 1/4	27 3/8	0.108	25.0	\$ 464

S Series Legs

Support Legs for 19"H Credenza

DESCRIPTION

One side support leg for 19"H credenza

NOTES

- o Specify left or right.


SPECIFICATIONS

- o Powder-coat paint finish.
- o Includes leveling glides.


SPECIFY ON ORDER

1. Model Number.
2. Structure color.

One Short Sided Portico Leg.



24" and 30" depth

48", 49", 60"
and 61" depth.

24" and 30" depth

48", 49", 60"
and 61" depth.


Left

Model No.	Depth-F	Height	Vol. m ³	Application	WT. Lb	Price
TPSP1CZI1918	17 3/4	27 3/8	0.016		8.7	\$ 271
TPSP1CZI1924	23 5/8	27 3/8	0.021		9.4	\$ 292
TPSP1CZI1930	29 1/2	27 3/8	0.026		10.3	\$ 303
TPSP1CZI1948	47 1/4	27 3/8	0.042		13.6	\$ 339
TPSP1CZI1948E	47 3/4	27 3/8	0.043		14.0	\$ 342
TPSP1CZI1949	48 3/8	27 3/8	0.043		15.2	\$ 342
TPSP1CZI1960	59	27 3/8	0.053		15.7	\$ 372
TPSP1CZI1960E	59 1/2	27 3/8	0.053		16.1	\$ 400
TPSP1CZI1961	60 1/4	27 3/8	0.054		17.9	\$ 400

Right

Model No.	Depth-F	Height	Vol. m ³	Application	WT. Lb	Price
TPSP1CZD1918	17 3/4	27 3/8	0.016		8.7	\$ 4,487
TPSP1CZD1924	23 5/8	27 3/8	0.021		9.4	\$ 4,668
TPSP1CZD1930	29 1/2	27 3/8	0.026		10.3	\$ 7,159
TPSP1CZD1948	47 1/4	27 3/8	0.042		13.6	\$ 7,494
TPSP1CZD1948E	47 3/4	27 3/8	0.043		14.0	\$ 5,512
TPSP1CZD1949	48 3/8	27 3/8	0.043		15.2	\$ 5,770
TPSP1CZD1960	59	27 3/8	0.053		15.7	\$ 292
TPSP1CZD1960E	59 1/2	27 3/8	0.053		16.1	\$ 303
TPSP1CZD1961	60 1/4	27 3/8	0.054		17.9	\$ 339

Leg Supported Over Credenza.



24" and 30" depth


48", 49", 60"
and 61" depth.

Model No.	Depth-F	Height	Vol. m ³	Application	WT. Lb	Price
TPS2CZ1918	17 3/4	8 3/8	0.005		5.8	\$ 233
TPS2CZ1924	23 5/8	8 3/8	0.006		6.6	\$ 254
TPS2CZ1930	29 1/2	8 3/8	0.008		7.2	\$ 271
TPS2CZ1948	47 1/4	8 3/8	0.013		9.6	\$ 309
TPS2CZ1948E	47 3/4	8 3/8	0.013		11.7	\$ 332
TPS2CZ1949	48 3/8	8 3/8	0.013		12.4	\$ 332
TPS2CZ1960	59	8 3/8	0.016		12.8	\$ 339
TPS2CZ1960E	59 1/2	8 3/8	0.016		13.3	\$ 367
TPS2CZ1961	60 1/4	8 3/8	0.017		15.1	\$ 367

S Series Legs

Support Legs for 19"H Credenza

One Short Sided Intermediate Leg.




24" and 30" depth

48", 49", 60"
and 61" depth.

Model No.	Depth-F	Height	Vol. m ³	Application	WT.lb	Price
TPSI1CZ1924	23 5/8	27 3/8	0.042		9.7	\$ 325
TPSI1CZ1930	29 1/2	27 3/8	0.053		11.5	\$ 354
TPSI1CZ1948	47 1/4	27 3/8	0.085		15.5	\$ 407
TPSI1CZ1948E	47 3/4	27 3/8	0.085		17.7	\$ 416
TPSI1CZ1949	48 3/8	27 3/8	0.087		19.2	\$ 416
TPSI1CZ1960	59	27 3/8	0.106		21.2	\$ 446
TPSI1CZ1960E	59 1/2	27 3/8	0.107		21.7	\$ 464
TPSI1CZ1961	60 1/4	27 3/8	0.108		22.1	\$ 464

Intermediate Leg Supported Over Credenza.



24" and 30" depth

48", 49", 60"
and 61" depth.

Model No.	Depth-F	Height	Vol. m ³	Application	WT. Lb	Price
TPSI2CZ1924	23 5/8	8 3/8	0.013		7.1	\$ 325
TPSI2CZ1930	29 1/2	8 3/8	0.016		8.6	\$ 354
TPSI2CZ1948	47 1/4	8 3/8	0.026		14.8	\$ 407
TPSI2CZ1948E	47 3/4	8 3/8	0.026		15.3	\$ 416
TPSI2CZ1949	48 3/8	8 3/8	0.027		16.3	\$ 416
TPSI2CZ1960	59	8 3/8	0.032		18.3	\$ 446
TPSI2CZ1960E	59 1/2	8 3/8	0.033		18.8	\$ 464
TPSI2CZ1961	60 1/4	8 3/8	0.033		19.2	\$ 464

S Series Legs

Support Legs for 24"H Credenza

DESCRIPTION

Legs to support "S" Series
worksurfaces over 24"
height credenza.

NOTES

- o Left and Right option available


SPECIFICATIONS

- o Powder-coat paint finish.
- o Attachment hardware are included.
- o Includes leveling glides.

SPECIFY ON ORDER

1. Quantity.
2. Model Number.
3. Paint color.

One Short Sided Portico Leg.




Left position

Model No.	Depth-F	Height	Vol. m ³	Application	WT. Lb	Price
TPSP1CZI2418	17 6/8	27 3/8	0.016		7.9	\$ 271
TPSP1CZI2424	23 5/8	27 3/8	0.021		8.7	\$ 292
TPSP1CZI2430	29 4/8	27 3/8	0.026		9.5	\$ 303
TPSP1CZI2448	47 2/8	27 3/8	0.042		12.8	\$ 339
TPSP1CZI2448E	47 5/8	27 3/8	0.043		13.3	\$ 342
TPSP1CZI2449	48 3/8	27 3/8	0.043		14.5	\$ 342
TPSP1CZI2460	59	27 3/8	0.053		14.9	\$ 372
TPSP1CZI2460E	59 4/8	27 3/8	0.053		15.4	\$ 400
TPSP1CZI2461	60 2/8	27 3/8	0.054		17.2	\$ 400

Right position

Model No.	Depth-F	Height	Vol. m ³	Application	WT. Lb	Price
TPSP1CZD2418	17 6/8	27 3/8	0.016		7.9	\$ 271
TPSP1CZD2424	23 5/8	27 3/8	0.021		8.7	\$ 292
TPSP1CZD2430	29 4/8	27 3/8	0.026		9.5	\$ 303
TPSP1CZD2448	47 2/8	27 3/8	0.042		12.8	\$ 339
TPSP1CZD2448E	47 5/8	27 3/8	0.043		13.3	\$ 342
TPSP1CZD2449	48 3/8	27 3/8	0.043		14.5	\$ 342
TPSP1CZD2460	59	27 3/8	0.053		14.9	\$ 372
TPSP1CZD2460E	59 4/8	27 3/8	0.053		15.4	\$ 400
TPSP1CZD2461	60 2/8	27 3/8	0.054		17.2	\$ 400

Leg Supported Over Credenza.




Model No.	Depth-F	Height	Vol. m ³	Application	Price
TPS2CZ2418	17 6/8	8 3/8	0.005		4.3 \$ 233
TPS2CZ2424	23 5/8	8 3/8	0.006		5.1 \$ 254
TPS2CZ2430	29 4/8	8 3/8	0.008		5.9 \$ 271
TPS2CZ2448	47 2/8	8 3/8	0.013		9.2 \$ 309
TPS2CZ2448E	47 5/8	8 3/8	0.013		9.7 \$ 332
TPS2CZ2449	48 3/8	8 3/8	0.013		10.9 \$ 332
TPS2CZ2460	59	8 3/8	0.016		11.3 \$ 339
TPS2CZ2460E	59 4/8	8 3/8	0.016		11.8 \$ 367
TPS2CZ2461	60 2/8	8 3/8	0.017		13.6 \$ 367

S Series Legs

Support Legs for 24"H Credenza

One Short Sided Intermediate Leg.




24" and 30" depth

48", 49", 60"
and 61" depth.

Model No.	Depth-F	Height	Vol. m ³	Application	WT. Lb	Price
TPSI1CZ2424	23 5/8	27 3/8	0.042		9.0	\$ 325
TPSI1CZ2430	29 1/2	27 3/8	0.053		10.7	\$ 354
TPSI1CZ2448	47 1/4	27 3/8	0.085		16.9	\$ 407
TPSI1CZ2448E	47 3/4	27 3/8	0.085		17.4	\$ 416
TPSI1CZ2449	48 3/8	27 3/8	0.087		18.4	\$ 416
TPSI1CZ2460	59	27 3/8	0.106		20.5	\$ 446
TPSI1CZ2460E	59 4/8	27 3/8	0.107		20.9	\$ 464
TPSI1CZ2461	60 1/4	27 3/8	0.108		21.3	\$ 464

Intermediate Leg Supported Over Credenza.




24" and 30" depth

48", 49", 60"
and 61" depth.

Model No.	Depth-F	Height	Vol. m ³	Application	WT. Lb	Price
TPSI2CZ2424	23 5/8	3	0.005		5.4	\$ 325
TPSI2CZ2430	29 1/2	3	0.006		7.1	\$ 354
TPSI2CZ2448	47 1/4	3	0.009		13.3	\$ 407
TPSI2CZ2448E	47 3/4	3	0.009		13.8	\$ 416
TPSI2CZ2449	48 3/8	3	0.009		14.8	\$ 416
TPSI2CZ2460	59	3	0.012		16.8	\$ 446
TPSI2CZ2460E	59 4/8	3	0.012		17.3	\$ 464
TPSI2CZ2461	60 1/4	3	0.012		15.5	\$ 464

Accessories

Single Sided Cable Tray



DESCRIPTION

Single sided cable tray distributes power and voice and data wires.

NOTES


- The cable tray is requested in the same width as the worksurface.

SPECIFICATIONS


- Powder-coat painted finish.
- It is placed on the support beams.

SPECIFY ON ORDER


- Model Number.
- Paint finish.



Model No.	Width-A	Height	Vol. m ³	Application	WT. Lb	Price
TCES30	29 1/2	5 1/2	0.020		2.7	\$ 84
TCES36	35 1/2	5 1/2	0.020		4.1	\$ 93
TCES40	39 3/8	5 1/2	0.020		4.5	\$ 100
TCES48	47 1/4	5 1/2	0.030		5.4	\$ 115
TCES55	55 1/8	5 1/2	0.030		8.2	\$ 125
TCES60	59	5 1/2	0.030		8.6	\$ 131
TCES72	70 7/8	5 1/2	0.040		10.2	\$ 147
TCES78	78 3/4	5 1/2	0.040		12.2	\$ 158
TCES86	86 5/8	5 1/2	0.050		12.8	\$ 169



Model No.	Width-A	Height	Vol. m ³	Application	WT. Lb	Price
TCESCZ48	47 1/4	5 1/2	0.020		3.3	\$ 115
TCESCZ55	55 1/8	5 1/2	0.020		5.4	\$ 119
TCESCZ60	59	5 1/2	0.020		5.4	\$ 124
TCESCZ72	70 7/8	5 1/2	0.030		7.3	\$ 140
TCESCZ78	78 3/4	5 1/2	0.030		7.7	\$ 149
TCESCZ86	86 5/8	5 1/2	0.040		8.2	\$ 160




Model No.	Width-A	Height	Vol. m ³	WT. (Lbs)	Price
TCESL	8 1/2	5 1/2		--	

IMPORTANT NOTE: It only applies to covers 29 1/2" depth.

Do not use on 19" height credenza

Accessories

Double Sided Cable Tray



DESCRIPTION

Double sided cable tray distributes power and voice and data wires.

NOTES


- o The cable tray is requested in the same width as the worksurface.

SPECIFICATIONS


- o Powder-coat painted finish.
- o It is placed on the support beams

SPECIFY ON ORDER

1. Model Number.
2. Paint finish.



Model No.	Width-A	Height	Vol. m ³	Application	WT. Lb	Price
TCED30	29 1/2	5 1/2	0.040		5.9	\$ 142
TCED36	35 1/2	5 1/2	0.050		7.4	\$ 169
TCED40	39 3/8	5 1/2	0.060		8.9	\$ 196
TCED48	47 1/4	5 1/2	0.070		10.3	\$ 214
TCED55	55 1/8	5 1/2	0.090		12.3	\$ 229
TCED60	59	5 1/2	0.090		13.3	\$ 240
TCED72	70 7/8	5 1/2	0.110		16.2	\$ 275
TCED78	78 3/4	5 1/2	0.130		18.2	\$ 302
TCED86	86 5/8	5 1/2	0.140		19.7	\$ 322




Model No.	Width-A	Height	Vol. m ³	Application	WT. Lb	Price
TCEDCZ48	47 1/4	5 1/2	0.040		5.9	\$ 214
TCEDCZ55	55 1/8	5 1/2	0.060		7.7	\$ 229
TCEDCZ60	59	5 1/2	0.060		8.4	\$ 240
TCEDCZ72	70 7/8	5 1/2	0.080		11.6	\$ 261
TCEDCZ78	78 3/4	5 1/2	0.090		13.5	\$ 285
TCEDCZ86	86 5/8	5 1/2	0.110		15.4	\$ 294

2

Accessories

Cable Tray For Headboard Worksurface



Model No.	Width	Height	Vol. m ³	WT. (lb)	Price
TCECB01	18 2/8	5 1/2	0.010	2.6	\$ 127

Wire Infeeds

DESCRIPTION

Wire Infeeds guide the cables from the electrical source to the worksurface.

NOTES

- o Used to guide power and data cables from floor, columns and walls to bottom of worksurfaces.


SPECIFICATIONS

- o Powder-coat painted finish.
- o Base Wire Column includes 2-piece base feed cover and attachment hardware

SPECIFY ON ORDER


1. Model Number.
2. Paint finish.

Base Wire Infeed column




Model No.	Width	Height	Vol. m ³	WT. Lb	Price
TSCT01	11	21 5/8	0.040	9.9	\$ 199

Leg Wire Infeed



Model No.	Width	Height	Vol. m ³	WT. Lb	Price
TSCM01	3 1/8	23 2/8	0.010	2.6	\$ 135


CPU Holder



Model No.	Width	Height	Vol. m ³	WT. (Lbs)	Price
TPCPU01	18 7/8	24 3/8	0.090	11.5	\$ 337

Accessories

Steel Modesty Panel



DESCRIPTION

Modesty panel for worksurface.

NOTES


- The modesty panel is requested in the same width as the worksurface.

SPECIFICATIONS

- Powder-coat painted finish.
- It is placed on the support beams.
- Includes screen and attachment hardware.


SPECIFY ON ORDER

- Model Number.
- Paint finish.




Model No.	Width-A	Height	Vol. m ³	Application	WT. Lb	Price
TFML30	29 1/2	11 3/4	0.003		4.8	\$ 123
TFML36	35 3/8	11 3/4	0.004		5.2	\$ 135
TFML40	39 3/8	11 3/4	0.004		7.8	\$ 146
TFML48	47 1/4	11 3/4	0.005		8.5	\$ 162
TFML55	55 1/8	11 3/4	0.006		9.3	\$ 173
TFML60	59	11 3/4	0.007		10.1	\$ 182
TFML72	70 7/8	11 3/4	0.008		13.0	\$ 206
TFML78	78 3/4	11 3/4	0.009		13.6	\$ 222
TFML86	86 1/2	11 3/4	0.010		15.1	\$ 236

Steel Modesty Panel P1 for Credenza



Model No.	Width-A	Height	Vol. m ³	Application	WT. Lb	Price
TFML1CZ48	47 1/4	11 3/4	0.005		6.0	\$ 146
TFML1CZ55	55 1/8	11 3/4	0.006		7.8	\$ 159
TFML1CZ60	59	11 3/4	0.007		8.7	\$ 167
TFML1CZ72	70 7/8	11 3/4	0.008		11.1	\$ 191
TFML1CZ78	78 3/4	11 3/4	0.009		12.2	\$ 206
TFML1CZ86	86 1/2	11 3/4	0.010		13.0	\$ 224


Steel Modesty Panel P2 for Credenza



Model No.	Width-A	Height	Vol. m ³	Application	WT. Lb	Price
TFML2CZ48	47 1/4	11 3/4	0.005		4.9	\$ 146
TFML2CZ55	55 1/8	11 3/4	0.006		8.2	\$ 156
TFML2CZ60	59	11 3/4	0.007		9.1	\$ 166
TFML2CZ72	70 7/8	11 3/4	0.008		12.2	\$ 185
TFML2CZ78	78 3/4	11 3/4	0.009		12.7	\$ 205
TFML2CZ86	86 5/8	11 3/4	0.010		13.3	\$ 224

Accessories

Perforated Steel Modesty Panel



DESCRIPTION

Modesty panel for worksurface.

NOTES


- o Match modesty panel width to deskings worksurface width.

SPECIFICATIONS

- o Powder-coat painted finish.
- o It is placed on the support beams.
- o Includes screen and attachment hardware.


SPECIFY ON ORDER

1. Model Number.
2. Paint finish.




Model No.	Width	Height	Vol. m ³	Application	WT. Lb	Price
TFMP30	29 1/2	11 3/4	0.003		4.8	\$ 148
TFMP36	35 3/8	11 3/4	0.004		5.2	\$ 160
TFMP40	39 3/8	11 3/4	0.004		7.8	\$ 171
TFMP48	47 1/4	11 3/4	0.005		8.5	\$ 184
TFMP55	55 1/8	11 3/4	0.006		9.3	\$ 200
TFMP60	59	11 3/4	0.007		10.1	\$ 210
TFMP72	70 7/8	11 3/4	0.008		13.0	\$ 237
TFMP78	78 3/4	11 3/4	0.009		13.6	\$ 253
TFMP86	86 5/8	11 3/4	0.010		15.1	\$ 269

Perforated Steel Modesty Panel P1 for Credenza



Model No.	Width	Height	Vol. m ³	Application	WT. Lb	Price
TFMP1CZ48	47 1/4	11 3/4	0.005		6.0	\$ 169
TFMP1CZ55	55 1/8	11 3/4	0.006		7.8	\$ 185
TFMP1CZ60	59	11 3/4	0.007		8.7	\$ 194
TFMP1CZ72	70 7/8	11 3/4	0.008		11.1	\$ 222
TFMP1CZ78	78 3/4	11 3/4	0.009		12.2	\$ 237
TFMP1CZ86	86 5/8	11 3/4	0.010		13.0	\$ 254


Perforated Steel Modesty Panel P2 for Credenza



Model No.	Width	Height	Vol. m ³	Aplicación	WT. Lb	Price
TFMP2CZ48	47 1/4	11 3/4	0.005		4.9	\$ 158
TFMP2CZ55	55 1/8	11 3/4	0.006		8.2	\$ 169
TFMP2CZ60	59	11 3/4	0.007		9.1	\$ 194
TFMP2CZ72	70 7/8	11 3/4	0.008		12.2	\$ 222
TFMP2CZ78	78 3/4	11 3/4	0.009		12.7	\$ 223
TFMP2CZ86	86 5/8	11 3/4	0.010		13.3	\$ 244

Accessories

Laminated Modesty Panel



DESCRIPTION

Modesty panel for worksurface.

SPECIFICATIONS


- o Powder-coat painted finish.
- o It is placed on the support beams.
- o Includes screen and attachment hardware.
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown.

NOTES

- o The modesty panel is requested in the same width as the worksurface.


SPECIFY ON ORDER

1. Model Number.
2. Melamin finish.




Model No.	Width	Vol. m ³	Application	WT. Lb	M TLP	L LPL
TFLL30/___	29 1/2	0.003		1.8	\$ 190	\$ 210
TFLL36/___	35 3/8	0.004		2.0	\$ 206	\$ 233
TFLL40/___	39 3/8	0.004		2.1	\$ 222	\$ 256
TFLL48/___	47 1/4	0.005		2.3	\$ 237	\$ 279
TFLL55/___	55 1/8	0.006		2.6	\$ 243	\$ 299
TFLL60/___	59	0.007		2.7	\$ 318	\$ 400
TFLL72/___	70 7/8	0.008		3.1	\$ 336	\$ 419
TFLL78/___	78 3/4	0.009		3.3	\$ 341	\$ 423
TFLL86/___	86 5/8	0.010		3.6	\$ 346	\$ 4,285

Metal Modesty Panel P1 for Credenza



Model No.	Width	Vol. m ³	Application	WT. Lb	M TLP	L LPL
TFLL1CZ48/___	47 1/4	0.005		2.1	\$ 210	\$ 255
TFLL1CZ55/___	55 1/8	0.006		2.3	\$ 237	\$ 299
TFLL1CZ60/___	59	0.007		2.5	\$ 245	\$ 304
TFLL1CZ72/___	70 7/8	0.008		2.8	\$ 332	\$ 414
TFLL1CZ78/___	78 3/4	0.009		3.1	\$ 336	\$ 419
TFLL1CZ86/___	86 5/8	0.010		3.3	\$ 342	\$ 423


Metal Modesty Panel P2 for Credenza



Model No.	Width	Vol. m ³	Application	WT. (Lbs)	M TLP	L LPL
TFLL2CZ48	47 1/4	0.00539		1.8	\$ 196	\$ 255
TFLL2CZ55	55 1/8	0.00629		2.1	\$ 231	\$ 299
TFLL2CZ60	59	0.00674		2.2	\$ 240	\$ 304
TFLL2CZ72	70 7/8	0.00809		2.6	\$ 299	\$ 389
TFLL2CZ78	78 3/4	0.00899		2.8	\$ 332	\$ 414
TFLL2CZ86	86 5/8	0.00989		3.1	\$ 336	\$ 419

Accessories

Steel Modesty Panel to Worksurface



DESCRIPTION

Modesty panel for worksurface.

NOTES


- The modesty panel is requested in the same width as the worksurface.

SPECIFICATIONS

- Powder-coat painted finish.
- It is placed on the support beams.
- Includes screen and attachment hardware.


SPECIFY ON ORDER

- Model Number.
- Paint finish.




Model No.	Width	Height	Vol. m ³	Application	WT. Lb	Price
TFMC30	29 1/2	11 3/4	0.010		2.6	\$ 119
TFMC36	35 3/8	11 3/4	0.012		2.8	\$ 143
TFMC40	39 3/8	11 3/4	0.013		3.1	\$ 166
TFMC48	47 1/4	11 3/4	0.016		5.0	\$ 189
TFMC55	55 1/8	11 3/4	0.018		6.3	\$ 203
TFMC60	59	11 3/4	0.019		7.7	\$ 215
TFMC72	70 7/8	11 3/4	0.023		9.3	\$ 239
TFMC78	78 3/4	11 3/4	0.026		11.1	\$ 266
TFMC86	86 5/8	11 3/4	0.028		12.0	\$ 292

Steel Modesty Panel to Worksurface P1 Left



Model No.	Width	Height	Vol. m ³	Application	WT. Lb	Price
TFMCI1CZ48	47 1/4	11 3/4	0.016		7.6	\$ 189
TFMCI1CZ55	55 1/8	11 3/4	0.018		8.8	\$ 203
TFMCI1CZ60	59	11 3/4	0.019		10.1	\$ 215
TFMCI1CZ72	70 7/8	11 3/4	0.023		12.7	\$ 239
TFMCI1CZ78	78 3/4	11 3/4	0.026		14.5	\$ 266
TFMCI1CZ86	86 5/8	11 3/4	0.028		16.3	\$ 292


Steel Modesty Panel to Worksurface P1 Right




Model No.	Width	Height	Vol. m ³	Application	WT. Lb	Price
TFMCD1CZ48	47 1/4	11 3/4	0.016		7.6	\$ 189
TFMCD1CZ55	55 1/8	11 3/4	0.018		8.8	\$ 203
TFMCD1CZ60	59	11 3/4	0.019		10.1	\$ 215
TFMCD1CZ72	70 7/8	11 3/4	0.023		12.7	\$ 239
TFMCD1CZ78	78 3/4	11 3/4	0.026		14.5	\$ 266
TFMCD1CZ86	86 5/8	11 3/4	0.028		16.3	\$ 292


Accesorios


Steel Modesty Panel to Worksurface P2 Left




Model No.	Width	Height	Vol. m ³	Application	WT. Lb	Price
TFMCI2CZ48	47 1/4	11 3/4	0.016		5.3	\$ 189
TFMCI2CZ55	55 1/8	11 3/4	0.018		7.5	\$ 203
TFMCI2CZ60	59	11 3/4	0.019		8.4	\$ 215
TFMCI2CZ72	70 7/8	11 3/4	0.023		10.5	\$ 239
TFMCI2CZ78	78 3/4	11 3/4	0.026		12.8	\$ 266
TFMCI2CZ86	86 5/8	11 3/4	0.028		14.5	\$ 292

Steel Modesty Panel to Worksurface P2 Right



Model No.	Width	Height	Vol. m ³	Application	WT. Lb	Price
TFMCD2CZ48	47 1/4	11 3/4	0.016		5.3	\$ 189
TFMCD2CZ55	55 1/8	11 3/4	0.018		7.5	\$ 203
TFMCD2CZ60	59	11 3/4	0.019		8.4	\$ 215
TFMCD2CZ72	70 7/8	11 3/4	0.023		10.5	\$ 239
TFMCD2CZ78	78 3/4	11 3/4	0.026		12.8	\$ 266
TFMCD2CZ86	86 5/8	11 3/4	0.028		14.5	\$ 292

Flat Bracket



DESCRIPTION

Flat Brackets joins edges of two Worksurfaces of the same depth.

SPECIFICATIONS

- o Powder-coat paint finish.

NOTES

- o Ordered individually.


SPECIFY ON ORDER

1. Model Number.
2. Model Number.
3. Color Option

Model No.	WT. Lb	Price
FBT	0.441	\$ 12

Accessories

Paper Management Divider



DESCRIPTION

Frontal paper management divider for accessories.

SPECIFICATIONS


- Extruded aluminum divider.
- Powder-coat painted finish.
- The divider is placed on front rail.

NOTES

- The divider is requested in the same width as the worksurface.
- Accessories are ordered separately.
- Only for central rail worksurfaces.

SPECIFY ON ORDER

- Model Number.
- Paint finish.



Model No.	Height	Width	Vol m ³	WT. Lb	Price
TPTF30	11 3/4	29 1/2	0.01	27.5	\$ 621
TPTF36	11 3/4	35 3/8	0.01	33.7	\$ 745
TPTF40	11 3/4	39 3/8	0.01	40.7	\$ 807
TPTF48	11 3/4	47 1/4	0.01	45.8	\$ 869
TPTF55	11 3/4	55 1/8	0.01	59.4	\$ 995
TPTF60	11 3/4	59	0.01	59.6	\$ 1,056
TPTF72	11 3/4	70 7/8	0.01	68.1	\$ 1,244
TPTF78	11 3/4	78 3/4	0.01	75.6	\$ 1,368
TPTF86	11 3/4	86 5/8	0.01	82.9	\$ 1,493

Accessories for Paper Management Divider

DESCRIPTION

Accessories for paper management divider.

SPECIFICATIONS

- Powder-coat painted finish.

NOTES

- Accessories are placed on the Paper Management Divider.


SPECIFY ON ORDER

- Quantity.
- Model Number.
- Paint finish.

TAC01
Pencil Box




TAC02
Pencil tray



TAC03
Pad Tray




TAC04
Folder Tray



Model No.	Height	Width	Vol m ³	WT. Lb	Price
TAC01	4	4	0.010	0.55	\$ 32
TAC02	4	8	0.010	1.17	\$ 36
TAC03	6	6.5	0.010	0.51	\$ 30
TAC04	18	9 1/2	0.010	2.58	\$ 58

Accessories

Acrylic Divider



DESCRIPTION

Frontal acrylic divider.

SPECIFICATIONS

- o 6mm acrylic divider.
- o Attachment hardware are included
- o The divider is placed on front rail.
- o Attachment hardware are included


NOTES

- o Match central divider width to desking worksurface width.
- o Only for central rail worksurfaces.

SPECIFY ON ORDER


1. Model Number.
2. Paint finish.

Acrylic Frontal Divider for Rail




Model No.	Height	Width	Vol m ³	WT. Lb	Price
TPAF30	11 3/4	29 1/2	0.02	1.4	\$ 683
TPAF36	11 3/4	35 3/8	0.02	5.6	\$ 782
TPAF40	11 3/4	39 3/8	0.02	6.1	\$ 896
TPAF48	11 3/4	47 1/4	0.03	7.1	\$ 1,008
TPAF55	11 3/4	55 1/8	0.03	8.1	\$ 1,209
TPAF60	11 3/4	59	0.03	8.6	\$ 1,336
TPAF72	11 3/4	70 7/8	0.04	10.1	\$ 1,498
TPAF78	11 3/4	78 3/4	0.04	11.1	\$ 1,680
TPAF86	11 3/4	86 5/8	0.04	12.1	\$ 2,230

Acrylic Divider for Central Gap



Model No.	Height	Width	Vol m ³	WT. Lb	Price
TPAFE30	11 3/4	29 1/2	0.02	4.8	\$ 683
TPAFE36	11 3/4	35 3/8	0.02	5.6	\$ 782
TPAFE40	11 3/4	39 3/8	0.02	6.1	\$ 896
TPAFE48	11 3/4	47 1/4	0.03	7.1	\$ 1,008
TPAFE55	11 3/4	55 1/8	0.03	8.1	\$ 1,209
TPAFE60	11 3/4	59	0.03	8.6	\$ 1,336
TPAFE72	11 3/4	70 7/8	0.04	10.1	\$ 1,498
TPAFE78	11 3/4	78 3/4	0.04	11.1	\$ 1,680
TPAFE86	11 3/4	86 5/8	0.04	12.1	\$ 2,230

Acrylic Front Divider



DESCRIPTION

Acrylic frontal divider.

SPECIFICATIONS

- o 6mm acrylic divider
- o Hardware included.

NOTES


- o The divider is requested in the same width as the worksurface.

SPECIFY ON ORDER

1. Model Number.
2. Paint finish.


Accessories

Acrylic Lateral Divider



Model No.	Height	Width	Vol m ³	WT. Lb	Price
TPAFS30	11 3/4	29 1/2	0.02	4.8	\$ 683
TPAFS36	11 3/4	35 3/8	0.02	5.6	\$ 782
TPAFS40	11 3/4	39 3/8	0.02	6.1	\$ 896
TPAFS48	11 3/4	47 1/4	0.03	7.1	\$ 1,008
TPAFS55	11 3/4	55 1/8	0.03	8.1	\$ 1,209
TPAFS60	11 3/4	59	0.03	8.6	\$ 1,336
TPAFS72	11 3/4	70 7/8	0.04	10.1	\$ 1,498
TPAFS78	11 3/4	78 3/4	0.04	11.1	\$ 1,680
TPAFS86	11 3/4	86 5/8	0.04	12.1	\$ 2,230

Acrylic Lateral Divider



DESCRIPTION

Lateral acrylic dividers.

NOTES

- o The divider is requested in the same depth as the work surface.


SPECIFICATIONS

- o Finish Fost are 6mm acrylic divider.
- o Attachment hardware are included.

SPECIFY ON ORDER


1. Model Number.
2. Paint finish.

Acrylic Lateral End Divider



Model No.	Height	Width	Vol m ³	WT. Lb	Price
TPAL18	11 3/4	17 3/4	0.01	3.3	\$ 447
TPAL24	11 3/4	23 1/2	0.02	4.0	\$ 560
TPAL30	11 3/4	29 1/2	0.02	4.8	\$ 698


Acrylic Intermediate Divider



Model No.	Height	Width	Vol m ³	WT. Lb	Price
TPALC18	11 3/4	17 3/4	0.02	4.8047	\$ 447
TPALC24	11 3/4	23 1/2	0.02	4.8047	\$ 560
TPALC30	11 3/4	29 1/2	0.03	4.8047	\$ 698

Accesories

Laminate Frontal Divider



DESCRIPTION

Frontal Laminated divider.

NOTES


- o The divider is requested in the same width as the worksurface.
- o Only for central gap worksurfaces.

SPECIFICATIONS

- o Thickness divider 5/8"
- o High resistance divider finish.
- o Attachment hardware included.
- o All edges have 2mm PVC.
- o Wood grain direction as shown.

SPECIFY ON ORDER


1. Model Number.
2. Melamin finish.



Model No.	Height	Width	Vol m ³	WT. Lb	L LPL	
TPMLF30/___	11 3/4	29 1/2	0.01	3.3	\$	344
TPMLF36/___	11 3/4	35 3/8	0.01	3.5	\$	365
TPMLF40/___	11 3/4	39 3/8	0.01	3.7	\$	369
TPMLF48/___	11 3/4	47 1/4	0.02	3.9	\$	373
TPMLF55/___	11 3/4	55 1/8	0.02	4.2	\$	491
TPMLF60/___	11 3/4	59	0.02	4.3	\$	521
TPMLF72/___	11 3/4	70 7/8	0.02	4.7	\$	530
TPMLF78/___	11 3/4	78 3/4	0.02	5.0	\$	534
TPMLF86/___	11 3/4	86 5/8	0.03	5.2	\$	539

Accessories

Fabric Divider



DESCRIPTION

Frontal divider.

NOTES

- o The divider is requested in the same width as the worksurface.
- o Only for central gap worksurfaces.


SPECIFICATIONS

- o Attachment hardware are included.

SPECIFY ON ORDER


1. Model Number.
2. Fabric finish
3. Paint finish.

Fabric Frontal Divider for Rail




Model No.	Height	Width	Vol m ³	WT. Lb	Price	
TPFF30	11 3/4	29 1/2	0.010	9.7	\$	779
TPFF36	11 3/4	35 3/8	0.010	10.1	\$	866
TPFF40	11 3/4	39 3/8	0.010	10.6	\$	910
TPFF48	11 3/4	47 1/4	0.010	11.1	\$	927
TPFF55	11 3/4	55 1/8	0.010	11.5	\$	1,139
TPFF60	11 3/4	59	0.010	12.0	\$	1,158
TPFF72	11 3/4	70 7/8	0.010	12.9	\$	1,218
TPFF78	11 3/4	78 3/4	0.010	13.3	\$	1,290
TPFF86	11 3/4	86 5/8	0.010	13.6	\$	1,343

Fabric Frontal Divider for Central Gap



Model No.	Height	Width	Vol m ³	WT. (Lbs)	Price	
TPFFE30	11 3/4	29 1/2	0.010	9.5	\$	779
TPFFE36	11 3/4	35 3/8	0.010	9.7	\$	866
TPFFE40	11 3/4	39 3/8	0.010	10.0	\$	910
TPFFE48	11 3/4	47 1/4	0.010	10.5	\$	927
TPFFE55	11 3/4	55 1/8	0.010	10.9	\$	1,139
TPFFE60	11 3/4	59	0.010	11.4	\$	1,158
TPFFE72	11 3/4	70 7/8	0.010	11.7	\$	1,218
TPFFE78	11 3/4	78 3/4	0.010	12.2	\$	1,315
TPFFE86	11 3/4	86 5/8	0.010	13.0	\$	1,369

Fabric Frontal Divider



DESCRIPTION

Frontal divider

NOTES

- o The divider is requested in the same width as the worksurface.

SPECIFICATIONS


- o Attachment hardware included.

SPECIFY ON ORDER

1. Model Number.
2. Fabric finish
3. Paint finish.


Accesorios

Fabric Frontal Divider for Single Worksurfaces



Model No.	Height	Width	vol. m ³	WT. Lb	Price
TPFFS30	11 3/4	29 1/2	0.010	11.3	\$ 779
TPFFS36	11 3/4	35 3/7	0.010	11.4	\$ 866
TPFFS40	11 3/4	39 3/8	0.010	10.4	\$ 910
TPFFS48	11 3/4	47 1/4	0.010	10.4	\$ 927
TPFFS55	11 3/4	55 1/8	0.010	10.5	\$ 1,139
TPFFS60	11 3/4	59	0.010	10.5	\$ 1,158
TPFFS72	11 3/4	70 6/7	0.010	10.5	\$ 1,218
TPFFS78	11 3/4	78 3/4	0.010	10.5	\$ 1,293
TPFFS86	11 3/4	86 3/5	0.010	10.5	\$ 1,347

Fabric Lateral Divider



DESCRIPTION

Lateral divider

NOTES

- o The divider is requested in the same depth as the worksurface.


SPECIFICATIONS

- o Attachment hardware are included.

SPECIFY ON ORDER


1. Model Number.
2. Fabric finish
3. Paint finish.

Fabric Lateral End Divider



Model No.	Height	Width	vol. m ³	WT. Lb	Price
TPFL18	11 3/4	17 5/7	0.010	13.0	\$ 580
TRFL24	11 3/4	23 5/8	0.010	13.7	\$ 628
TPFL30	11 3/4	29 1/2	0.010	10.4	\$ 686

Fabric Intermediate Divider



Model No.	Height	Width	vol. m ³	WT. (Lbs)	Price
TPFL18	11 3/4	17 5/7	0.010	11.0	\$ 580
TPFL24	11 3/4	23 5/8	0.010	9.5	\$ 628
TPFI30	11 3/4	29 1/2	0.010	9.5	\$ 686

TEC Credenzas

H19" Credenzas.

DESCRIPTION

Credenza freestanding or for support of TEC tables.

NOTES

- o Code 00 for No Power Supply Cut.


SPECIFICATIONS

- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown.

SPECIFY ON ORDER


1. Model Number.
2. Finish Option
3. Top grommet option.
4. Side grommet option.
5. Grommet finish.

Credenza with Shelf




Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ1930L/ __	19	29 1/2	17 3/4	0.17	49.4	\$ 939	\$ 1,259

Credenza with Drawers BF




Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ1930C/ __	19	29 1/2	17 3/4	0.17	71.0	\$ 1,533	\$ 1,961

Credenza with Shelf & Drawers BF



Left

Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ1960CL/ __	19	58 1/4	17 3/4	0.33	135.1	\$ 2,297	\$ 3,155




Right

Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ1960LC/ __	19	58 1/4	17 3/4	0.33	135.1	\$ 2,297	\$ 3,155

TEC Credenzas


H19" Credenzas.

Credenza with Shelf & Sliding Door




Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ1960LP/___	19	58 1/4	17 3/4	0.33	114.3	\$ 1,907	\$ 2,685

Credenza with Shelves Sliding Doors




Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ1990PLP/___	19	87	17 3/4	0.49	177.6	\$ 2,541	\$ 3,323

Credenza with Drawers BF, Shelf, & Drawers BF



Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ1990CLC/___	19	87	17 3/4	0.49	220.8	\$ 3,115	\$ 4,246

Credenza with Shelves & BF Drawers




Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ1990LCL/___	19	87	17 3/4	0.49	175.3	\$ 2,649	\$ 3,578

TEC Credenzas


H19" Credenzas.

Credenza with Drawers BF, Shelves & Sliding Door



Left


Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ1990CLP/___	19	87	17 3/4	0.49	25.9	\$ 2,724	\$ 3,835



Right

Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ1990PLC/___	19	87	17 3/4	0.49	25.9	\$ 14,535	\$ 20,471

Top Grommet Options



LG

Left Grommet



\$ 6

RG

Right Grommet



\$ 6


DG

Double Grommet



\$ 12

Side Grommet Options



LG

Left Grommet



\$ 6

RG

Right Grommet



\$ 6

DG

Double Grommet



\$ 12

TEC Credenzas

H24" Credenzas.

DESCRIPTION

Credenza freestanding or for support of TEC tables.

NOTES

- o Code 00 for No Power Supply Cut.


SPECIFICATIONS

- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown.

SPECIFY ON ORDER


1. Model Number.
2. Finish Option
3. Top grommet option.
4. Side grommet option.
5. Grommet finish.

Credenza with Shelf




Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ2430L/ __	24 3/5	29 1/2	17 3/4	0.22	55.6	\$ 970	\$ 1,317

Credenza with Drawers BBF



Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ2430C/ __	24 3/5	29 1/2	17 3/4	0.22	87.7	\$ 1,747	\$ 2,365

Credenza with Shelf & Drawers BBF




Left

Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ2460CL/ __	24 3/5	58 1/4	17 3/4	0.42	135.2	\$ 2,607	\$ 3,578

Right


Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ2460LC/ __	24 3/5	58 1/4	17 3/4	0.42	135.2	\$ 2,607	\$ 3,578



TEC Credenzas


H24" Credenzas.

Credenza with Shelf & Sliding Door




Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ2460LP/___	24 5/8	58 1/4	17 3/4	0.42	125.9	\$ 2,145	\$ 2,787

Credenza with Shelves & Two Sliding Doors




Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ2490PLP/___	24 5/8	87	17 3/4	0.63	146.5	\$ 2,614	\$ 3,410

Credenza with Drawers BBF, Shelf, & Drawers BBF



Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ2490CLC/___	24 5/8	87	17 3/4	0.62	198.5	\$ 3,633	\$ 5,034

Credenza with Shelves & BBF Drawers




Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ2490LCL/___	24 5/8	87	17 6/8	0.62	197.4	\$ 2,916	\$ 4,008

TEC Credenzas


H24" Credenzas.

Credenza with Drawers BBF, Shelves & Sliding Door



Left


Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ2490CLP	24 5/8	87	17 3/4	0.62	237.1	\$ 3,137	\$ 4,270



Right

Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ2490PLC	24 5/8	87	17 3/4	0.62	237.1	\$ 3,137	\$ 4,270

Top Grommet Options

**LG**

Left Grommet



\$ 6

RG

Right Grommet



\$ 6


DG

Double Grommet



\$ 12

Side Grommet Options

**LG**

Left Grommet



\$ 6

RG

Right Grommet



\$ 6

DG

Double Grommet



\$ 12

TEC Credenzas

H29" Credenzas.

DESCRIPTION

Credenza freestanding or for support of TEC tables.

NOTES

- o Code 00 for No Power Supply Cut.


SPECIFICATIONS

- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown.

SPECIFY ON ORDER


1. Model Number.
2. Finish Option
3. Top grommet option.
4. Side grommet option.
5. Grommet finish.

Credenza with Shelf




Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ2930L/ __	29	29 1/2	17 3/4	0.25	78.8	\$ 1,341	\$ 1,742

Credenza with Drawers BBF




Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ2930C/ __	29	29 1/2	17 3/4	0.25	104.4	\$ 2,046	\$ 2,454

Credenza with Shelf & Drawers BBF



Left

Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ2960CL/ __	29	58 1/4	17 3/4	0.50	201.6	\$ 3,396	\$ 4,330




Right

Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ2960LC/ __	29	58 1/4	17 3/4	0.50	201.6	\$ 3,396	\$ 4,330

TEC Credenzas


H29" Credenzas.

Credenza with Shelf & Sliding Door




Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ2960LP/___	29	58 1/4	17 3/4	0.50	159.8	\$ 2,820	\$ 3,817

Credenza with Shelves & Two Sliding Doors




Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ2990PLP/___	29	87	17 3/4	0.74	188.4	\$ 3,308	\$ 4,422

Credenza with Drawers BBF, Shelf, & Drawers BBF



Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ2990CLC/___	29	87	17 3/4	0.74	255.0	\$ 3,721	\$ 5,453

Credenza with Shelves & BBF Drawers




Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ2990LCL/___	19	87	17 3/4	0.74	238.7	\$ 19,858	\$ 25,385

TEC Credenzas


H29" Credenzas.

Credenza with Drawers BBF, Shelves & Sliding Door




Left

Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ2990CLP/___	19	87	17 3/4	0.74	238.7	\$ 3,829	\$ 4,869



Right

Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TCZ2990PLC/___	19	87	17 3/4	0.74	238.7	\$ 3,829	\$ 4,869

Top Grommet Options**LG**

Left Grommet



\$ 6

RG

Right Grommet



\$ 6

CG

Grommet al Centro




\$ 12

DG

Double Grommet



\$ 12

Side Grommet Options**LG**

Left Grommet



\$ 6

RG

Right Grommet



\$ 6

DG

Double Grommet



\$ 12

Storage over Credenza

DESCRIPTION

Credenza freestanding or for support of TEC tables.

NOTES

- o Code 00 for No Power Supply Cut.


SPECIFICATIONS

- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown.

SPECIFY ON ORDER


1. Model Number.
2. Finish Option
3. Paint color.

60" Storage



Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TASCZ2960/___	24 5/8	58 1/4	17 3/4	0.44	69.6	\$ 2,070	\$ 2,914

90" Storage




Right

Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	M TLP	L LPL
TASCZ2990/___	24 5/8	87	17 3/4	0.66	108.5	\$ 2,257	\$ 3,179

Cushion for pedestal or credenza

Rev. 2 / Julio-2019



DESCRIPTION

Cushion over pedestal or credenza

NOTES

- o TCP for Pedestal
- o TCCZ for credenza.
- o Cushion only applies on pedestal with reinforcement.

SPECIFICATIONS

- o Polyurethane foam
- o Fabric finish

SPECIFY ON ORDER

1. Model Number.
2. Fabric option

Model No.	Height	Width	Depth	Vol. M ³	WT. Lb	L LPL
TCP45	2 1/4	15	17 3/4	0.01	0.0	\$ 332
TCP60	2 1/4	15	17 3/4	0.01	0.0	\$ 369
TCCZ75	2 1/4	29 1/2	17 3/4	0.01	0.0	\$ 460

Meeting Tables

Tables.

DESCRIPTION

Tables in one piece for meetings.

NOTES

- o Includes legs as shown in image.
- o Power up cut does not apply for Round Meeting Tables.


SPECIFICATIONS

- o Thickness Surface 3/4"
- o Support beam and legs are included.
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown

SPECIFY ON ORDER

1. Model Number.
2. Worksurface material
3. Worksurface finish.
4. Power Up Cut option.
5. Structure color.


Square Meeting Table



Wood Grain

Model No.	Height	Width-A	Depth-F	Vol. m ³	WT.lb	M TLP	L LPL
TMRC36/_	29 1/8	35 3/8	35 3/8	0.03	12.8	\$ 1,310	\$ 1,456
TMRC48/_	29 1/8	47 1/4	47 1/4	0.05	19.0	\$ 1,519	\$ 1,689


Rectangular Meeting Table



Wood Grain

Model No.	Height	Width-A	Depth-F	Vol. m ³	WT.lb	M TLP	L LPL
TMRR3672/_	29 1/8	35 3/8	70 7/8	0.05	9.5	\$ 1,773	\$ 1,970
TMRR3694/_	29 1/8	35 3/8	94 1/2	0.07	11.6	\$ 2,072	\$ 2,302
TMRR4872/_	29 1/8	47 1/4	70 7/8	0.07	10.7	\$ 2,233	\$ 2,481
TMRR4894/_	29 1/8	47 1/4	94 1/2	0.09	26.2	\$ 2,572	\$ 2,857

Round Meeting Table




Wood Grain

Model No.	Height	Diam.	Vol. m ³	WT.lb	M TLP	L LPL
TMRD36/_	29 1/8	35 3/8	0.03	62.2088	\$ 1,905	\$ 2,116
TMRD40/_	29 1/8	39 3/8	0.03	62.575	\$ 1,950	\$ 2,167
TMRD48/_	29 1/8	47 1/4	0.05	63.4	\$ 1,996	\$ 2,217

Meeting Tables


Square Table H43



Wood Grain

Model No.	Height	Width-A	Depth-F	Vol. m ³	WT.lb	M TLP	L LPL
TMRC4330/___	43 1/4	29 1/2	29 1/2	0.62	36.4	\$ 2,030	\$ 2,255


Rectangular Table H43



Wood Grain

Model No.	Height	Width-A	Depth-F	Vol. m ³	WT.lb	M TLP	L LPL
TMRR436030/___	43 1/4	59	29 1/2	1.24	71.4	\$ 4,069	\$ 4,520
TMRR437830/___	43 1/4	78 3/4	29 1/2	1.65	79.8	\$ 4,348	\$ 4,832

Round Table H43



Wood Grain

Model No.	Height	Width	Depth	Vol.	WT. (Lbs)	M TLP	L LPL
TMRD4330/___	43 1/4	29 1/2		0.62	36.3697	\$ 2,030	\$ 2,255

Meeting Tables

Configurable Meeting Tables.

DESCRIPTION

Configurable table formed by three sections.

NOTES

- Includes legs as shown in image.


SPECIFICATIONS

- Thickness Surface 3/4"
- High resistant surface finish.
- All edges have 2mm PVC.
- Wood grain direction as shown
- Incluye estructura y patas.

SPECIFY ON ORDER


- Model Number.
- Worksurface material
- Worksurface finish.
- Opción de Corte para Accesorio.
- Structure color.

Initial Table



Model No.	Depth	Width	Vol. m ³	WT.lb	M TLP	L LPL
TMRCI3632/___	35 3/8	31 1/2	0.54	16.1	\$ 1,437	\$ 1,596
TMRCI3640/___	35 3/8	39 3/8	0.67	18.4	\$ 1,547	\$ 1,717
TMRCI3648/___	35 3/8	47 1/4	0.8	26.2	\$ 1,657	\$ 1,840
TMRCI3660/___	35 3/8	59	1	29.3	\$ 1,767	\$ 1,962
TMRCI3672/___	35 3/8	70 7/8	1.2	35.1	\$ 1,877	\$ 2,084
TMRCI3678/___	35 3/8	78 3/4	1.33	40.0	\$ 1,986	\$ 2,207
TMRCI4832/___	47 1/4	31 1/2	0.71	16.1	\$ 1,631	\$ 1,812
TMRCI4840/___	47 1/4	39 3/8	0.89	18.4	\$ 1,749	\$ 1,944
TMRCI4848/___	47 1/4	47 1/4	1.07	26.2	\$ 1,867	\$ 2,074
TMRCI4860/___	47 1/4	59	1.33	29.3	\$ 1,985	\$ 2,205
TMRCI4872/___	47 1/4	70 7/8	1.6	35.1	\$ 2,103	\$ 2,336
TMRCI4878/___	47 1/4	78 3/4	1.77	40.0	\$ 2,221	\$ 2,467


Intermediate Table



Model No.	Depth	Width	Vol. m ³	WT.lb	M TLP	L LPL
TMRIN3632/___	35 3/8	31 1/2	0.54	16.6	\$ 1,212	\$ 1,346
TMRIN3640/___	35 3/8	39 3/8	0.67	18.9	\$ 1,333	\$ 1,481
TMRIN3648/___	35 3/8	47 1/4	0.8	21.4	\$ 1,453	\$ 1,615
TMRIN3660/___	35 3/8	59	1	25.0	\$ 1,602	\$ 1,779
TMRIN3672/___	35 3/8	70 7/8	1.2	28.7	\$ 1,750	\$ 1,945
TMRIN3678/___	35 3/8	78 3/4	1.33	31.3	\$ 1,824	\$ 2,028
TMRIN4832/___	47 1/4	31 1/2	0.71	16.6	\$ 1,314	\$ 1,460
TMRIN3640/___	47 1/4	39 3/8	0.89	18.9	\$ 1,432	\$ 1,591
TMRIN4848/___	47 1/4	47 1/4	1.07	21.4	\$ 1,550	\$ 1,722
TMRIN3660/___	47 1/4	59	1.33	25.0	\$ 1,777	\$ 1,973
TMRIN4872/___	47 1/4	70 7/8	1.6	28.8	\$ 2,005	\$ 2,227
TMRIN3678/___	47 1/4	78 3/4	1.77	21.4	\$ 2,118	\$ 2,353


Meeting Tables

Final Table



Model No.	Depth	Width	Vol. m ³	WT.lb	M TLP	L LPL
TMRCF3632/_	35 3/8	31 1/2	0.54	8.6	\$ 1,242	\$ 1,380
TMRCF3640/_	35 3/8	39 3/8	0.67	10.7	\$ 1,361	\$ 1,512
TMRCF3648/_	35 3/8	47 1/4	0.8	12.8	\$ 1,481	\$ 1,645
TMRCF3660/_	35 3/8	59	1	16.0	\$ 1,600	\$ 1,778
TMRCF3672/_	35 3/8	70 7/8	1.2	19.2	\$ 1,721	\$ 1,911
TMRCF3678/_	35 3/8	78 3/4	1.33	21.4	\$ 1,840	\$ 2,044
TMRCF4832/_	47 1/4	31 1/2	0.71	36.4	\$ 1,362	\$ 1,514
TMRCF4840/_	47 1/4	39 3/8	0.89	71.4	\$ 1,481	\$ 1,644
TMRCF4848/_	47 1/4	47 1/4	1.07	79.8	\$ 1,597	\$ 1,775
TMRCF4860/_	47 1/4	59	1.33	71.4	\$ 1,715	\$ 1,906
TMRCF4872/_	47 1/4	70 7/8	1.6	79.8	\$ 1,833	\$ 2,036
TMRCF4878/_	47 1/4	78 3/4	1.77	36.4	\$ 1,950	\$ 2,167

Configurable Meeting Tables Diagram.



Grommet Options

OO

No Power Up Cut



STD.

CP

Cut for Power-Up



\$ 45

Waiting Area

Tables for Waiting Areas

DESCRIPTION

Low tables for waiting areas.

NOTES

- o Includes legs as shown in image.


SPECIFICATIONS

- o Thickness Surface 3/4"
- o High resistant surface finish
- o All edges have 2mm PVC.
- o Wood grain direction as shown

SPECIFY ON ORDER


1. Model Number.
2. Finish

Central Table




Model No.	Width	Depth	Height	Vol. m ³	WT.lb	M TLP		L LPL	
TMEC2436/___	23 5/8	35 3/8	17 6/8	0.25	52.0	\$	499	\$	848
TMEC2440/___	23 5/8	39 3/8	17 6/8	0.27	54.9	\$	530	\$	914
TMEC2448/___	23 5/8	47 1/4	17 6/8	0.33	62.9	\$	550	\$	933

Side Table



Model No.	Width	Depth	Height	Vol. m ³	WT.lb	M TLP		L LPL	
TMEL1818/___	17 6/8	17 6/8	21 3/4	0.12	57.9	\$	352	\$	547
TMEL2424/___	23 5/8	23 5/8	21 3/4	0.20	63.0	\$	429	\$	704

D24" Mobile Pedestals "E" Series



DESCRIPTION

Freestanding mobile pedestal with lock.

NOTES

- Cushion reinforcement option does not apply for BBF.




SPECIFICATIONS

- Powder-coat painted finish.
- File drawers equipped for hanging folders, letter front-to back, letter side-to-side, or legal filing.
- Steel ball-bearing drawer slides.
- Lock and 2 Keys included.
- 4 wheels base.

SPECIFY ON ORDER

1. Model Number.
2. Paint finish color.
3. Cushion Reinforcement option.

Steel Front



Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCREBF/P	18 7/8	14 3/4	23 5/8	0.11	46.5	\$ 1,368

Box-Box-Box

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCREBBB/P	18 7/8	14 3/4	23 5/8	0.11	49.0	\$ 1,557

Box-Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCREBBF/P	24 3/8	14 3/4	23 5/8	0.14	47.8	\$ 1,643

Cushion Reinforcement Option.

E


Standard

R

Reinforcement

\$ 40

D24" Fixed Pedestals "E" Series



DESCRIPTION

Fixed pedestal with lock.

NOTES

- Cushion reinforcement option does not apply.


SPECIFICATIONS

- Powder-coat painted finish.
- File drawers equipped for hanging folders, letter front-to back, letter side-to-side, or legal filing.
- Steel ball-bearing drawer slides.
- Lock and 2 Keys included.
- 4 leveling glides in base.

SPECIFY ON ORDER


1. Model Number.
2. Paint finish color.

Steel Front




Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCFEBF/P	18 7/8	14 3/4	23 5/8	0.11	46.5	\$ 1,395



Box-Box-Box

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCFEBBB/P	18 7/8	14 3/4	23 5/8	0.11	49.0	\$ 1,665



Box-Box-File


Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCFEBBF/P	24 3/8	14 3/4	23 5/8	0.14	47.8	\$ 1,669

Cushion Reinforcement Option.

E

Estándar

D24" Worksurface Support Pedestals "E" Series



DESCRIPTION

Supporting metal pedestal, with lock, without top cap.
Attaches to the underside of a worksurface.

NOTES

- For installation under worksurface.
- Cushion reinforcement option does not apply.


SPECIFICATIONS

- Powder-coat painted finish
- File drawers equipped for hanging folders, letter front-to back, letter side-to-side, or legal filing.
- Steel ball-bearing drawer slides.
- Lock and 2 Keys included.
- 4 leveling glides in base.

SPECIFY ON ORDER


- Model Number.
- Paint finish color.

Steel Front



Box-Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCAEBBF24/P	28 1/4	14 3/4	23 1/2	0.16	47.8	\$ 1,623



FileFile


Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCAEFF24/P	28 1/4	14 3/4	23 1/2	0.16	47.0	\$ 1,472

Cushion Reinforcement Option.

E

Estándar

D24" Mobile Pedestals "J" Series



DESCRIPTION

Freestanding mobile pedestal with lock.

NOTES

- Cushion reinforcement option does not apply for BBF.




SPECIFICATIONS

- Powder-coat painted finish
- File drawers equipped for hanging folders letter front-to back, letter side-to-side, or legal filing.
- Steel ball-bearing drawer slides.
- Lock and 2 Keys included.
- 4 wheels base.

SPECIFY ON ORDER

1. Model Number.
2. Structure color.
3. Front finish color.
4. Handle option.
5. Cushion Reinforcement option.

Steel Front



Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCRJBF/P	19	14 3/4	23 1/2	0.11	46.5	\$ 1,370

Box-Box-Box

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCRJBBB/P	19	14 3/4	23 1/2	0.11	49.0	\$ 1,541

Box-Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCRJBBF/P	24 1/2	14 3/4	23 1/2	0.14	47.8	\$ 1,667

Cushion Reinforcement Option.

E


Standard

R

Reinforcement

\$ 40

D24" Mobile Pedestals "J" Series



DESCRIPTION

Freestanding mobile pedestal with lock.

NOTES

- o Cushion reinforcement option does not apply for BBF.




SPECIFICATIONS

- o Powder-coat painted finish
- o Laminated Fronts 3/4" Thickness
- o File drawers equipped for hanging folders letter front-to back, letter side-to-side, or legal filing.
- o Steel ball-bearing drawer slides.
- o Lock and 2 Keys included.
- o 4 wheels base.

SPECIFY ON ORDER

1. Model Number.
2. Case finish color.
3. Front Laminated finish.
4. Handle option.
5. Cushion Reinforcement option.

Laminated Front



Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	F. M TLP	F. L LPL
QCRJBF/___	19	14 3/4	23 1/2	0.11	53.1	\$ 1,118	\$ 1,165

Box-Box-Box

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	F. M TLP	F. L LPL
QCRJBBB/___	19	14 3/4	23 1/2	0.11	54.2	\$ 1,317	\$ 1,355

Box-Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	F. M TLP	F. L LPL
QCRJBBF/___	24 1/2	14 3/4	23 1/2	0.14	55.9	\$ 1,422	\$ 1,481

Cushion Reinforcement Option.

E


Standard

R

Reinforcement

\$ 40

D24" Fixed Pedestals "J" Series



DESCRIPTION

Freestanding mobile pedestal with lock.

NOTES

- o Cushion reinforcement option does not apply.


SPECIFICATIONS

- o Powder-coat painted finish
- o File drawers equipped for hanging folders, letter front-to back, letter side-to-side, or legal filing.
- o Steel ball-bearing drawer slides.
- o Lock and 2 Keys included.
- o 4 leveling glides in base.

SPECIFY ON ORDER

1. Model Number.
2. Case finish color.
3. Front finish color.
4. Handle option.
5. Cushion Reinforcement option.

Steel Front



Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCFJBF/P	19	14 3/4	23 1/2	0.11	46.5	\$ 1,343

Box-Box-Box

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCFJBBB/P	19	14 3/4	23 1/2	0.11	47.0	\$ 1,570

Box-Box-File


Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCFJBBF/P	24 1/2	14 3/4	23 1/2	0.14	47.8	\$ 1,695

Cushion Reinforcement Option.

E

Standard

D24" Fixed Pedestals "J" Series



DESCRIPTION

Freestanding fixed pedestal with lock.

NOTES

- o Cushion reinforcement option does not apply.




SPECIFICATIONS

- o Powder-coat painted finish
- o Laminated Fronts 3/4" Thickness
- o File drawers equipped for hanging folders, letter front-to back, letter side-to-side, or legal filing.
- o Steel ball-bearing drawer slides.
- o Lock and 2 Keys included.
- o 4 leveling glides in base.

SPECIFY ON ORDER

1. Model Number.
2. Case finish color.
3. Front Laminated finish.
4. Handle option.
5. Cushion Reinforcement option.

Laminated Front



Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
QCFJBF/___	19	14 3/4	23 1/2	0.11	53.1	\$ 1,200	\$ 1,206

Box-Box-Box

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
QCFJBBB/___	19	14 3/4	23 1/2	0.11	54.2	\$ 1,432	\$ 1,446

Box-Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
QCFJBBF/___	24 1/2	14 3/4	23 1/2	0.14	55.9	\$ 1,460	\$ 1,481

Cushion Reinforcement Option.

E


Standard

R

Reinforcement

\$ 40

D24" Worksurface Support Pedestals "J" Series



DESCRIPTION

Supporting metal pedestal,
No top cap.
Attaches to the underside of a worksurface.

NOTES

- For installation under worksurface.



SPECIFICATIONS

- Powder-coat painted finish.
- File drawers equipped for hanging folders, letter front-to back, letter side-to-side, or legal filing
- Steel ball-bearing drawer slides.
- Lock and 2 Keys included.
- 4 leveling glides in base.

SPECIFY ON ORDER

- Model Number.
- Case finish color.
- Front finish color.
- Handle option
- Cushion Reinforcement option.

Steel Front



Box-Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCAJBBF24/P	28 1/4	14 3/4	23 1/2	0.16	50.9	\$ 1,404

FileFile


Model No.	Height	Width	Depth	WT. (Lbs)	Price
QCAJFF24/P	28 1/4	14 3/4	23 1/2	47.8	\$ 1,505

Cushion Reinforcement Option.

E

Standard

D24" Worksurface Support Pedestals "J" Series



DESCRIPTION

Supporting metal pedestal,
No top cap.
Attaches to the underside of a worksurface.

NOTES

- For installation under worksurface.


SPECIFICATIONS

- Laminated case and fronts of 3/4"
- Laminated fronts of .75 "(1.9 cm) thickness
- File drawers equipped for hanging folders, letter front-to back, letter side-to-side, or legal filing.
- Steel ball-bearing drawer slides.
- Lock and 2 Keys included.
- 4 leveling glides in base.

SPECIFY ON ORDER


- Model Number.
- Case finish color.
- Front finish
- Handle option.
- Cushion Reinforcement option.

Laminated Front



Box-Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	F. M TLP	F. L LPL
QCAJBBF24/___	28 1/4	14 3/4	23 1/2	0.16	54.2	\$ 1,372	\$ 1,404



FileFile


Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	F. M TLP	F. L LPL
QCAJFF24/___	28 1/4	14 3/4	23 1/2	0.16	49.7	\$ 1,239	\$ 1,239

Cushion Reinforcement Option.

E

Standard

D24" Mobile Pedestals "M" Series



DESCRIPTION

Freestanding mobile pedestal with lock.

NOTES




SPECIFICATIONS

- o Laminated case and fronts of 3/4" thickness.
- o File drawers equipped for hanging folders, letter front-to back, letter side-to-side,
- o Steel ball-bearing drawer slides.
- o Lock and 2 Keys included.
- o 4 leveling glides in base.

SPECIFY ON ORDER

1. Model Number.
2. Finish.
3. Finish color.
4. Handle option.

Laminated



Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
QCRMBF/___	19	14 3/4	23 1/2	0.11	55.0	\$ 1,103	\$ 1,194

Box-Box-Box

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
QCRMBBB/___	19	14 3/4	23 1/2	0.11	55.0	\$ 1,103	\$ 1,358

Box-Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
QCRMBBF/___	24 1/2	14 3/4	23 1/2	0.14	74.3	\$ 1,278	\$ 1,412

Cushion Reinforcement Option.

E


Standard

R

Reinforced

\$ 40

Cajoneras F60 Fija Serie "M"



DESCRIPTION

Freestanding fixed pedestal with lock.

NOTES




SPECIFICATIONS

- o Laminated case and fronts of 3/4"
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o File drawers equipped for hanging folders, letter front-to-back, letter side-to-side, or legal size
- o 4 Leveling glides
- o Lock and 2 Keys included.

SPECIFY ON ORDER

1. Model Number.
2. Finish.
3. Finish color.
4. Handle option.

Laminated



Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
QCFMBF/___	19	14 3/4	23 1/2	0.11	55.0	\$ 1,073	\$ 1,198

Box-Box-Box

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
QCFMBBB/___	19	14 3/4	23 1/2	0.11	55.0	\$ 1,244	\$ 1,379

Box-Box-File


Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
QCFMBBF/___	24 1/2	14 3/4	23 1/2	0.14	74.3	\$ 1,278	\$ 1,412

Cushion Reinforcement Option.

E

Standard

D24" Fixed Pedestals "M" Series



DESCRIPTION

Freestanding fixed pedestal with lock.

NOTES

- To install below deck.


SPECIFICATIONS

- Laminated case and fronts of 3/4" thickness.
- File drawers equipped for hanging folders, letter front-to-back, letter side-to-side,
- Steel ball-bearing drawer slides.
- Lock and 2 Keys included.
- 4 leveling glides in base.
- Includes drawer pulls.

SPECIFY ON ORDER


1. Model Number.
2. Finish.
3. Finish color.
4. Handle option.

Laminated



Box-Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	F. M TLP	F. L LPL
QCAMBBF24/___	28 1/4	14 3/4	23 1/2	0.16	72.5	\$ 1,199	\$ 1,615



FileFile


Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	F. M TLP	F. L LPL
QCAMFF24/___	28 1/4	14 3/4	23 1/2	0.16	72.5	\$ 1,254	\$ 1,442

Cushion Reinforcement Option.

E

Standard

Mobile Pedestals "E" Series



DESCRIPTION

Freestanding mobile pedestal

NOTES

- Cushion reinforcement option does not apply for BBF.




SPECIFICATIONS

- Powder-coat painted finish.
- File drawers equipped for hanging folders, letter front-to back, letter side-to-side, or legal filing.
- Steel ball-bearing drawer slides.
- Lock and 2 Keys included.
- 4 wheels base.

SPECIFY ON ORDER

1. Model Number.
2. Paint finish color.
3. Cushion Reinforcement option.

Steel Front



Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCREBF/P-45	18 7/8	14 3/4	17 3/4	0.08	40.3	\$ 1,432

Box-Box-Box

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCREBBB/P-45	18 7/8	14 3/4	17 3/4	0.08	40.3	\$ 1,459

Box-Box-File


Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCREBBF/P-45	24 3/8	14 3/4	17 3/4	0.10	46.5	\$ 1,578

Cushion Reinforcement Option.

E

Standard

Fixed Pedestals "E" Series



DESCRIPTION

Fixed pedestal with lock.

NOTES

- Cushion reinforcement option does not apply.




SPECIFICATIONS

- Powder-coat painted finish.
- File drawers equipped for hanging folders, letter front-to back, letter side-to-side, or legal filing.
- Steel ball-bearing drawer slides.
- Lock and 2 Keys included.
- 4 leveling glides in base.

SPECIFY ON ORDER

1. Model Number.
2. Paint finish color.

Steel Front



Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCFEBF/P-45	18 7/8	14 3/4	17 3/4	0.08	40.3	\$ 1,465

Box-Box-Box

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCFEBBB/P-45	18 7/8	14 3/4	17 3/4	0.08	40.3	\$ 1,561

Box-Box-File


Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCFEBBF/P-45	24 3/8	14 3/4	17 3/4	0.10	46.5	\$ 1,606

Cushion Reinforcement Option.

E

Standard

Mobile Pedestals "J" Series



DESCRIPTION

Freestanding mobile pedestal with lock.

NOTES

- Cushion reinforcement option does not apply for BBF.




SPECIFICATIONS

- Powder-coat painted finish
- File drawers equipped for hanging folders, letter front-to back, letter side-to-side, or legal filing.
- Steel ball-bearing drawer slides.
- Lock and 2 Keys included.
- 4 wheels base.

SPECIFY ON ORDER

1. Model Number.
2. Case finish color.
3. Front finish color.
4. Handle option.
5. Cushion Reinforcement option.

Steel Front



Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCRJBF/P-45	18 7/8	14 3/4	17 3/4	0.08	40.3	\$ 1,432

Box-Box-Box

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCRJBBB/P-45	18 7/8	14 3/4	17 3/4	0.08	40.3	\$ 1,524

Box-Box-File


Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCRJBBF/P-45	24 3/8	14 3/4	17 3/4	0.10	46.5	\$ 1,630

Cushion Reinforcement Option.

E

Standard

Mobile Pedestals "J" Series



DESCRIPTION

Freestanding mobile pedestal with lock.

NOTES

- Cushion reinforcement option does not apply for BBF.




SPECIFICATIONS

- Powder-coat painted finish
- Laminated Fronts 3/4" Thickness
- File drawers equipped for hanging folders, letter front-to back, letter side-to-side, or legal filing.
- Steel ball-bearing drawer slides.
- Lock and 2 Keys included.
- 4 wheels base.

SPECIFY ON ORDER

1. Model Number.
2. Structure color.
3. Front Laminated finish.
4. Handle option.
5. Cushion Reinforcement option.

Laminated Front



Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	F. M TLP	F. L LPL
QCRJBF/___45	18 7/8	14 3/4	17 3/4	0.08	45.7	\$ 1,112	\$ 1,174

Box-Box-Box

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	F. M TLP	F. L LPL
QCRJBBB/___45	18 7/8	14 3/4	17 3/4	0.08	45.7	\$ 1,224	\$ 1,308

Box-Box-File


Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	F. M TLP	F. L LPL
QCRJBBF/___45	24 3/8	14 3/4	17 3/4	0.10	46.8	\$ 1,316	\$ 1,345

Cushion Reinforcement Option.

E

Standard

Fixed Pedestals "J" Series



DESCRIPTION

Freestanding mobile pedestal with lock.

NOTES

- o Cushion reinforcement option does not apply.




SPECIFICATIONS

- o Powder-coat painted finish
- o File drawers equipped for hanging folders, letter front-to back, letter side-to-side, or legal filing.
- o Steel ball-bearing drawer slides
- o Lock and 2 Keys included.
- o 4 leveling glides in base.

SPECIFY ON ORDER

1. Model Number.
2. Case finish color.
3. Front finish color.
4. Handle option.
5. Cushion Reinforcement option.

Steel Front



Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCFJBF/P-45	18 7/8	14 3/4	17 3/4	0.08	40.3	\$ 1,493

Box-Box-Box

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCFJBBB/P-45	18 7/8	14 3/4	17 3/4	0.08	40.3	\$ 1,584

Box-Box-File


Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QCFJBBF/P-45	24 3/8	14 3/4	17 3/4	0.10	40.3	\$ 1,687

Cushion Reinforcement Option.

E

Standard

Fixed Pedestals "J" Series



DESCRIPTION

Freestanding fixed pedestal with lock.

NOTES

- Cushion reinforcement option does not apply.


SPECIFICATIONS

- Powder-coat painted finish
- Laminated Fronts 3/4" Thickness
- File drawers equipped for hanging folders, letter front-to-back, letter side-to-side, or legal filing.
- Steel ball-bearing drawer slides.
- Lock and 2 Keys included.
- 4 leveling glides in base.

SPECIFY ON ORDER


1. Model Number.
2. Structure color.
3. Front Laminated finish.
4. Handle option.
5. Cushion Reinforcement option.

Laminated Front




Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	F. L LPL
QCFJBF/___-45	18 7/8	14 3/4	17 3/4	0.08	45.7	\$ 1,382



Box-Box-Box

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	F. L LPL
QCFJBBB/___-45	18 7/8	14 3/4	17 3/4	0.08	45.7	\$ 1,418



Box-Box-File


Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	F. L LPL
QCFJBFB/___-45	24 3/8	14 3/4	17 3/4	0.10	46.8	\$ 1,482

Cushion Reinforcement Option.

E

Standard

Mobile Pedestals "M" Series



DESCRIPTION

Freestanding mobile pedestal with lock.

NOTES

- o Cushion reinforcement does not apply to 45cm deep pedestal.




SPECIFICATIONS

- o Laminated case and fronts of 3/4" thickness.
- o File drawers equipped for hanging folders, letter front-to back, letter side-to-side,
- o Steel ball-bearing drawer slides.
- o Lock and 2 Keys included.
- o 4 wheels base.

SPECIFY ON ORDER

1. Model Number.
2. Finish.
3. Finish color.
4. Handle option.

Laminated



Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
QCRMBF-45/___	18 7/8	14 3/4	17 3/4	0.08	35.0	\$ 1,364	\$ 1,370

Box-Box-Box

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
QCRMBBB-45/___	18 7/8	14 3/4	17 3/4	0.08	35.0	\$ 1,402	\$ 1,418

Box-Box-File


Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
QCRMBBF-45/___	24 3/8	14 3/4	17 3/4	0.10	43.0	\$ 1,470	\$ 1,482

Cushion Reinforcement Option.

E

Standard

Fixed Pedestals "M" Series



DESCRIPTION

Freestanding fixed pedestal with lock.

NOTES

- o Cushion reinforcement does not apply to 45cm deep pedestal.




SPECIFICATIONS

- o Laminated case and fronts of 3/4" thickness.
- o File drawers equipped for hanging folders, letter front-to-back, letter side-to-side,
- o Steel ball-bearing drawer slides.
- o Lock and 2 Keys included.
- o 4 leveling glides in base.

SPECIFY ON ORDER

1. Model Number.
2. Finish.
3. Finish color
4. Handle option.

Laminated



Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
QCFMBF-45/___	18 7/8	14 3/4	17 3/4	0.08	35.0	\$ 1,321	\$ 1,341

Box-Box-Box

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
QCFMBBB-45/___	18 7/8	14 3/4	17 3/4	0.08	35.0	\$ 1,372	\$ 1,402

Box-Box-File

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
QCFMBBF-45/___	24 3/8	14 3/4	17 3/4	0.10	43.0	\$ 1,451	\$ 1,447


Cushion Reinforcement Option.

E

Standard

QUO Storage

Bookcases



DESCRIPTION

Metalic bookcases.

NOTES

- o Bookcase 29" height does not include top.

SPECIFICATIONS

- o Powder-coat painted finish.
- o 4 leveling glides in base.
- o Shelves are included as show.

SPECIFY ON ORDER


1. Model Number.
2. Model Number.
3. Paint finish.

Without Fronts

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QLB3028	28	29 1/2	17 1/2	0.24	57	\$ 1,047
QLB3042	42 1/2	29 1/2	17 1/2	0.36	58	\$ 1,682
QLB3056	56 1/4	29 1/2	17 1/2	0.48	60	\$ 2,122
QLB3070	69 5/8	29 1/2	17 1/2	0.60	64	\$ 2,570
QLB3084	83 1/2	29 1/2	17 1/2	0.72	67	\$ 3,031


Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QLB3628	28	35 1/2	17 1/2	0.29	57	\$ 1,209
QLB3642	42 1/2	35 1/2	17 1/2	0.44	58	\$ 1,839
QLB3656	56 1/4	35 1/2	17 1/2	0.58	60	\$ 2,317
QLB3670	69 5/8	35 1/2	17 1/2	0.72	64	\$ 2,802
QLB3684	83 1/2	35 1/2	17 1/2	0.86	67	\$ 3,302

Bookcases Options



QUO Storage

Storage Cabinet



DESCRIPTION

Metalic Storage Cabinet with Painted Fronts

NOTES

- o 29" height Storage Cabinet does not include top.

SPECIFICATIONS

- o Powder-coat painted finish.
- o 4 leveling glides in base.
- o Shelves are included as show.

SPECIFY ON ORDER


1. Model Number.
2. Model Number.
3. Paint finish.

Steel Front

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QAP3028/P	28	29 1/2	17 1/2	0.24	81	\$ 1,595
QAP3042/P	42 1/2	29 1/2	17 1/2	0.36	89	\$ 2,281
QAP3056/P	56 1/4	29 1/2	17 1/2	0.48	97	\$ 2,837
QAP3070/P	69 5/8	29 1/2	17 1/2	0.60	103	\$ 3,396
QAP3084/P	83 1/2	29 1/2	17 1/2	0.72	111	\$ 3,961


Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
QAP3628/P	28	35 1/2	17 1/2	0.29	81	\$ 1,715
QAP3642/P	42 1/2	35 1/2	17 1/2	0.44	89	\$ 2,469
QAP3656/P	56 1/4	35 1/2	17 1/2	0.58	97	\$ 2,910
QAP3670/P	69 5/8	35 1/2	17 1/2	0.72	103	\$ 3,683
QAP3684/P	83 1/2	35 1/2	17 1/2	0.86	111	\$ 4,299

Paint Front Storage Cabinet Options



QUO Storage

Storage Cabinet



Wood Grain

DESCRIPTION

Metalic Storage Cabinet with Laminate Fronts

SPECIFICATIONS

- o Powder-coat painted finish.
- o 4 leveling glides in base.
- o Shelves are included as show.
Thickness of fronts 3/4"
- o High resistant front finish
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown

NOTES

- o 29" height Storage Cabinet does not include top.

SPECIFY ON ORDER


1. Quantity.
2. Model Number
3. Paint finish.
4. Laminated finish.

Laminated Front

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
QAP3028/_	28	29 1/2	17 1/2	0.24	81	\$ 1,569	\$ 1,622
QAP3042/_	42 1/2	29 1/2	17 1/2	0.36	89	\$ 2,265	\$ 2,344
QAP3056/_	56 1/4	29 1/2	17 1/2	0.48	97	\$ 2,887	\$ 3,047
QAP3070/_	69 5/8	29 1/2	17 1/2	0.60	103	\$ 3,395	\$ 3,554
QAP3084/_	83 1/2	29 1/2	17 1/2	0.72	111	\$ 3,858	\$ 4,018


Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
QAP3628/_	28	35 1/2	17 1/2	0.29	85	\$ 1,716	\$ 1,796
QAP3642/_	42 1/2	35 1/2	17 1/2	0.44	93	\$ 2,492	\$ 2,612
QAP3656/_	56 1/4	35 1/2	17 1/2	0.58	101	\$ 3,061	\$ 3,300
QAP3670/_	69 5/8	35 1/2	17 1/2	0.72	108	\$ 3,746	\$ 3,986
QAP3684/_	83 1/2	35 1/2	17 1/2	0.86	116	\$ 4,274	\$ 4,515

Laminated Front Storage Cabinet Options




QUO Storage


Tops for H29" Bookcase & Storage Cabinet



Steel Top



Laminated Top



DESCRIPTION

Top for 29" Height cabinets.

NOTES

- o Order Only for 29" Height cabinets.

SPECIFICATIONS

- o Powder-coat painted finish.

SPECIFY ON ORDER

1. Quantity.
2. Model Number.
3. Paint finish.

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
QTP30	17 1/2	29 1/2	3/4	0.01	20	\$ 184	\$ 207
QTP36	17 1/2	35 1/2	3/4	0.01	25	\$ 211	\$ 237


SPECIFICATIONS

- o Thickness of top .75 "(1.9 cm).
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown

SPECIFY ON ORDER

1. Quantity.
2. | Number.
3. Laminated finish

Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
QTM30/___	17 1/2	29 1/2	3/4	0.01	8	\$ 254	\$ 281
QTM36/___	17 1/2	35 1/2	3/4	0.01	10	\$ 279	\$ 334



DESCRIPTION

Additional top cover for cabinets.

NOTES


- o It is placed on the ceiling of the bookcase and closet.

SPECIFICATIONS

- o Thickness of top cover .75 "(1.9 cm).
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown

SPECIFY ON ORDER

1. Quantity.
2. Model Number.
3. Laminated finish.



Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
QSC30/___	17 1/2	29 1/2	3/4	0.01	8	\$ 1,346	\$ 281
QSC36/___	17 1/2	35 1/2	3/4	0.01	10	\$ 1,481	\$ 310

QUO Storage

Lateral Files

DESCRIPTION

Lateral files with drawers


NOTES

SPECIFICATIONS

- o Powder-coat painted finish.
- o 4 leveling glides in base.


SPECIFY ON ORDER

1. Model Number.
2. Paint finish.




Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price	
QAH2G3629	28 5/8	36	17 1/2	0.30	122	\$	3,085
QAH3G3641	41 1/2	36	17 1/2	0.43	131	\$	4,014
QAH4G3654	54 1/4	36	17 1/2	0.57	140	\$	4,779
QAH5G3667	67 1/2	36	17 1/2	0.71	150	\$	5,840

Options



Stackable cabinets T-box



DESCRIPTION

Stackable metal cabinet system, with lock, without top cap.

NOTES

- o Base and Top are ordered separately.
- o Maximum 4 level.
- o 4th level must be an open cabinet


SPECIFICATIONS

- o Cases made on steel
- o Powder coat finished
- o Laminated fronts 3/4" thickness.
- o File drawers equipped with hanging files
- o Steel ball-bearing drawer slides.
- o Lock and 2 Keys included.
- o High resistant front finish.

SPECIFY ON ORDER


1. Model Number.
2. Quantity.
3. Paint finish.
4. Laminated finish.

T-Box Storage Cabinet Open




Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price	
TXLB	15 3/4	31 1/2	15 1/2	0.13	44	\$	798

T-Box Storage Cabinet with Retractable Door




Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
TXPT/___	15 3/4	31 1/2	15 1/2	0.13	44	\$ 1,200	\$ 1,249

T-Box Storage Cabinet Double Drawer Unit




Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
TXCBB/___	15 3/4	31 1/2	15 1/2	0.13	53	\$ 1,748	\$ 1,774

T-Box Storage Cabinet File Drawer Unit



Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
TXCFL/___	15 3/4	31 1/2	15 1/2	0.13	41	\$ 12,343	\$ 12,857

T-Box Credenza



DESCRIPTION

Stackable metal cabinet system, with lock, without top cap.

NOTES

- o Base and Top are ordered separately


SPECIFICATIONS

- o Cases made on steel
- o Powder coat finished
- o Laminated fronts 3/4" thickness.
- o File drawers equipped with hanging files
- o Steel ball-bearing drawer slides.
- o Lock and 2 Keys included.
- o High resistant front finish.

SPECIFY ON ORDER


1. Quantity.
2. Model Number.
3. Paint finish.
4. Laminated finish.

T-Box Credenza Open




Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price
TXCLB	23 1/2	31 1/2	15 1/2	0.19	33	\$ 2,377

T-Box Credenza Box-File Drawers



Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
TXCCBF/___	23 1/2	31 1/2	15 1/2	0.19	44	\$ 3,800	\$ 3,959

Base for T-Box



DESCRIPTION

Base for stackable cabinet system.

NOTES

- o Order Single or Double base


SPECIFICATIONS

- o Powder-coat painted finish.
- o 4 leveling glides in base.

SPECIFY ON ORDER


1. Quantity.
2. Model Number
3. Paint finish

Single Base for T-Box




Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price	
TXZS32	31 1/2	15 1/2	1 1/8	0.01	10	\$	211
TXZS64	63	15 1/2	1 1/8	0.02	19	\$	361
TXZS96	94 1/2	15 1/2	1 1/8	0.03	28	\$	512

Double Base For T-Box



Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price	
TXZD32	31 1/2	31 1/2	1 1/8	0.02	20	\$	323
TXZD64	63	31 1/2	1 1/8	0.04	30	\$	570
TXZD96	94 1/2	31 1/2	1 1/8	0.06	41	\$	819

Top For T-Box



DESCRIPTION

Top for stackable cabinet.

NOTES


- o Top are ordered separately.

SPECIFICATIONS

- o Powder-coat painted finish.


SPECIFY ON ORDER

1. Quantity.
2. Model Number
3. Paint finish



Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	Price	
TXTC32	31 1/2	15 1/2	1 1/8	0.01	20	\$	166

Top For T-Box



DESCRIPTION

Top for stackable cabinet system.

NOTES

- o Additional top is optional.


SPECIFICATIONS

- o Thickness of surface .75 "(1.9 cm).
- o High resistant surface finish.
- o All edges have 2mm PVC.
- o Wood grain direction as shown

SPECIFY ON ORDER


1. Quantity.
2. Model Number.
3. Laminated finish

Single Top



Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
TXSCS32/___	31 1/2	15 1/2	1 1/8	0.01	8	\$ 254	\$ 281
TXSCS64/___	63	15 1/2	1 1/8	0.02	16	\$ 606	\$ 673
TXSCS96/___	94 1/2	15 1/2	1 1/8	0.03	24	\$ 694	\$ 772

Double Top



Model No.	Height	Width	Depth	Vol. m ³	WT. (Lbs)	M TLP	L LPL
TXSCD32/___	31 1/2	31 1/2	1 1/8	0.02	16	\$ 531	\$ 590
TXSCD64/___	63	31 1/2	1 1/8	0.04	32	\$ 1,272	\$ 1,412
TXSCD96/___	94 1/2	31 1/2	15 6/8	0.77	48	\$ 1,456	\$ 1,618